



गेल (इंडिया) लिमिटेड

(भारत सरकार का उपक्रम.
एक नवरात्र कम्पनी)

GAIL (India) Ltd.
(A Government of India Undertaking-
A Navratna Company)

THROUGH COURIER/E-MAIL

Corrigendum No. II Dated 17.09.2008

Ref No.: GAIL/PA08/16592/3200045544/SD

September 17, 2008

M/S. _____

SUBJECT : SUPPLY OF BUNK HOUSES (Qty: 4 NOS.)

**REFERENCE : I) OUR TENDER NO. GAIL/PA08/16592/3200045544/SD dated 29.07.2008
II) CORRIGENDUM NO. I DATED 19.08.2008**

Dear Sir,

With reference to the above tender, the following corrigendum is being issued -

Annexure-I (Technical Specification) to the tender under reference for supply of BUNK HOUSES is hereby replaced with the **Revised Technical Specification [Annexure-I (Rev.1)]** enclosed with this Corrigendum.

Due date of submission & opening of tenders are **extended** as follows-

Last date of bid submission - **1500 Hrs of 03.10.2008**

Opening of un-priced bids - **1530 Hrs of 03.10.2008**

The above **Corrigendum along with the Revised Technical Specification [Annexure-I (Rev.1)]** enclosed with this Corrigendum shall form part of the tender document and is required to be submitted with the un-priced bid, duly signed & stamped. All other terms and conditions of tender shall remain unchanged.

Bidders are requested to go through the **REVISED TECHNICAL SPECIFICATION [Annexure-I (Rev.1)]** enclosed with this Corrigendum and to submit their offer as per Revised Technical Specification so as to reach us on or before **1500 hrs of 03.10.2008**. In case bidder has already submitted their offer, bidder is entitled to submit revised offer on or before the extended due date.

Thanking You,
for GAIL (India) Ltd.,

(S. DASGUPTA)
Manager (C&P)

e-mail: sdasgupta@gail.co.in

Enclosure: Revised Technical Specification [Annexure-I(Rev.1)]

पोस्ट-पाता, जिला-औरैया (उ.प्र.)-206241 दूरभाष: (05683) 282356, 282049, 283403-283405, फैक्स: (05683) 282446, 011.26185941, वेब साइट: www.gailonline.com
P.O.-Pata, Dist.-Auraiya (U.P.)-206241, Phone: (05683) 282356, 282049, 283403-283405, Fax: (05683) 282446, 011-26185941, Website: www.gailonline.com

पंजीकृत कार्यालय : 16, भीकाएजी कामा प्लेस, आर. के. पुरम, नई दिल्ली - 110 066, दूरभाष: 26182955, फैक्स: 011-26185941
Registered Office: 16, Bhikaiji Cama Place, R K Puram, New Delhi - 110 066, Phone: 26182955, Fax: 011-26185941

प्राकृतिक गैस - स्वच्छ ऊर्जा, हरित ऊर्जा | Natural Gas - Clean Energy, Green Energy

REVISED TECHNICAL SPECIFICATION (dated 09.09.2008)	
ITEM	DESCRIPTION
DIMENSIONS	APPROXIMATELY 20' x 10' x 8' 6" CABIN (20 FT LENGTH * 10 FT WIDTH * 8.5 FT HEIGHT)
DESIGN PARAMETERS	SHOULD BE DESIGNED TO WITHSTAND THE MAXIMUM WIND LOAD AT THE SITE (APPROXIMATELY 150 KG/SQMTR)
MAIN FRAME	SHALL BE MADE OUT OF SQUARE PIPE SECTION - STEEL FRAME
WALLS & ROOF - OUTER	ROOF & SIDES TO COVERED WITH META COLOUR GI SHEET / 10 mm (Min) THICK SILICA FIBER BOARD COVERED WITH EPOXY AND P U TEXTURE NON-CORROSIVE COATING
WALLS & ROOF - INNER	LAMINATED WITH FIBER BOARD WALLS
INSULATION / ACOUSTIC	T.F. THERMOCOL / GLASS OR MINERAL WOOL / PUFF. SHOULD WITHSTAND -20 TO +70 DEG C
FALSE CEILING	TEAK FINISH / LAMINATED FIBER BOARD FALSE CEILING WITH INSULATION
WINDOWS	TWO HIGH QUALITY ALUMINIUM SLIDING WINDOWS TO BE PROVIDED AS STANDARD FITMENT
DOOR	ONE M.S.DOOR FITTED WITH PRE-COATED NON-CORROSIVE SHEETS AND SUITABLE HINGES
STRUCTURE	STRUCTURE WILL BE PAINTED WITH SYNTHETIC ENAMEL OVER A COAT OF RED PRIMER
ELECTRICAL POINTS	1) ONE TUBE LIGHT, DOOR LIGHT & POWER POINTS FOR ADDITIONAL LIGHTS, COMPUTER, UPS etc & 15A POINT FOR AIR CONDITIONER 2) FOUR EXTRA 5A THREE PIN SOCKETS 3) DISTRIBUTION BOARD WITH REQUIRED MCBs TO BE PROVIDED
TELEPHONE POINTS	1) ONE POINT FOR TELEPHONE CONNECTION 2) ONE POINT FOR LAN CONNECTION
FLOORING	APPROXIMATELY 16MM MARINE PLY FIXED ON BOTTOM CHANNELS 1MM VINYL PVC CARPET ON WOODEN FLOORING

T. Ananthakumaran
04/09/2008

S. Aranya
9/09/08

S. Aranya
9/9/08