

गेल (इंडिया) लिमिटेड

(भारत सरकार का उपक्रम - महारत्न कंपनी)

GAIL (India) Limited

(A Government of India Undertaking - A Maharatna Company)

No. GAIL/USAR/PDHPP/MOEFCC/HY/2023/02

To, Addl. Principal Chief Conservator of Forests (C), Ministry of Env., Forest and Climate Change Regional Office (WCZ), Ground Floor East Wing, New Secretariat Building, Civil Lines, Nagpur-440001

Ref.: F.No. J-11011/464/2017-IA-II(I) dated 13.10.2020

Subject: Submission of compliance status to the conditions of Environmental Clearance accorded for setting up of 500 KTA Propane dehydrogenation unit integrated with Polypropylene unit by M/s. GAIL (India) Limited at Usar Industrial Area, Village-Usar, Tehsil- Alibag, District- Raigad (Maharashtra)

Dear Sir,

Please find enclosed herewith compliance status to the conditions of Environmental Clearance accorded for setting up of 500 KTA Propane Dehydrogenation unit integrated with Polypropylene Unit to M/s. GAIL (India) Limited, Usar.

This project is under initial stage and the compliance is for the period of April 2023 to September 2023.

Thanking You,

Yours Truly,

Anup Gupta

Chief General Manager (PDH-PP Projects) & OIC

Enclosure: Half Yearly EC compliance (April 2023 – September 2023)

पंजीकृत कार्यालय:

गेल भवन, 16 भीकाएजी कामा प्लेस

नई दिल्ली - 110 066, इंडिया

REGD. OFFICE:

GAIL BHAWAN, 16 BHIKAIJI CAMA PLACE

NEW DELHI - 110 066, INDIA.

सीआईएन/ CIN L402200DL1984GOI018976

www.gailonline.co.in

पेट्रकेमिकल कॉम्पलेक्स, मृ.उसर, पोस्ट-मल्याण,

महाराष्ट्र - 402 203

Petrochemical Complex

At - Usar, Post - Malyan,

Maharashtra - 402 203. GSTN: 27AAACG1209J3ZU

Tal - Alibag, Dist - Raigad,

23.11.2023

तालुका - अलिबाग, जिला रायगड,

(Compliance of Environmental Clearance conditions for the period 1st April	2022 to 20th Contombou 2022
	ect: Setting up of 500 KTA Propane Dehydrogenation unit integrated with Polypropyl	
	Reference No.: F. No. J-11011/464/2017-IA-II(I) dated 13th Octobe	
Compli	iances of terms and conditions (A. Specific Conditions):	7
	The company shall comply with all the environmental protection measures and	
400	safeguards proposed in the documents submitted to the Ministry. All the	MEANS MARKET SEE SEE SEE SEEST
(i)	recommendations made in the EIA/EMP in respect of environmental	Shall be complied with.
	management, and risk mitigation measures relating to the project shall be	*
	implemented.	
	As already committed by the Project proponent, Zero Liquid Discharge shall be	ZLD is included in design and shall be
(ii)	ensured and no waste/treated water shall be discharged outside the premises. All	implemented
	the waste water to be collected and to be reused after treatment	
6740.00000	To control source and the fugitive emissions, suitable pollution control devices	H Si
(iii)	shall be installed with different stacks to meet the prescribed norms as notified by	Shall be complied with.
-	MOEFCC 2012 for new refineries.	- P
(:)	Total fresh water requirement shall not exceed 480 m3/hour to be met from	N . 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
(iv)	MIDC water supply. Necessary permission in this regard shall be obtained from the concerned regulatory authority.	Noted and shall be complied with.
	Process effluent/any waste water shall not be allowed to mix with storm water.	
(v)	Storm water drain shall be passed through guard pond.	Shall be complied with.
	Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame	
(vi)	arresters shall be provided on tank farm, and solvent transfer to be done through	Shall be complied with.
	pumps.	
	Process organic residue and spent carbon, if any, shall be sent to cement industries.	w *
(vii)	ETP sludge, process inorganic & evaporation salt shall be disposed off to the	Shall be complied with.
	TSDF. The ash from boiler shall be sold to brick manufacturers/cement industry	
(viii)	Regular VOC monitoring shall be done at vulnerable points.	Shall be complied with.
(122)	The oily sludge shall be subjected to melting pit for oil recovery and the residue	
(ix)	shall be bio-remediated. The sludge shall be stored in HDPE lined pit with proper	Shall be complied with during the
W. M-2.	leachate collection system.	operation phase of the Plant.
	Comprehensive water audit to be conducted on annual basis and report to the	Shall be complied with during the
(x)	concerned Regional Office of MEF&CC. Outcome from the report to be	operation phase of the Plant.
	implemented for conservation scheme.	- P P
(xi)	Oil catchers/oil traps shall be provided at all possible locations in rain/ storm water drainage system inside the factory premises.	Shall be complied with.
(xii)	The company shall undertake waste minimization measures as below:	
(1111)		
	(a)Metering and control of quantities of active ingredients to minimize waste.	
	(b) Reuse of by-products from the process as raw materials or as raw material	
	substitutes in other processes.	Noted and shall be complied with as
	(c) Use of automated filling to minimize spillage.	applicable.
	(d) Use of Close Feed system into batch reactors.	
	(e)Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment cleaning etc. to reduce wastewater	
	generation.	
	The green belt of 5-10 m width shall be developed in more than 33% of the total	
(xiii)	project area, mainly along the plant periphery, in downward wind direction, and	Noted and Shall be a series to
(AIII)	along road sides etc. Selection of plant species shall be as per the CPCB guidelines	Noted and Shall be complied with.
	in consultation with the State Forest Department.	
	As seminified De 20.77 among de II handle et la Company	In line with the directions of District
	As committed Rs. 20.77 crores shall be allocated for Corporate Environment Responsibility (CER) shall be utilized for meeting the commitment of the issues of	Administration, Agreements with
(xiv)	public hearing. The CER plan shall be completed before commissioning of the	Group Grampanchayat of villages in vicinity of the plant premises is being
	expansion of the project.	executed for implementation of CER
	, and the same of	Projects.
	A separate Environmental Management Cell (having qualified person with	
(xv)	Environmental Science/Environmental Engineering/specialization in the project area)	Shall be complied with.
(41)	equipped with full-fledged laboratory facilities shall be set up to carry out the	Shan be complied with.
	Environmental Management and Monitoring functions.	
(27.5)	The unit shall make the arrangement for protection of possible fire hazards during	CL-III
(xvi)	manufacturing process in material handling. Firefighting system shall be as per the norms.	Shall be complied with.
	IIVI IIIS.	
	Continuous online (24x7) monitoring system for stack emissions shall be installed	
	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the	
(xvii)	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. In case of the treated effluent	Shall be complied with.
(xvii)	for measurement of flue gas discharge and the pollutants concentration, and the	Shall be complied with.



(xviii)	PP to set up occupational health Centre for surveillance of the worker's health within and outside the plant on a regular basis. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.	Shall be complied with.
(xix)	The National Emission Standards for Petrochemical (Basic & Intermediates) issued by the Ministry vide G.S.R. 820 (E) dated 9th November, 2012 as amended time to time shall be followed.	Shall be complied with.
(xx)	Recommendations of mitigation measures from possible accident shall be implemented based on Risk Assessment studies conducted for worst case scenarios using latest techniques.	Shall be complied with.
Complia	nces of terms and conditions (B. General Conditions):	
(i)	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Noted and shall be complied with.
(ii)	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	Noted and shall be complied with.
(iii)	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Noted and shall be complied with.
(iv)	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Noted and shall be complied with.
(v)	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	Noted and shall be complied with.
(vi)	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Complied.
(vii)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e- mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Complied and will be further ensured
(viii)	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	The proposed Project is under various stage of Design and tendering and submission of Enviornment Statement (Form-V) will be undertaken after Plant commercial operation.
(ix)	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Complied. Has been advertised on 20th October , 2020. A copy of same has been sent to MoEFCC Regional Office at Nagpur.
(x)	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Noted and shall be complied with.
(xi)	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Noted.





BUILDING & ROAD, MATERIAL, SOIL, ENVIRONMENTAL & CALIBRATION TESTING LAB

NITYA LABORATORIES

43, Sector-A1 Ext., Bhalla Enclave, Channi Himmat, Jammu-180 015, J&K (UT), India

G+91-191-2465597

info@nityalab.com @www.nityalab.com

Test Report

Issued To **GAIL India Limited**

PDH-PP Project

At & Post-Usar, Tal: Alibag

Distt. Raigad-402203

ULR No. :

TC636623000005484F

Test Report Date:

06/11/2023

Sample Particulars

Nature of the Sample

Date of Sampling

Time of Sampling (Hrs)

Sample Received at Lab

Test Started on

Test Completed

Purpose of Monitoring

Method of Sampling

Sampling Location

Avg. Flow Rate of Air for RDS (m3/min)

Avg. Flow Rate of Air for FPS (m3/hr)

Monitoring Conducted By

Ambient Temperature (°C) Sampling Duration (Hrs.)

25/10/2023

01:10 PM

28/10/2023

28/10/2023

04/11/2023

To Check the Pollution Load

Ambient Air Quality Monitoring

IS 5182 (Part 14)

Near Sub Station

1.12

0.99

Mr. Ved Prakash

27

24 Hrs.

Analysis Report

Sr. No.	Parameters	Test Results	Standard Limit	Duration	Test Method
1.	Particulate Matter (PM _{2.5}), µg/m ³	43.50	60	24 hrs	40CFR Appendix L Part 53 CPCB Guidelines
2.	Particulate Matter (PM ₁₀), µg/m ³	93.40	100	24 hrs	IS:5182(P-23)
3.	Sulphur Dioxide (as SO ₂), µg/m ³	17.50	80	24 hrs	IS:5182(P-2)
4.	Nitrogen Dioxide (as NO _{2),} ug/m ³	26.80	100	24 hrs	IS:5182(P-6)
5.	Ozone (as O ₃), ug/m ^{3*}	32.30	100	8 hrs	IS:5182(P-9)
6.	Lead (as Pb), μg/ m³*	ND	1	24 hrs	NL/SOP/AAQ-11
7.	Carbon Monoxide (as CO), mg/m ³	0.92	2	8 hrs	IS:5182 (P-10)
8.	Ammonia (as NH₃), ug/m³	47.20	400	24 hrs	Method of Air Sampling & Analysis CPCB Guidelines
9.	Nickel (as Ni), ng/m ^{3*}	ND	20	Annual	NL/SOP/AAQ-13
10.	Arsenic (as As), ng/m ^{3*}	NĎ	6	Annual	NL/SOP/AAQ-12
11.	Benzo(a)pyrene (as BAP), ng/m³*	ND	1	Annual	IS:5182 (P-12)
12.	Benzene (C ₆ H ₆), ug/m ^{3*}	ND	5	Annual	IS:5182 (P-11)

*NAAQS - National Ambient Air Quality Standards; Schedule-Vil, [Rule 3 (3B)], [Part-II-sec_3(i)] 16.11 2009

MRISEN

(RAVINGER MITTAL)

CORPORATE OFFICE & CENTRAL LABORATORIES:-

PLOT NO. 118, CHURCH ROAD, BEHIND KAUSIK VATIKA, BHAGAT SINGH COLONY, BALLABHGARH, FARIDABAD - 121004, HARYANA, INDIA

3 +91-129-2241021

+91-9013591021, +91-9013552273

labsnitya@gmail.com



NITYA LABORATORIES

43, Sector-A1 Ext., Bhalla Enclave, Channi Himmat, Jammu-180 015, J&K (UT), India

C +91-191-2465597

info@nityalab.com 🐶 www.nityalab.com

BUILDING & ROAD, MATERIAL, SOIL, ENVIRONMENTAL & CALIBRATION TESTING LAB

Test Report

Issued To

GAIL India Limited

PDH-PP Project

At & Post-Usar, Tal: Alibag Distt. Raigad-402203 ULR No. :

TC636623000005485F

Test Report Date:

06/11/2023

Sample Particulars

Nature of the Sample

Date of Sampling

Purpose of Monitoring

Parameter Tested

Instrument Used

Place of Monitoring

Ambient Noise

25/10/2023

To Check the Pollution Load

Noise Level, Leq dB (A)*

Sound Level Meter

Near Sub Station

Analysis Report

Sr. No.	Location	Test Result dB(A) Day Time	Test Result dB(A) Night-time	Test Method
Permiss	sible Limit in *dB(A) LeqFor Industrial Area	75 dB(A)	70 dB(A)	
1	Near Sub Station	70.6	61.5	IS 9989

Remark

*dB (A) Leq denotes the time weighted average of the level of sound in decibel on scale 'A' which is relatable to human hearing. CPCB = Central Pollution Control Board

Note: The Noise Ambient Air Quality Standards are given for reference

Areá Code	Category of Area	Limits	dB (A) Leq
		Day Time (6AM - 10PM)	Night Time (10PM – 06AM)
Α	Industrial Area	75	70
В	Commercial Area	65	55.
С	Residential Area	55	. 45
D	Silence Zone	50	40



(AUTHORISED SIGNATORY)

(RAVINDER MITTAL)

NOTE: The liaboratory accepts the responsibility for content of report. The results contained in this test report shall not be reproduced except in full, without aritime reports each or to be sample tested. Test report shall not be reproduced except in full, without the offer or report shall not be reproduced except shall not be reported shall not be reported shall not be reported shall not be destined after 30 days from the date of saxs of feet cutificate unless otherwise specified. Any complaints about the report should be communicated in writing within 7 days of issue of this report. Total liability of Nitys Laboratories is limited invaried amount only. Results subject to the movement of vehicles at this time. If you have any complaints feed backer regarding the sample collection/resting/sheet seed and email strings. 1914 1914-18455924.

CORPORATE OFFICE & CENTRAL LABORATORIES:-

🗣 PLOT NO. 118, CHURCH ROAD, BEHIND KAUSIK VATIKA, BHAGAT SINGH COLONY, BALLABHGARH, FARIDABAD - 121004, HARYANA, INDIA

C# +91-129-2241021

+91-9013591021, +91-9013552273

labsnitya@gmail.com



BUILDING & ROAD, MATERIAL, SOIL, ENVIRONMENTAL & CALIBRATION TESTING LAB

NITYA LABORATORIES

• 43, Sector-A1 Ext., Bhalla Enclave, Channi Himmat, Jammu-180 015, J&K (UT), India

+91-191-2465597

info@nityalab.com www.nityalab.com

Test Report

Issued To

GAIL India Limited

PDH-PP Project

At & Post-Usar, Tal: Alibag Distt. Raigad-402203 ULR No. :

TC636623000005432F

Test Report Date:

06/11/2023

Sample Particulars

Nature of the Sample

Date of Sampling

Time of Sampling (Hrs)

Sample Received at Lab

Test Started on

Test Completed

Purpose of Monitoring

Method of Sampling

Sampling Location

Avg. Flow Rate of Air for RDS (m3/min)

Avg. Flow Rate of Air for FPS (m3/hr)

Monitoring Conducted By

Ambient Temperature (°C)

Sampling Duration (Hrs.)

Ambient Air Quality Monitoring

23/10/2023

12:50 PM

28/10/2023

28/10/2023

04/11/2023

To Check the Pollution Load

IS 5182 (Part 14)

Fire Station

1.10

1.00

Mr. Ved Prakash

27.

24 Hrs.

Analysis Report

Sr. No.	Parameters	Test Results	Standard Limit	Duration	Test Method
1.	Particulate Matter (PM _{2.5}), µg/m ³	44.50	60	24 hrs	40CFR Appendix L Part 53 CPCB Guidelines
2.	Particulate Matter (PM ₁₀), µg/m ³	85.20	100	24 hrs	IS:5182(P-23)
3.	Sulphur Dioxide (as SO ₂), µg/m ³	26.30	80	24 hrs	IS:5182(P-2)
4.	Nitrogen Dioxide (as NO _{2),} ug/m ³	33.50	100	24 hrs	IS:5182(P-6)
5.	Ozone (as O ₃), ug/m³*	29.45	100	8 hrs	IS:5182(P-9)
6.	Lead (as Pb), µg/ m³*	ND	1	24 hrs	NL/SOP/AAQ-11
7.	Carbon Monoxide (as CO), mg/m ³	1.80	2	8 hrs	IS:5182 (P-10)
8.	Ammonia (as NH ₃), ug/m ³	44.20	400	24 hrs	Method of Air Sampling 8 Analysis CPCB Guidelines
9.	Nickel (as Ni), ng/m³ ⁻	ND	20	Annual	NL/SOP/AAQ-13
10.	Arsenic (as As), ng/m³*	ND	6	Annual	NL/SOP/AAQ-12
11.	Benzo(a)pyrene (as BAP), ng/m³*	ND	1	Annual	IS:5182 (P-12)
12.	Benzene (C ₆ H ₆), ug/m ^{3*}	ND	5	Annual	IS:5182 (P-11)

Romark: *NAAQS -- National Ambient Air Quality Standards, Schedule-VII, [Rule 3 (3B)], [Part-il-sec.-3(i)] 16.11.2009



(AUTHORISED SIGNATORY)

(RAVINGER MITTAL)

NOTE: The faboratory access the responsibility for content of report. The results contained in this test report related only to the sample tested. Test report shall not be reproduced except in full, without written approval of the Justiciatory. This report shall not be reproduced except in full, without written approval of the organization. Samples will be destroyed after 30 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report about the report approval or the report approval of the support of the properties and the report approval of the support of the support of the properties are certificated unless otherwise specified. Any complaints about this report about the report approval of the support of the properties are certificated unless at the support of the properties are certificated unless at the support of the properties are certificated unless at the support of th

CORPORATE OFFICE & CENTRAL LABORATORIES:-

PLOT NO. 118, CHURCH ROAD, BEHIND KAUSIK VATIKA, BHAGAT SINGH COLONY, BALLABHGARH, FARIDABAD - 121004, HARYANA, INDIA

+91-129-2241021

1 +91-9013591021, +91-9013552273

labsnitya@gmail.com



NITYA LABORATORIES ·

43, Sector-A1 Ext., Bhalla Enclave, Channi Himmat, Jammu-180 015, J&K (UT), India

+91-191-2465597

info@nityalab.com 🐶 www.nityalab.com

BUILDING & ROAD, MATERIAL, SOIL, ENVIRONMENTAL & CALIBRATION TESTING LAB

Test Report

Issued To

GAIL India Limited

PDH-PP Project

At & Post-Usar, Tal: Alibag Distt. Raigad-402203 ULR No. :

TC636623000005433F

Test Report Date:

06/11/2023

Sample Particulars

Nature of the Sample

Date of Sampling

Purpose of Monitoring

Parameter Tested

Instrument Used

Place of Monitoring

Ambient Noise

23/10/2023

To Check the Pollution Load

Noise Level, Leg dB (A)*

Sound Level Meter

Fire Station

Analysis Report

Sr. No.	Location	Test Result dB(A) Day Time	Test Result dB(A) Night Time	Test Method	
Permissible L	imit in *dB(A) LeqFor Industrial Area	75 dB(A)	70 dB(A)		
1 Fire	Station	72.8	66.5	IS 9989	

Remark

Note: The Noise Ambient Air Quality Standards are given for reference

Area Code	Category of Area	Limits	dB (A) Leq
		Day Time (6AM – 10PM)	Night Time (10PM - 06AM)
Α	Industrial Area	75	70
В	Commercial Area	65	55
С	Residential Area	55	45
D	Silence Zone	50	40



(AUTHORISED SIGNATORY)

(RAVINDER WITTAL)

NOTE: The reportatory accepts the responsibility for content of report. The results contained in this test report related only to the sample tested. Test report shall not be reproduced except in full, without writton approved of the laboratory. This report shall not be reproduced except in full without the written approved of this organization. Samples will be destroyed after 30 days from the paid of issue of feet certificate unless otherwise excepted. Any complaints about this report shall be communicated in writing within 7 days of issue his post. Total inability of high calaboratories is intended amount only. Results subject to the movement of vehicles at that time. If you have any complaint/feedback regarding the sample collection/testing/test report, priease send an email at info@nityalab.com and call at +91-191-246597, +91-9873824083.

CORPORATE OFFICE & CENTRAL LABORATORIES:-

PLOT NO. 118, CHURCH ROAD, BEHIND KAUSIK VATIKA, BHAGAT SINGH COLONY, BALLABHGARH, FARIDABAD - 121004, HARYANA, INDIA

+91-129-2241021

1 +91-9013591021, +91-9013552273

labsnitya@gmail.com

^{*}dB (A) Leq denotes the time weighted average of the level of sound in decibel on scale 'A' which is relatable to human hearing.

CPCB = Central Pollution Control Board



Work for Quality

BUILDING & ROAD, MATERIAL, SOIL, ENVIRONMENTAL & CALIBRATION TESTING LAB

NITYA LABORATORIES

43. Sector-A1 Ext., Bhalla Enclave, Channi Himmat, Jammu-180 015, J&K (UT), India

+91-191-2465597

TC636623000005434F

06/11/2023

Test Report

GAIL India Limited Issued To

PDH-PP Project

At & Post-Usar, Tal: Alibag

Distt. Raigad-402203

Sample Particulars

Nature of the Sample

Date of Sampling

Time of Sampling (Hrs)

Sample Received at Lab

Test Started on

Test Completed

Purpose of Monitoring

Method of Sampling

Sampling Location

Avg. Flow Rate of Air for RDS (m3/min)

Avg. Flow Rate of Air for FPS (m3/hr)

Monitoring Conducted By Ambient Temperature (°C)

Sampling Duration (Hrs.)

Ambient Air Quality Monitoring

ULR No. :

Test Report Date:

23/10/2023

01:20 PM

28/10/2023

28/10/2023

04/11/2023

To Check the Pollution Load

IS 5182 (Part 14)

Near Lab

1 12

0 99

Mr. Ved Prakash

27

24 Hrs.

Analysis Report

Sr. No.	Parameters	Test Results	Standard Limit	Duration	Test Method
1.	Particulate Matter (PM _{2.5}), µg/m ³	44.20	60	24 hrs	40CFR Appendix L Part 53 CPCB Guidelines
2.	Particulate Matter (PM ₁₀), µg/m ³	86.20	100	24 hrs	IS:5182(P-23)
3.	Sulphur Dioxide (as SO ₂), µg/m ³	23.30	80 .	24 hrs	IS:5182(P-2)
4.	Nitrogen Dioxide (as NO _{2),} ug/m ³	30.10	100	24 hrs	IS:5182(P-6)
5.	Ozone (as O ₃), ug/m ³ *	33.40	100	8 hrs	IS:5182(P-9)
6.	Lead (as Pb), μg/ m³°	ND	1	24 hrs	NL/SOP/AAQ-11
7.	Carbon Monoxide (as CO), mg/m ³	1.25	2	8 hrs	IS:5182 (P-10)
8.	Ammonia (as NH ₃), ug/m ³	47.40	400	24 hrs	Method of Air Sampling & Analysis CPCB Guidelines
. 9	Nickel (as Ni), ng/m³*	ND	20	Annual	NL/SOP/AAQ-13
10.	Arsenic (as As), ng/m ^{3*}	ND	6	Annual	NL/SOP/AAQ-12
11.	Benzo(a)pyrene (as BAP), ng/m ^{3*}	ND	1	Annual	IS:5182 (P-12)
12.	Benzene (C ₆ H ₆), ug/m ^{3*}	ND	5	Annual	IS:5182 (P-11)

*NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-li-sec.-3(i)] 16.11.2009



(AUTHORISED SIGNATORY)

(RAVINDER MITTAL)

NOTE: 100 Section 2015 and not for legal purpose or for adverbenners. The report among within 7 days of assue of this report should be communicated in writing within 7 days of assue of this report. Total charmes any complaintified back regarding the sample collection/testing/test report, phases send an small at info@mityalab.co. m and call at +91-191-2455597, +91-98739240

CORPORATE OFFICE & CENTRAL LABORATORIES :-

♥ PLOT NO. 118, CHURCH ROAD, BEHIND KAUSIK VATIKA, BHAGAT SINGH COLONY, BALLABHGARH, FARIDABAD - 121004, HARYANA, INDIA



NITYA LABORATORIES

 43, Sector-A1 Ext., Bhalla Enclave, Chánni Himmat, Jammu-180 015, J&K (UT), India

+91-191-2465597

🔛 info@nityalab.com 🐶 www.nityalab.com

BUILDING & ROAD, MATERIAL, SOIL, ENVIRONMENTAL & CALIBRATION TESTING LAB

Test Report

issued To

GAIL India Limited

PDH-PP Project

At & Post-Usar, Tal: Alibag Distt. Raigad-402203 ULR No. :

TC636623000005435F

Test Report Date:

06/11/2023

Sample Particulars

Nature of the Sample

Ambient Noise

Date of Sampling

23/10/2023

Purpose of Monitoring

To Check the Pollution Load

Parameter Tested

Noise Level, Leq dB (A)*

Instrument Used

Sound Level Meter

Place of Monitoring

Near Lab

Analysis Report

Sr. No.	Location	Test Result dB(A) Day Time	Test Result dB(A) Night-time	Test Method
Permissible Lim	it in *dB(A) LeqFor Industrial Area	75 dB(A)	70 dB(A)	
1 Near L	ab	69.7	60.2	IS 9989

Remark:

Note: The Noise Ambient Air Quality Standards are given for reference

Area Code	Category of Area	Limits	dB (A) Leq
		Day Time (6AM - 10PM)	Night Time (10PM – 06AM)
Α	Industrial Area	75	70
В	Commercial Area	65	55
С	Residential Area	55	45
D	Silence Zone	50	40



(AUTHORISED SIGNATORY)

(RAVINDER MITTAL)

NOTE: The laboratory accepts the responsibility for contact of report. The results contained in this test report related only to the earpret lested of the report shall not be reproduced except in full, without written approval. of the laboratory. This report shall not be reproduced except in full, without be reported and the register in the report shall not be reported and tended of this organization. Samples will be destroyed after 30 days from the date of seals of test certificate unless of the organization. Samples will be destroyed after 30 days from the date of seals of test certificate unless of the organization. Samples will be destroyed after 30 days from the date of seals of the report shall not be communicated in writing wither 7 days of issue of this report total isobility of Natys Laboratories is famined arroaded amount only. Results subject to the movement of vervious at that one if you have any complaintified before report, precision seed and main at integer in property and cell at 41-41-41-4565597, 491-49373246040.

CORPORATE OFFICE & CENTRAL LABORATORIES :-

PLOT NO. 118, CHURCH ROAD, BEHIND KAUSIK VATIKA, BHAGAT SINGH COLONY, BALLABHGARH, FARIDABAD - 121004, HARYANA, INDIA

+91-129-2241021

+91-9013591021, +91-9013552273

labsnitya@gmail.com

^{*}dB (A) Leq denotes the time weighted average of the level of sound in decibel on scale 'A' which is relatable to human hearing.

CPCB = Central Pollution Control Board



BUILDING & ROAD, MATERIAL, SOIL, ENVIRONMENTAL & CALIBRATION TESTING LAB

NITYA LABORATORIES

43. Sector-A1 Ext., Bhalla Enclave, Channi Himmat, Jammu-180 015, J&K (UT), India

+91-191-2465597

info@nityalab.com @www.nityalab.com

Test Report

Issued To **GAIL India Limited**

PDH-PP Project

At & Post-Usar, Tal: Alibag

Distt. Raigad-402203

ULR No. :

TC636623000005486F

Test Report Date:

06/11/2023

Sample Particulars

Nature of the Sample

Date of Sampling

Time of Sampling (Hrs)

Sample Received at Lab

Test Started on

Test Completed

Purpose of Monitoring

Method of Sampling

Sampling Location

Avg. Flow Rate of Air for RDS (m3/min)

Avg. Flow Rate of Air for FPS (m3/hr)

Monitoring Conducted By

Ambient Temperature (°C) Sampling Duration (Hrs.)

Ambient Air Quality Monitoring

25/10/2023

02:10 PM

28/10/2023

28/10/2023

04/11/2023

To Check the Pollution Load

IS 5182 (Part 14)

Admin Building

1.14

0.98

Mr. Ved Prakash

27

24 Hrs.

Analysis Report

Sr. No.	Parameters	Test Results	Standard Limit	Duration	Test Method
1.	Particulate Matter (PM _{2.5}), µg/m ³	36.40	60	24 hrs	40CFR Appendix L Part 53 CPCB Guidelines
2.	Particulate Matter (PM ₁₀), µg/m ³	88.20	100	24 hrs	IS:5182(P-23)
3.	Sulphur Dioxide (as SO₂), µg/m³	24.50	80	24 hrs	IS:5182(P-2)
4.	Nitrogen Dioxide (as NO _{2), ug/m³}	33.50	100	24 hrs	IS:5182(P-6)
5.	Ozone (as O ₃), ug/m ^{3*}	36.20	100	8 hrs	IS:5182(P-9)
6.	Lead (as Pb), µg/ m³*	ND	1	24 hrs	NL/SOP/AAQ-11
7.	Carbon Monoxide (as CO), mg/m ³	1.55	2	8 hrs	IS:5182 (P-10)
8.	Ammonia (as NH ₃), ug/m ³	48.20	400	24 hrs	Method of Air Sampling & Analysis CPCB Guidelines
9.	Nickel (as Ni), ng/m³*	ND	20	Annual .	NL/SOP/AAQ-13
10.	Arsenic (as As), ng/m³*	• ND	6	Annual	NL/SOP/AAQ-12
11.	Benzo(a)pyrene (as BAP), ng/m³*	ND	1	Annual	IS:5182 (P-12)
12.	Benzene (C ₆ H ₆), ug/m ^{3*}	ND	. 5	Annual	IS:5182 (P-11)

*NAAQS - National Ambient Air Quality Standards, Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 16 11.2009



(AUXHORISÉD SIGNATORY)

(RAVINDER MITTAL)

CORPORATE OFFICE & CENTRAL LABORATORIES:

🗣 PLOT NO. 118, CHURCH ROAD, BEHIND KAUSIK VATIKA, BHAGAT SINGH COLONY, BALLABHGARH, FARIDABAD - 121004, HARYANA, INDIA

+91-129-2241021

+91-9013591021, +91-9013552273

labsnitya@gmail.com



NITYA LABORATORIES

43, Sector-A1 Ext., Bhalla Enclave, Channi Himmat, Jammu-180 015, J&K (UT), India

9+91-191-2465597

info@nityalab.com € www.nityalab.com

BUILDING & ROAD, MATERIAL, SOIL, ENVIRONMENTAL & CALIBRATION TESTING LAB

Test Report

Issued To

GAIL India Limited

PDH-PP Project

At & Post-Usar, Tal: Alibag Distt. Raigad-402203 ULR No. :

TC636623000005487F

Test Report Date:

06/11/2023

Sample Particulars

Nature of the Sample

Date of Sampling

Purpose of Monitoring

Parameter Tested

Instrument Used

Place of Monitoring

Ambient Noise

25/10/2023

To Check the Pollution Load

Noise Level, Leg dB (A)*

Sound Level Meter

Admin Building

Analysis Report

Sr. No.	Location	Test Result dB(A) Day Time	Test Result dB(A) Night-time	Test Method
Permiss	ible Limit in *dB(A) LeqFor Industrial Area	75 dB(A)	70 dB(A)	Q
1	Canteen	74.2	66.8	IS 9989

Remark

*dB (A) Leq denotes the time weighted average of the level of sound in decibel on scale 'A' which is relatable to human hearing.

CPCB = Central Pollution Control Board

Note: The Noise Ambient Air Quality Standards are given for reference

Area Code	Category of Area	Limits dB (A) Leq		
*		Day Time (6AM – 10PM)	Night Time (10PM - 06AM)	
A	Industrial Area	75		
В	Commercial Area	65	55	
С	Residential Area	55	45	
D	Silence Zone	50	40	



(AUTHORISED SIGNATORY)

(RAVINDER MITTAL)

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report effect only to the sample tested. Test report shall not be reproduced except in fail, without written approval of the individual to any for your guidance and not for legal as unjoined on the register of the advertisement. The report shall not be reproduced except in fail without the written approved of this originations. Samples will be destroyed after 30 days in room the date of seve of lest certificate unless of the originations. Samples will be destroyed after 30 days in room the date of seve of lest certificate unless of the originations. Samples will be destroyed after 30 days in room the date of seve of lest certificate unless of the originations are severally about the sample collection restauring test at infooting highly and and call at infooting the sample collection restauring test at infooting highly and and call at infooting the sample collection restauring test at infooting highly and and call at infooting the sample collection restauring the sample

CORPORATE OFFICE & CENTRAL LABORATORIES:

PLOT NO. 118, CHURCH ROAD, BEHIND KAUSIK VATIKA, BHAGAT SINGH COLONY, BALLABHGARH, FARIDABAD - 121004, HARYANA, INDIA

+91-129-2241021

+91-9013591021, +91-9013552273

labsnitya@gmail.com