

**STATUS OF COMPLIANCE TO  
ENVIRONMENTAL CLEARANCES  
FOR THE PERIOD  
APRIL 2023 TO SEPTEMBER 2023**



**GAIL (INDIA) LIMITED  
PATA PETROCHEMICAL COMPLEX**

## Compliance status to conditions of Environment Clearances at GAIL (India) Limited, Pata, U.P.

Environment Clearances accorded to GAIL (India) Limited, Pata as on 30<sup>th</sup> September, 2023 are as follows:

- A. Letter No. J-11011/22/90-IA-II, Dated-30/03/1992 for GAIL, **Pata Petrochemical Project.**
- B. Letter No. J-11011/29/96-IA-II (I), Dated 16/01/1997 for **LPG Recovery Facility.**
- C. Letter No. J-11011/237/2003-IA-II (I), Dated 19/04/2004 for **LLDPE Debottlenecking Project.**
- D. Letter No. J-11011/143/2004 – IA II (I), Dated 12/01/2005 for **HDPE Expansion & 5th Furnace Project.**
- E. Letter No. J-11011/595/2010-IA II (I), Dated 23/05/2012 for **Expansion of Petrochemical Complex project.**
- F. Letter No. J-11011/595/2010-IA(II)I, Dated 16/10/2020 for **Polypropylene Expansion Project**

**Name of the Project:** GAIL, Pata Petrochemical Project      **Project Code:** NIL

**Clearance Number:** J-11011/22/90-IA-II, Dated 30/03/1992

**Period of Compliance:** April 2023 to September 2023

Sr. No.	Condition no.	Conditions	Compliance Status
1.	i.	The Project Authority must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	All the stipulations made by the State Pollution Control Board and the State Government are adhered to. Compliance to conditions of Consent to Operate have been sent to the Uttar Pradesh Pollution Control Board.
2.	ii.	Any expansion of the plant either with the existing product mix or new products can be taken up only with the prior approval of this Ministry	Any expansion of the plant is taken up only after obtaining prior approval of the Ministry. GAIL Pata has been accorded 6 ECs for different expansions as mentioned above (A, B, C, D, E & F).
3.	iii.	The project Authority must submit comprehensive EIA report for the proposed activity along with any future activity proposed / approved by this Ministry within one month.	Comprehensive EIA study was done by NEERI for the proposed plant in July 1991. Report of the study was submitted to MoEF&CC.
4.	iv.	Rehabilitation of the families whose land has been acquired for the above petrochemical complex etc. should be handled in association with the State Government authorities as	The rehabilitation package has been developed by GAIL Pata in association with the State Government Authorities and same has been implemented as per statutory norms / guidelines.

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Condition no.</b>	<b>Conditions</b>	<b>Compliance Status</b>
		per their statutory norms / guidelines.	
5.	v.	The gaseous emissions from various process units should conform to the standard prescribed by the concerned authorities from time to time. At no time the emission level should go beyond the stipulated standards. In the event of the failure of any pollution control system adopted by the unit, the respective unit should be put out of operation immediately and should not be restarted until the control measures are rectified to achieve the desired efficiency.	The gaseous emissions from various process units are monitored through state of art monitoring technologies and conform to the standard prescribed by the statutory authorities. Online Continuous Emission Monitoring System has been provided in all the stacks and real time data is sent to CPCB and UPPCB through web based system. Mitigatory control methods have been adopted at design stage in order to reduce the load of gaseous emissions from process units. However, it is pertinent to mention here that GAIL, Pata uses Natural gas as fuel, which is a cleanest fuel available.
6 (a).	vi (a).	Six ambient air quality monitoring stations should be set up in the downwind direction as well as where maximum ground level concentration of NO <sub>x</sub> and HC is anticipated in consultation with State Pollution Control Board. Monitoring should be continuous for SO <sub>2</sub> , NO <sub>x</sub> , HC and CO in at least three sites as indicated in the EIA report submitted to the Ministry. Monitoring network should be designed taking into account land use pattern, location of stacks, meteorological and topographical features including the modelling exercise / calculations.	Five fixed real time ambient air quality monitoring station and Two third party ambient air quality monitoring stations (within and outside the premises) have been setup. In addition, 1 No. Mobile Van having real time ambient air quality monitoring station is also in use for monitoring of ambient air quality. Monitoring of ambient air quality is continuous for SO <sub>2</sub> , NO <sub>2</sub> , Total Hydrocarbons, CO, PM <sub>10</sub> , PM <sub>2.5</sub> and Benzene at five fixed real time ambient air quality monitoring stations and one mobile van. The ambient air quality monitoring stations are installed by considering location of existing stacks, wind direction, air modelling studies carried out by NEERI during EIA studies and other topographical features. The locations of the stations are regularly inspected by the UPPCB official and no objection have been raised by them till date in respect to locations/sampling points.
6 (b).	vi (b).	All the stacks of the plant must be provided with	All the stacks of the plant are equipped with automatic stack emission

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Condition no.</b>	<b>Conditions</b>	<b>Compliance Status</b>
		automatic stack emission monitoring equipment. Stack emission and ambient air quality data must be submitted to State Pollution Control Board once in three months and this ministry in six months along with statistical analysis.	monitoring equipment i.e. Online Continuous Emission Monitoring System (OCEMS). Presently the stacks are also connected to CPCB and UPPCB servers for continuous online monitoring of parameters viz. CO, SO <sub>2</sub> , NO <sub>x</sub> and PM. Data of stack emission and ambient air for the period April 2023 to September 2023, monitored by MoEF&CC approved and NABL accredited third party is enclosed as Annexure-1.
7 (a).	vii (a).	Fugitive emissions should be controlled and regularly monitored and data recorded.	Fugitive emissions are monitored and controlled through Leak Detection and Repair program as per OISD-GDN-224.
7 (b).	Vii (b).	Fugitive emission of HC from storage tanks should be controlled through proper tank design and subsequent preventive measures as mentioned below and maintenance schedules.  i) Provision of floating roof tanks for volatile products. ii) Replacement of gland packing of pumps by means of mechanical seals; and iii) Use of submerged filling in product loading gantries.	The steps taken to control fugitive emissions at GAIL Pata include:  i) Floating roof tanks have been provided for volatile products like GHU Light Cut, GHU Fuel Oil, Hexane, Hexene-1 & Cyclo Hexane. ii) All the pumps have been provided with mechanical seals for pumping C2C3, Ethylene, C4 Mix, Butene-1, Propylene, Naphtha, MFO, Hexane & Cyclo Hexane. iii) Submerged filling is used in liquid product loading gantries.
8.	viii.	Low NO <sub>x</sub> burners should be used to limit NO <sub>x</sub> emissions.	Low NO <sub>x</sub> burners are used in all the Furnaces and Boilers.
9.	ix.	Flare system should be designed for smokeless burning with adequate steam for all normal venting and flaring.	Flare system is designed for smokeless burning with adequate steam for all normal venting and flaring. Flare stacks have also been provided with adequate heights to ensure effective dispersion of emissions.
10.	x.	Loading / Unloading and transportation of products may be restricted to daytime periods. Loading facilities	Loading / Unloading of LHC is carried out in accordance with PESO approval. Loading facilities for liquid products are provided with vapour return circuits.

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Condition no.</b>	<b>Conditions</b>	<b>Compliance Status</b>
		should have vapour return circuits.	
11.	xi.	There should be no change in the stack design, without the approval of the State Pollution Control Board. Alternate pollution control system and proper design in the stack should be provided to take care of excess emissions due to failure in any system of the plant.	It is confirmed that so far there has been no need for any change in the stack design. All the stacks have been suitably designed to be able to take care of excess emissions due to failure in any system of the plant. Height of all the stacks in the complex is as per standard height of more than 30 meters.
12.	xii.	An all-weather station for wind speed & direction, temperature and rainfall should be installed within the petrochemical premises.	2 nos. all weather stations for monitoring of wind speed & direction, temperature, rainfall and relative humidity have been installed.
13.	xiii.	Exploitation of ground water in the area should be carried as per the recommendations contained in the report of the Central Ground Water Board on Hydro-geological investigations.	The water consumption for the plant is met through Canal water (Etawah Branch of Lower Ganga Canal system through Burhadana Distributory). There is no exploitation of ground water in the complex.
14.	xiv.	Treatment and disposal facilities for liquid effluent should be completed along with commissioning of process units. Sufficient surface aerators with proper spacing in the aeration basin of the activated sludge extended aeration units should be provided to maintain desired DO concentration of more than 1.0 mg/L.	Waste Water Treatment plant having 2 nos. 150 m <sup>3</sup> /hr capacity chains is functional and treating combined (domestic + industrial) effluents from various process units. Based on the design organic load, four nos. 30 HP aerators are provided in the aeration basin, which help in maintaining DO concentration of more than 1.0 mg/L.
15.	xv.	The project authorities must recycle the wastewater to the maximum extent possible. The final treated effluent should conform to the prescribed MINAS standards.	Maximum recycle of treated effluent is done for use of water in horticulture purposes. The final treated effluent conforms to the prescribed standards.
16.	xvi.	Complete recycling of wastewater under normal operation through irrigation	Maximum recycle of Waste water is done for use in horticulture purpose. Two number guard ponds of 33,600 m <sup>3</sup>

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Condition no.</b>	<b>Conditions</b>	<b>Compliance Status</b>
		applications; green belt maintenance, firefighting etc. may be planned for aiming at zero discharge. In case of failure of ETP, effluent should be collected and stored in Guard Pond(s) for a minimum of 7 days and should not be disposed off unless the treatment facilities are restarted and desired efficiency is achieved.	capacity have been provided to deal with any emergency situations for 7 days.
17.	xvii.	Disposal in the Sengar River should be at a depth along riverbed for better mixing. During lean flow periods of the river and ETP under normal operation, the treated effluent after reuse for green belt development and firewater make up should be discharged in Sengar River through a closed pipeline at controlled rate depending on the river flow.	A part of treated effluent is recycled for horticulture purpose and the balance treated effluent is discharged to Sengar river through 8 km long closed pipeline at the end of which is specially designed diffuser arrangement along stream bed to ensure thorough mixing. During lean flow period controlled discharge of treated effluent is ensured.
18.	xviii.	Performance studies of each of the effluent / Sewage treatment plant should be undertaken at regular intervals. Also proper maintenance schedule of polishing lagoon be planned and implemented.	Regular performance of the wastewater treatment plant is monitored by checking samples at intermittent units. De-silting of guard pond is done on regular basis.
19.	xix.	Sludge recirculation to aeration basin from final clarifier should be planned for maintaining the desired MLSS concentration.	The WWTP has been designed for recirculation of sludge in aeration tank. Extended Aeration mode of treatment is adapted from the various forms of activated sludge processes. Desired MLSS concentration as designed is maintained.
20.	xx.	Adequate number of effluent quality monitoring stations should be set up in consultation with U.P. Pollution Control Board. Final effluent discharge should be daily monitored for BOD,	Effluent quality monitoring station has been set up at final discharge point. Continuous online monitoring of the effluent parameters like pH, BOD, COD, TSS, TOC & Flow is done at the final discharge point and data is transmitted

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Condition no.</b>	<b>Conditions</b>	<b>Compliance Status</b>
		suspended solids, phenol, sulphide and Oil & Grease. Wastewater should also be analysed regularly for other parameters listed in MINAS and stipulated by the State & Central Pollution Control Board. The effluent monitored data along with its statistical analysis and interpretation in the form of a report should be submitted to this ministry regularly once in six months and to the State Pollution Control Board once in three months.	to CPCB and UPPCB on real time basis through web based server systems. In addition, final effluent discharge is monitored daily for pH, COD, BOD, TSS, Phenol, Sulfide and Oil & Grease by NABL accredited inhouse laboratory. Further, wastewater quality monitoring is also regularly being carried out by Third Party monitoring agency. Effluent quality data for the period April 2023 to September 2023 monitored by MoEF&CC approved and NABL accredited third party is enclosed as Annexure-2.
21.	xxi.	Monitoring of noise levels should be regularly carried out to assess the efficiency of maintenance schedules undertaken to reduce noise levels and noise protection measures.	Noise levels are regularly monitored on monthly basis. Remedial actions and maintenance schedules for equipment are ensured to maintain noise levels as per prescribed standards.
22.	xxii.	The project authorities must prepare a well-designed scheme for solid waste disposal based on comprehensive EIA study and submit the same to this Ministry within six months. Ground water near solid waste disposal site as well as around petrochemical complex should be regularly monitored and data recorded.	Solid waste disposal scheme based on comprehensive EIA study has already been submitted to the ministry. There is no solid waste disposal site within the complex, however, ground water quality within and outside the complex is regularly monitored.
23.	xxiii.	A green belt development plan should be finalized and submitted to this ministry within six months for approval. The width of green belt adequate to attenuate noise, H <sub>2</sub> S and HC from Fugitive Sources etc. Storage dumping yards should also be brought under plantation. As and when necessary, sludge	Green belt development Plan has already been submitted to the ministry. Presently 210 Hectares of peripheral green belt/area has been developed in the premises. Project laydown areas are also taken up for plantation. Regular maintenance and plantation of tree saplings in and around the plant complex is done and also mass tree plantation programs are organized.

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Condition no.</b>	<b>Conditions</b>	<b>Compliance Status</b>
		disposal sites should be reclaimed for growing trees.	There is no sludge disposal site inside the plant battery limit.
24.	xxiv.	<p>A detailed risk analysis report based on maximum credible accident analysis should be carried out within a period of six months of the issue of this letter of approval. This study apart from other factors should also consider the following:</p> <p>a) Stability Condition 'F'</p> <p>b) Fire and hazard impact zone should not cross the plant boundaries under worst possibilities.</p> <p>Based on this, a Disaster management plan should be prepared and after approval by the concerned nodal agency, the same must be submitted to this ministry by December 1992.</p>	<p>Detailed Risk analysis for Petrochemical Complex &amp; expansions plant has been carried out.</p> <p>Emergency Response and Disaster Management Plan (ERDMP) of GAIL Pata Plant has been developed through PNGRB accredited agency M/s Certification Engineers International Limited and implemented at GAIL, Pata and valid up till 04.04.2025. Copy of ERDMP has been submitted to PNGRB &amp; other district authorities.</p>
25.	xxv.	The Storage tank and sphere must conform to the stipulations made by the chief inspector of factories, controller of explosives etc. wherever required, it should be supplemented by OISD Codes.	Storage tanks and sphere are designed based on applicable OISD GDN-118 and are having valid approval of chief inspector of factories and statutory body (PESO).
26.	xxvi.	During site preparations, care should be taken to stabilize the sites before onset of monsoon. Further, during the construction phase, necessary and adequate steps should be taken to provide sanitation facilities and noise protection devices and fuel to the workers. The petrol and diesel run machinery should be maintained as per standards.	All necessary precautions are taken during site preparation and construction phase.
27.	xxvii.	A separate Environmental Management Cell with suitably qualified staff to	A full-fledged Environmental Management Cell is in place to undertake



**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Condition no.</b>	<b>Conditions</b>	<b>Compliance Status</b>												
		carry out various functions should be set up under the control of Senior Executive who will report directly to the head of the organization.	environment and sustainable development related functions.												
28.	xxviii.	The project authority must set up a separate laboratory facility for collection and analysis of samples under the supervision of competent technical personnel who will directly report to the Chief Executive.	Full-fledged Laboratory set up exists in the plant premises under the supervision of competent technical personnel. The Laboratory is NABL accredited.												
29.	xxix.	The project authorities must take adequate steps to ensure that the movement of raw materials and products would not disturb smooth flow of traffic in the area and would avoid towns.	Raw material for the petrochemical project is Natural Gas, received through cross country HVJ Pipeline. Also dedicated freight route and tanker parking areas have been developed for tankers and trucks, engaged in carrying products from the plant premises.												
30 (1).	xxx (1).	The funds earmarked for the environmental protection measures should not be diverted for other purposes and year wise expenditure should be reported to this ministry.	Dedicated funds are earmarked for the environmental protection measures. Details of expenditure on environmental protection measures at GAIL Pata is as below: <table border="1" data-bbox="877 1299 1452 2038"> <thead> <tr> <th>Description</th> <th>FY 2022-23 (Rs.)</th> </tr> </thead> <tbody> <tr> <td>Treatment and disposal of waste</td> <td>9,53,72,428</td> </tr> <tr> <td>Depreciation and maintenance cost of equipments used in pollution control</td> <td>4,14,47,188</td> </tr> <tr> <td>External services for environmental management</td> <td>55,39,264</td> </tr> <tr> <td>External certification of management systems</td> <td>63,320</td> </tr> <tr> <td>Cost of Personnel for general environmental management activities</td> <td>8,12,61,575</td> </tr> </tbody> </table>	Description	FY 2022-23 (Rs.)	Treatment and disposal of waste	9,53,72,428	Depreciation and maintenance cost of equipments used in pollution control	4,14,47,188	External services for environmental management	55,39,264	External certification of management systems	63,320	Cost of Personnel for general environmental management activities	8,12,61,575
Description	FY 2022-23 (Rs.)														
Treatment and disposal of waste	9,53,72,428														
Depreciation and maintenance cost of equipments used in pollution control	4,14,47,188														
External services for environmental management	55,39,264														
External certification of management systems	63,320														
Cost of Personnel for general environmental management activities	8,12,61,575														

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

Sr. No.	Condition no.	Conditions	Compliance Status	
			Extra expenditures for installing cleaner technologies	73,33,508
			Other environmental costs	8,93,68,663
			<b>Total</b>	<b>32,03,85,947</b>
30 (2).	xxx (2).	The Ministry or any other competent authority may stipulate any further conditions after reviewing the comprehensive impact assessment report prepared by project authorities or due to any change in the pollution scenario" of the area in question.	The condition is noted for needful compliance and implementations.	
30 (3).	xxx (3).	The Ministry may revoke clearance if implementation of the condition is not satisfactory.	The condition is noted and suitable compliance to all the conditions is ensured.	
30 (4).	xxx (4).	The above condition will be enforced interalia along with Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, and Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments.	It is always ensured that the above conditions are enforced interalia along with Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, and Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments as applicable.	

**Name of the Project:** LPG Recovery Facility                      **Project Code:** NIL

**Clearance Number:** J-11011/29/96-IA.II (I) Dated 16/01/1997

**Period of Compliance:** April 2023 to September 2023

Sr. No.	Condition No.	Conditions	Compliance Status
31	i.	The project authority must strictly adhere to the terms and conditions stipulated by the Ministry while granting environmental clearance to the petro-chemical complex vide O.M. No. J-11011/22/90-IA.II dated 30.03.1992.	Compliance to the conditions of environmental clearance granted to the petrochemical complex vide O.M. No. J-11011/22/90-IA.II dated 30.03.1992 is provided at Sr. No. 1 to 30 above.

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Condition No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
32	ii.	The project authority must strictly comply with the stipulations made by state pollution control board and state government.	All the stipulations made by the State Pollution Control Board and the State Government are adhered to. Compliance to conditions of Consent to Operate have been sent to the Uttar Pradesh Pollution Control Board.
33	iii.	Any expansion of the plant can be taken up only with prior approval of this ministry.	Any expansion of the plant is taken up only after obtaining prior approval of the Ministry. GAIL Pata has been accorded 6 ECs for different expansions as mentioned above (A, B, C, D, E & F).
34	iv.	The hazardous wastes including residual solvents, spent activated carbon, ETP sludge etc. shall be handled as per hazardous wastes (Management and Handling) rules, 1989 and necessary approval from UPPCB in this regard must be obtained.	All hazardous wastes generated at the complex are handled as per the provisions laid under the latest Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016. GAIL Pata has been accorded Hazardous waste authorization by UPPCB vide letter no. 14295/UPPCB/ Kanpur Dehat (UPPCBRO) / HWM/ AURRAIYA/ 2021, dated 08.07.2021 and is valid up to 07/07/2026. All the hazardous wastes generated are disposed as per the direction mentioned in the authorization.
35	v.	Handling, Manufacturing, storage and transportation of hazardous chemicals must be carried out in accordance with the manufacture, storage and import of hazardous chemicals rules, 1989 as amended in October, 1994. Necessary approvals from Chief controller of explosives/ Chief inspector of factories must be obtained as per regulations.	All applicable provisions of the manufacture, storage and import of hazardous chemicals rules, 1989 as amended in October, 1994 are suitably followed. All necessary approvals from Petroleum & Explosives Safety Organization /Chief inspector of factories have been obtained and are in place.
36	vi.	The project authorities must setup adequate facilities for collections and analysis of samples (air, water and noise parameters), monitoring of environmental quality parameters and carry out time bound action plans related to	Five fixed real time ambient air quality monitoring station and Two portable third party ambient air quality monitoring stations (within and outside the premises) have been setup. In addition, 1 No. Mobile Van having real time ambient air quality monitoring station is also

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

Sr. No.	Condition No.	Conditions	Compliance Status
		environmental management and pollution control.	<p>in use for monitoring of ambient air quality.</p> <p>In addition, Online Continuous Emission Monitoring System has been provided in all the stacks and real time data is transmitted to CPCB and UPPCB through web based system.</p> <p>Noise levels are also regularly monitored in ambient as well as work zone areas.</p> <p>Continuous online monitoring of the effluent parameters like pH, BOD, COD, TSS, TOC &amp; Flow is done at the final discharge point and data is transmitted to CPCB and UPPCB on real time basis through web based server systems.</p> <p>In addition, final effluent discharge is monitored daily for pH, COD, BOD, TSS, Phenol, Sulfide and Oil &amp; Grease by NABL accredited inhouse laboratory. Further, wastewater quality monitoring is also regularly being carried out by MoEF&amp;CC approved and NABL accredited Third Party monitoring agency.</p> <p>A full-fledged NABL accredited Laboratory set up exists in the plant premises under the supervision of competent technical personnel.</p>
37	vii.	The fund earmarked for the environmental protection measures shall not be diverted for other purposes and year wise expenditure reported to this ministry of proper monitoring of the project implementation.	The dedicated funds are earmarked for the environmental protection measures. Details of year wise expenditure on environmental protection measures are regularly reported to the ministry.
38	viii.	Six-monthly progress report on the implementation status of environmental conditions mentioned above must be submitted to ministry / CPCB and State Pollution Control Board regularly. The project will be monitored intralia by ministry's regional office at Lucknow.	Six-monthly progress report on the implementation status of environmental conditions is regularly submitted to the Regional Offices of MoEF&CC & CPCB and to the UPPCB.

## Compliance status to conditions of Environment Clearances at GAIL (India) Limited, Pata, U.P.

**Name of the Project:** LLDPE Debottlenecking Project

**Project Code:** UP-IND-62-164- 2004

**Clearance Number:** J-11011/237/2003-IA.II (I) Dated 19/04/2004

**Period of Compliance:** April 2023 to September 2023

Sr. No.	Cond. No.	Conditions	Compliance Status
<b>Specific Conditions:</b>			
39	(i)	The gaseous emissions (SO <sub>2</sub> , NO <sub>x</sub> and HC, HCl, Cl <sub>2</sub> ) from the various process units shall conform to the standards prescribed under Environment (Protection) Act, 1986 or norms stipulated by the SPCB's whichever is more stringent. At no time, the emission level shall go beyond the stipulated standards. In the event of failure of pollution control system(s) adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency.	The gaseous emissions from various process units are monitored through state of art monitoring technologies and conform to the standard prescribed under Environment (Protection) Rules, 1986 and amendments thereof for Petrochemical industry. Online Continuous Emission Monitoring System has been provided in all the stacks and real time data is transmitted to CPCB and UPPCB through web based system. Mitigatory control methods have been adopted at design stage in order to reduce the load of gaseous emissions from process units. It is always ensured that in any such event of failure of pollution control system(s), the respective unit is not restarted until the control measures are rectified to achieve the desired efficiency. However, it is pertinent to mention here that GAIL, Pata uses Natural gas as fuel, which is a cleanest fuel available.
40	(ii)	Adequate number of ambient air quality monitoring stations shall be set up in consultation with SPCB, based on the occurrence of maximum ground level concentration and downwind direction of wind. The monitoring network shall be decided based on modelling exercise to represent short term GLCs. Continuous online stack monitoring equipment shall be installed for all the stacks in the petrochemical plant. The company shall install low NOx burners in cracker furnaces.	Five fixed real time ambient air quality monitoring station and Two third party portable ambient air quality monitoring stations (within and outside the premises) have been setup. In addition, 1 No. Mobile Van having real time ambient air quality monitoring station is also in use for monitoring of ambient air quality. The ambient air quality monitoring stations are installed by considering location of existing stacks, wind direction, air modelling studies carried out during EIA studies and other topographical features. The

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

Sr. No.	Cond. No.	Conditions	Compliance Status
			<p>locations of the stations are regularly inspected by the UPPCB official and no objection have been raised by them till date in respect to locations/sampling points.</p> <p>All the stacks of the plant are equipped with automatic stack emission monitoring equipment i.e. Online Continuous Emission Monitoring System (OCEMS).</p> <p>Low NOx burners have also been installed in all cracker furnaces.</p>
41	(iii)	<p>For control of fugitive emissions, the company shall provide for a main flare system and an auxiliary flare system, and route all Unsaturated hydrocarbons to the flare system. The flare system shall be designed for smokeless burning. All the pumps and other equipment, where there is a likelihood of hydrocarbon leakages shall be provided with LEL indicators, and also provide for immediate isolation of such equipment, in case of a leakage. The product loading gantry shall be connected to the product sphere in closed circuit through the vapour arm connected to the tanker. Data on fugitive emissions shall be regularly monitored and records maintained.</p>	<p>The complex has been provided with a main flare system and an auxiliary flare system. The Flare system is designed for smokeless burning with adequate steam for all normal venting and flaring.</p> <p>LEL indicators &amp; open path gas detection system have been provided in storage and process areas for detection of any hydrocarbon leakages.</p> <p>The product loading gantry is connected to the product sphere in closed circuit through the vapour arm connected to the tanker for all liquid products.</p> <p>Fugitive emissions are monitored and controlled through Leak Detection and Repair (LDAR) program as per OISD-GDN-224.</p>
42	(iv)	<p>The wastewater generated (2864 m<sup>3</sup>/d) shall be treated in the wastewater treatment plant. The treated wastewater, meeting the norms, shall be used for green belt development within the plant premises, or discharged into Sengar river, about 8 km. away in a closed pipeline through a well-designed diffuser. The company shall undertake measures to maximize recycling of treated wastewater and work towards achieving zero discharge.</p>	<p>The wastewater generated is treated in the wastewater treatment plant. Part of the treated wastewater, meeting the norms, is used for horticulture purpose and balance water is discharged to Sengar river through an 8 kms long closed pipeline at the end of which a specially designed diffuser is installed to ensure thorough mixing.</p> <p>Towards the measures for maximizing recycling of treated wastewater and achieving zero discharge, GAIL Pata has prepared DFR for ZLD and the project is under implementation.</p>

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
43	(v)	The non-hazardous solid waste generated (spent alumina and silica gel) shall be sold to approved parties. For management of the hazardous solid wastes (3.85 TPD of ETP sludge and tar), the company shall install an incinerator for tar, design a landfill for sludge, and explore bioremediation of the sludge.	The non-hazardous solid waste generated (spent alumina and silica gel) is sold to recyclers. GAIL Pata has received Authorization to generate Hazardous Wastes from Uttar Pradesh Pollution Control Board vide Authorization No. 14295/UPPCB/ Kanpur Dehat (UPPCBRO) / HWM/ AURRAIYA/ 2021, dated 08.07.2021 and is valid up to 07/07/2026. As per the authorization received, the prescribed mode of disposal for Sludge and Tar Waste has been given to be 'Disposal through TSDF'. In view of this, Sludge and tar waste are being disposed through approved TSDF as prescribed by Uttar Pradesh Pollution Control Board.
44	(vi)	All the recommendations of the Charter on Corporate Responsibility for Environmental Protection (CREP) for the petrochemical sector shall be strictly implemented.	The recommendations of the Charter on Corporate Responsibility for Environmental Protection (CREP) for the petrochemical sector are already implemented and regularly followed.
45	(vii)	Green belt of adequate width and density shall be provided to mitigate the effects of fugitive emission all around the plant. A minimum of 25% of the area shall be developed as green belt with local species in consultation with the DFO, and as per CPCB's guidelines.	Green belt of adequate width and density has been provided all around the plant to mitigate the effects of fugitive emission. Presently 36% area of the premises has been developed as peripheral green belt/area with native species. Project laydown areas are also taken up for plantation. Regular maintenance and plantation of tree saplings in and around the plant complex is done and also mass tree plantation programs are organized.
46	(viii)	The company shall obtain necessary approval for drawl of groundwater from the concerned State agency.	The water consumption for the plant is met through Canal water (Etawah Branch of Lower Ganga Canal system through Burhadana Distributory). There is no drawl of ground water in the complex.
47	(ix)	The company shall undertake rainwater-harvesting measures to harvest the rain water for their own utilization as well as to recharge the groundwater table.	Rain Water harvesting measures have been implemented in all the major buildings at GAIL, Pata for recharging of ground water table. In addition, a natural pond inside the premises is used for rain water harvesting for

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
			utilization of water from the pond as per requirement.
48	(x)	Occupational Health Surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Occupational Health Surveillance of the workers and Employees is done on a regular basis (6 monthly basis for workers and on annual basis for employees) and records maintained as per the Factories Act and OISD-GDN-166.

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
<b>General Conditions</b>			
49	(i)	The project authorities shall strictly adhere to the stipulations made by the Uttar Pradesh State Pollution Control Board and the State Government.	All the stipulations made by the State Pollution Control Board and the State Government are adhered to. Compliance to conditions of Consent to Operate has been sent to the Uttar Pradesh Pollution Control Board.
50	(ii)	At no time, the emissions shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the respective unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.	The condition is noted and complied as per prescribed limit.
51	(iii)	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Any expansion of the plant is taken up only after obtaining prior approval of the Ministry. GAIL Pata has been accorded 6 ECs for different expansions as mentioned above (A, B, C, D, E & F).
52	(iv)	The project authorities shall strictly comply with the rules and regulations under Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 as amended on 3rd October 1994 and 6th January 2000. Prior approvals from Chief Inspectorate of	All applicable provisions of the manufacture, storage and import of hazardous chemicals rules, 1989 as amended on 3rd October 1994 and 6th January 2000 are suitably followed. All necessary approvals from Petroleum & Explosives Safety



**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
		Factories, Chief Controller of Explosives. Fire Safety Inspectorate etc. shall be obtained wherever applicable.	Organization, Chief inspector of factories and Fire safety inspectorate have been obtained and are in place.
53	(v)	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Wastes (Management & Handling) Rules 1989 as amended in January 2000, wherever applicable. Authorization from the State Pollution Control Board must be obtained for collections/treatment/ Storage / disposal of hazardous wastes.	All the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the latest Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016 are strictly complied with. GAIL Pata has been accorded Hazardous waste authorization for collections/treatment/ Storage / disposal of hazardous wastes by UPPCB vide letter no. 14295/UPPCB/ Kanpur Dehat (UPPCBRO) / HWM/ AURRAYA/ 2021, dated 08.07.2021 and is valid up to 07/07/2026.
54	(vi)	The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	All sources of noise generation have been provided with suitable noise control measures including acoustic hoods, silencers, enclosures etc. as applicable to maintain overall noise levels in and around the plant area within the standards. Noise levels are regularly monitored in ambient and work zone areas to ensure that noise levels are within prescribed standards.
55	(vii)	A separate Environment Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the environmental management and monitoring functions.	A full-fledged Environmental Management Cell is in place to undertake environment and sustainable development related functions. Full-fledged NABL accredited Laboratory set up also exists in the plant premises under the supervision of competent technical personnel.
56	(viii)	The project authorities shall provide adequate funds both recurring and non-recurring, to implement the conditions stipulated by the Ministry of Environment & Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The	Adequate dedicated funds are earmarked for the environmental protection measures and to implement the conditions stipulated by the Ministry of Environment & Forests as well as the State Government.

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
		funds so provided shall not be diverted for any other purpose.	
57	(ix)	The implementation of the project vis-à-vis environmental action plans shall be monitored by Ministry's Regional Office at Lucknow/State Pollution Control Board /Central Pollution Control Board. A six monthly compliance status report shall be submitted to monitoring agencies.	Six-monthly compliance status report on the implementation status of environmental conditions is regularly submitted to the Regional Offices of MoEF&CC & CPCB and to the UPPCB.
58	(x)	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the State Pollution Control Board / Committee and may also be seen at website of the Ministry at <a href="http://envfor.nic.in">http://envfor.nic.in</a> . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the Ministry's Regional office at Lucknow.	The matter was suitably advertised in the local newspapers that are widely circulated in the region as per requirement.

**Name of the Project:** HDPE Expansion & 5th Furnace Project

**Project Code:** UP-67/173-2005

**Clearance Number:** J-11011/143/2004 – IA II (I) Dated 12/01/2005

**Period of Compliance:** April 2023 to September 2023

**Specific Conditions:**

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
59	(i)	All the measures detailed in the EMP shall be taken to control the point/stack and fugitive gaseous emissions from the proposed facilities namely, Gas Cracker Furnace (GCF) and process and storage units etc. for ensuring that the ambient air quality around Pata due to the expansion is maintained at the predicted 24 hourly average maximum concentration	The point/stack and fugitive gaseous emissions have been controlled by adopting mitigatory control methods at design stage in order to reduce the load of gaseous emissions from process units. Also the point/stack and fugitive gaseous emissions from various process units are monitored through state of art monitoring technologies and conform to the

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

Sr. No.	Cond. No.	Conditions	Compliance Status
		levels and shall not exceed for the worst scenario predicted for SO <sub>2</sub> (12 µg/m <sup>3</sup> ); NO <sub>x</sub> (25 µg/m <sup>3</sup> ) and CO (2 mg/m <sup>3</sup> ).	standards prescribed under Environment (Protection) Rules, 1986 and amendments thereof for Petrochemical industry and norms stipulated by the UPPCB. In addition, Online Continuous Emission Monitoring System has been provided in all the stacks and real time data is transmitted to CPCB and UPPCB through web based system.
60	(ii)	The location of the three existing ambient air quality monitoring stations along with the mobile unit shall be reviewed in consultation with SPCB, based on the occurrence of maximum ground level concentration and downwind direction of wind. The monitoring protocol shall ensure continuous monitoring of all the parameters.	Five fixed real time ambient air quality monitoring station and Two third party portable ambient air quality monitoring stations (within and outside the premises) have been setup. In addition, 1 No. Mobile Van having real time ambient air quality monitoring station is also in use for monitoring of ambient air quality. Monitoring of ambient air quality is continuous for SO <sub>2</sub> , NO <sub>2</sub> , Total Hydrocarbons, CO, PM <sub>10</sub> , PM <sub>2.5</sub> and Benzene/VOC at five fixed real time ambient air quality monitoring stations and one mobile van. The ambient air quality monitoring stations are installed by considering location of existing stacks, wind direction, air modelling studies carried out during EIA studies and other topographical features. The locations of the stations are regularly inspected by the UPPCB official and no objection have been raised by them till date in respect to locations/sampling points.
61	(iii)	The practice of acoustic plant design shall be adopted to limit noise exposure for personnel to an 8 hr time weighted average of 90 db (A).	All required measures have been undertaken during design stage of plant to limit noise exposure for personnel as per prescribed standards.
62	(iv)	For control of fugitive emissions, the company shall provide for a main flare system and an auxiliary flare system, and route all unsaturated hydrocarbons to the flare system. The	The complex has been provided with a main flare system and an auxiliary flare system. The Flare system is designed for smokeless burning with

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

Sr. No.	Cond. No.	Conditions	Compliance Status
		<p>flare system shall be designed for smokeless burning. All the pumps and other equipment where there is a likelihood of HC leakages shall be provided with LEL indicators and also provide for immediate isolation of such equipment, in case of a leakage. The company shall adopt Leak Detection and Repair (LDAR) programme for quantification and control of fugitive emissions.</p>	<p>adequate steam for all normal flaring. LEL indicators &amp; open path gas detection system have been provided in storage, process areas and main flare KODs for detection of any hydrocarbon leakages. The product loading gantry is connected to the product sphere in closed circuit through the vapour arm connected to the tanker for all liquid products. Fugitive emissions are monitored and controlled through Leak Detection and Repair (LDAR) program as per OISD-GDN-224.</p>
63	(v)	<p>The product loading gantry shall be connected to the product sphere in closed circuit through the vapours arm connected to the tanker. Data on fugitive emissions shall be regularly monitored and records maintained.</p>	<p>The product loading gantry is connected to the product sphere in closed circuit through the vapour arm connected to the tanker for liquid products. Fugitive emissions are monitored and controlled through Leak Detection and Repair (LDAR) program as per OISD-GDN-224.</p>
64	(vi)	<p>The company shall ensure that no halogenated organic is sent to the flares. If any of the halogenated organic are present then the respective streams may be incinerated, if there are no technically feasible or economically viable reduction/recovery options. Any stream containing organic carbon, other than halogenated shall be connected to proper flaring system, if not to a recovery device or an incinerator.</p>	<p>No halogenated organics are present in any of the streams in this natural gas based petrochemical complex.</p>
65	(vii)	<p>All new standards/norms that are being proposed by the CPCB for petrochemical plants shall be applicable for the proposed expansion unit. The company shall conform to the process vent standards for organic chemicals including non-VOCs and all possible VOCs i.e. TOCs standard and</p>	<p>Environment monitoring including work area environment w.r.t to Non-VOCs and VOCs monitoring is done through In-house Laboratory and approved third party on a regular basis as per CPCB standards. Online LEL indicators &amp; open path gas detection system have been</p>

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
		process vent standards for top priority chemicals. The company shall install online monitors for VOC measurements. Action on the above should be taken during the detailed design stage of the NCC and intimate to this Ministry.	provided in storage, process areas and main flare KODs for detection of any hydrocarbon leakages.
66	(viii)	The waste water generated (3184 m <sup>3</sup> /d) shall be treated in comprehensive waste water treatment plant. As reflected in the EIA /EMP report, the company shall maximize the recycling of treated effluent and treated effluent after conforming to the proposed standards should be used for green belt development. The remaining treated effluent should be discharged into Sengar River about 08 kms away from the plant in a closed pipeline through a well-defined diffuser at a point where dispersion of effluent is rapid and ensures minimum impact on the aquatic ecology.	The wastewater generated is treated in the wastewater treatment plant. Part of the treated wastewater, meeting the norms, is used for horticulture purpose and balance water is discharged to Sengar river through 8 km long closed pipeline at the end of which is specially designed diffuser arrangement along stream bed to ensure thorough mixing.
67	(ix)	The company shall obtain necessary approval from the State Irrigation Department to meet the additional water requirement from the existing canal network.	Necessary approval from the State Irrigation Department has been obtained vide agreement no DG738976, dated 02/05/2017.
68	(x)	The solid waste will be generated in the form of 5 TPA of molecular sieve once in five year and Tar. The company shall incinerate Tar or use it for road making and design a landfill for disposal of molecular sieve.	GAIL Pata has received Authorization to generate Hazardous Wastes from Uttar Pradesh Pollution Control Board vide Authorization No. 14295/UPPCB/ Kanpur Dehat (UPPCBRO) / HWM/ AURRAIYA/ 2021, dated 08.07.2021 and is valid up to 07/07/2026. All the waste generated are suitably disposed in environment friendly manner as recommended in Hazardous Waste Authorisation.
69	(xi)	Green belt shall be provided to mitigate the effects of fugitive emissions all around the plant in a minimum of 25% of the plant area in consultation with DFO as per CPCB guidelines.	Green belt of adequate width and density has been provided all around the plant to mitigate the effects of fugitive emission. Presently 36% area of the premises has been developed as peripheral

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
			green belt/area with native species. Regular plantation of tree saplings in and around the plant complex is done and also mass tree plantation programs are organized.
70	(xii)	Occupational Health Surveillance of the workers should be done on a regular basis and records maintained as per the Factories Act.	Occupational Health Surveillance of the workers and Employees is done on a regular basis (6 monthly basis for workers and on annual basis for employees) and records maintained as per the Factories Act and OISD-GDN-166.
71	(xiii)	The Company shall implement all the recommendations made in the EIA /EMP report and risk assessment report.	All the recommendations made in the EIA /EMP report and risk assessment report are being suitably complied.

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
<b>General Conditions:</b>			
72	(i)	The project authorities must strictly adhere to the stipulations made by the Uttar Pradesh State Pollution Control Board and the State Government.	All the stipulations made by the State Pollution Control Board and the State Government are adhered to. Compliance to conditions of Consent to Operate have been sent to the Uttar Pradesh Pollution Control Board.
73	(ii)	No further expansion or modernization in the plant should be carried out without prior approval of the Ministry of Environment and Forests.	Any expansion of the plant is taken up only after obtaining prior approval of the Ministry. GAIL Pata has been accorded 6 ECs for different expansions as mentioned above (A, B, C, D, E & F).
74	(iii)	At no time, the emissions should go beyond the prescribed standards. In the event of failure of any pollution control system adopted by the units, the respective unit should be immediately put out of operation and should not be restarted until the desired efficiency has been achieved.	The gaseous emissions from various process units are monitored through state of art monitoring technologies and conform to the standard prescribed by the statutory authorities. Online Continuous Emission Monitoring System has been provided in all the stacks and real time data is transmitted to CPCB and UPPCB through web based system. Mitigatory control methods have been adopted at design stage in order to reduce the load of gaseous emissions from process units.

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
			It is pertinent to mention here that GAIL, Pata uses Natural gas as fuel, which is a cleanest fuel available.
75	(iv)	The overall noise levels in and around the plant area should be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	All sources of noise generation have been provided with suitable noise control measures including acoustic hoods, silencers, enclosures etc. as applicable to maintain overall noise levels in and around the plant area within the standards. Noise levels are regularly monitored in ambient and work zone areas to ensure that noise levels are within prescribed standards.
76	(v)	The project authorities must strictly comply with the provisions made in Manufacture, Storage and Import of Hazardous Chemicals Rules 1989 as amended in 2000 for handling of hazardous chemicals etc. Necessary approvals from Chief Controller of Explosives must be obtained before commission of the project.	All applicable provisions of the manufacture, storage and import of hazardous chemicals rules, 1989 as amended on 3rd October 1994 and 6th January 2000 are suitably followed. All necessary approvals from Petroleum & Explosives Safety Organization have been obtained and are in place.
77	(vi)	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Wastes (Management and Handling) Rules, 2003. Authorization from the State Pollution Control Board must be obtained for collections/treatment/ storage/ disposal of hazardous wastes.	All the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the latest Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016 are strictly complied with. GAIL Pata has been accorded Hazardous waste authorization for collections / treatment / Storage / disposal of hazardous wastes by UPPCB vide letter no. 14295/UPPCB/ Kanpur Dehat (UPPCBRO) / HWM/ AURRAIYA/ 2021, dated 08.07.2021 and is valid up to 07/07/2026.
78	(vii)	The project authorities will provide adequate funds both recurring and non-recurring to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein.	Adequate dedicated funds are earmarked for the environmental protection measures and to implement the conditions stipulated by the Ministry of Environment & Forests as well as the State Government.

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
		The funds so provided should not be diverted for any other purposes.	
79	(viii)	The stipulated conditions will be monitored by the Regional Office of this Ministry at Lucknow/Central Pollution Control Board/State Pollution Control Board. A six monthly compliance report and the monitored data should be submitted to them regularly.	Six-monthly compliance status report on implementation status of the stipulated conditions along with monitored data is regularly submitted to the Regional Offices of MoEF&CC & CPCB and to the Uttar Pradesh Pollution Control Board.
80	(ix)	The Project Proponent should inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the State Pollution Control Board/Committee and may also be seen at Website of the Ministry of Environment and Forests at <a href="http://www.envfor.nic.in">http://www.envfor.nic.in</a> . This should be advertised within seven days from the date of issue of the clearance letter at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional office	The matter was suitably advertised in the local newspapers that are widely circulated in the region as per requirement.
81	(x)	The Project Authorities should inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	Suitable information as required was communicated to the concerned agencies.

**Name of the Project:** Expansion of Petrochemical Complex project  
**Clearance Number:** J-11011/595/2010-IA II (I), Dated 23/05/2012  
**Period of Compliance:** April 2023 to September 2023

**Project Code:** NIL

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
<b>SPECIFIC CONDITIONS:</b>			
82	(i)	All the specific conditions and general conditions specified in the	All the specific conditions and general conditions specified in the



**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
		environmental clearances letters accorded vide Ministry's letter nos. J-11011//22/90-IA.II (I) dated 30 <sup>th</sup> March, 1992, J-11011/29/96-IA.II (I) dated 16 <sup>th</sup> January, 1997, J-11011/237/2003-IA.II (I) dated 19 <sup>th</sup> April, 2004 and J-11011/143/2004-IA.II (I) dated 12 <sup>th</sup> January, 2005 should be implemented.	environmental clearances letters accorded are implemented.
83	(ii)	M/s GAIL (India) Limited shall comply with the new standards/norms prescribed for petrochemical industry notified under the Environment (Protection) Rules, 1986.	M/s GAIL (India) Limited is complying with the new standards/norms as prescribed for petrochemical industry notified under the Environment (Protection) Rules, 1986.
84	(iii)	The process emissions (Particulate matter, SO <sub>2</sub> , NO <sub>x</sub> , HC, CO and VOCs) from various units shall conform to all standards prescribed by CPCB / U.P. Pollution Control Board (UPPCB) from time to time. At no time, the emission levels shall go beyond the prescribed standards. In the event of failure of any pollution control system adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. Stack emissions shall be monitored regularly.	The gaseous emissions from various process units are monitored through state of art monitoring technologies and conform to the standard prescribed for petrochemical industry notified under the Environment (Protection) Rules, 1986. Online Continuous Emission Monitoring System has been provided in all the stacks and real time data is transmitted to CPCB and UPPCB through web based system. Mitigatory control methods have been adopted at design stage in order to reduce the load of gaseous emissions from process units. It is always ensured that in any such event of failure of pollution control system(s), the respective unit is not restarted until the control measures are rectified to achieve the desired efficiency. However, it is pertinent to mention here that GAIL, Pata uses Natural gas as fuel, which is the cleanest fuel available.
85	(iv)	OISD guidelines shall be followed for minimum distance between various units.	Minimum distance between various units is ensured as per the OISD-STD-118.

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
86	(v)	Low NO <sub>x</sub> burner shall be installed to control NO <sub>x</sub> emissions.	Low NO <sub>x</sub> burners are used in all the Furnaces and Boilers.
87	(vi)	As proposed, vapor recovery system shall be provided for product loading gantry.	The product loading gantry is connected to the product sphere in closed circuit through the vapour arm connected to the tanker.
88	(vii)	Ambient air quality data shall be collected as per NAAQES standards notified by the Ministry vide G.S.R. No. 826 (E) dated 16 <sup>th</sup> September, 2009.	Ambient air quality data is collected as per NAAQES standards notified by the Ministry vide G.S.R. No. 826 (E) dated 16 <sup>th</sup> September, 2009.
89	(viii)	In-plant control and monitoring measures for checking fugitive emissions from all the vulnerable sources should be provided. Adequate dust suppression systems with water spray should be provided for storage yard, junction houses. Raw material loading and unloading area should be covered and also provided with water spraying system. Fugitive emissions in the work zone environment, product, raw materials storage area etc. should be regularly monitored and records maintained. The emissions should conform to the limits stipulated by the UPPCB.	Fugitive emissions in all the areas of the plant are monitored and controlled through Leak Detection and Repair (LDAR) program as per OISD-GDN-224. In addition, LEL indicators & open path gas detection system have been provided in storage and process areas for detection of any hydrocarbon leakages.  Raw material used in the plant is natural gas which is received through cross country pipeline and remains in closed system and as such there is no requirement of any dust suppression system.
90	(ix)	Steps shall be taken to minimize fugitive emissions. Monitoring of fugitive emissions shall be carried out as per guidelines of CPCB by fugitive emissions detector and report shall be submitted to the Ministry's Regional Office at Lucknow.	Fugitive emissions are monitored and controlled through Leak Detection and Repair (LDAR) program as per guidelines of CPCB and OISD-GDN-224. Summary Report of the LDAR monitoring of Q1 and Q2 of FY 2023-24 is enclosed as Annexure-3. All the leaks have been suitably attended.
91	(x)	Continuous ambient air quality monitoring stations for PM10, SO <sub>2</sub> , NO <sub>x</sub> , CO, HC and VOCs shall be set up in the petrochemical complex in consultation with CPCB/UPPCB. Unit shall follow CPCB/MoEF calibration protocol for the calibration of continuous stack monitoring and ambient air quality monitoring	Five fixed continuous ambient air quality monitoring stations have been setup in addition to 1 No. Mobile Van for real time monitoring of SO <sub>2</sub> , NO <sub>x</sub> , Total Hydrocarbons, CO, PM <sub>10</sub> , PM <sub>2.5</sub> and VOCs. All the stacks of the plant are equipped with automatic stack emission monitoring equipment i.e. Online


**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
		analyzer installed in all stations. Data of stack monitoring and ambient air shall be displayed on web as well as outside the premises at prominent place for public viewing. The company shall upload the results of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MoEF, the respective Zonal Office of CPCB and UPPCB.	Continuous Emission Monitoring System (OCEMS). Calibration of all the monitoring equipment is carried out as per prescribed protocol. Monitored data is displayed outside the premises at prominent place for public viewing and also uploaded on company's website and updated periodically. Data of stack and ambient air monitoring for the period April 2023 to September 2023 is enclosed as Annexure-1.
92	(xi)	A proper leak detection and repair (LDAR) Program shall be prepared and implemented. Focus shall be given for prevention of fugitive emissions for which preventive maintenance of pumps, valves, pipelines are required. A preventive maintenance schedule for each unit shall be prepared and adhered to.	Fugitive emissions are monitored and controlled through Leak Detection and Repair (LDAR) program as per OISD-GDN-224. A preventive maintenance schedule for pumps valves etc. exists and the same is adhered to.
93	(xii)	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution.	The gaseous emissions from DG sets are dispersed through adequate stack height as per CPCB standards. Also acoustic enclosures are provided to the DG sets to mitigate the noise pollution.
94	(xiii)	Continuous monitoring system for VOCs at all important places/areas shall be ensured. When monitoring results indicate above permissible limits, effective measures shall be taken immediately.	LEL indicators & open path gas detection system have been provided in storage and process areas for detection of any hydrocarbon leakages.
95	(xiv)	Additional fresh water requirement from canal shall not exceed 1020 m <sup>3</sup> /hr and prior permission shall be obtained from the concerned agency. No ground water shall be used.	Necessary approval from the State Irrigation Department has been obtained vide agreement no DG738976, dated 02/05/2017. The water consumption for the plant is completely met through Canal water (Etawah Branch of Lower Ganga Canal system through Burhadana Distributory). No ground water is used in the complex.
96	(xv)	Additional industrial effluent generation due to proposed expansion shall not exceed 64 m <sup>3</sup> /hr. Industrial effluents including	Waste Water Treatment plant having 2 nos. 150 m <sup>3</sup> /hr capacity chains is functional for treating combined effluents from various process units.

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

Sr. No.	Cond. No.	Conditions	Compliance Status
		<p>existing (214 m<sup>3</sup>/hr) shall be segregated and treated in the ETP. As proposed, treated effluent (50 m<sup>3</sup>/hr) shall be recycled and reused within factory premises. Remaining treated effluent shall be discharged into Sengar River after obtaining prior permission from the UPPCB and meeting the norms prescribed. Water quality of treated effluent should be monitored regularly. Online TOC analyzer, pH meter and flow meter shall be installed to monitor the treated water quality before discharge into River. As proposed, sewage shall be transferred to aeration tank along with process wastewater.</p>	<p>Necessary augmentation to the old ETP Plant has been incorporated with respect to additional waste water generation from the expansion project. Maximum treated water is recycled and reused for horticulture purposes. Balanced treated water is discharged to Sengar river. Necessary approval from UPPCB has been obtained. The treated water Quality is monitored regularly through Online Water Analyser and the flow meter. Also, parameters of online effluent quality monitoring system are connected with CPCB &amp; UPPCB servers. The sewage water is channelized to the aeration tank of wastewater treatment plant along with Process waste water for further treatment.</p>
97	(xvi)	<p>Process effluent/any wastewater shall not be allowed to mix with storm water. Storm water drain shall be passed through guard pond.</p>	<p>Separate storm water drain exists. It has been ensured that process effluent and other waste water are not mixed with storm water. Contaminated Storm Water is treated in Waste Water Treatment plant and is passed through guard pond.</p>
98	(xvii)	<p>The company should obtain authorization for collection, storage and disposal of hazardous waste under the hazardous waste (management, handling and trans-boundary movement) rules, 2008 and amended as on date for management of hazardous wastes and prior permission from UPPCB should be obtained for disposal of solid/hazardous waste in TSDF. Measures should be taken for firefighting facilities in case of emergency. Membership of TSDF for hazardous waste disposal should be obtained and submitted to the regional office at Lucknow.</p>	<p>Hazardous Waste Authorization has been accorded to GAIL Pata vide ref no. 14295/UPPCB/ Kanpur Dehat (UPPCBRO) / HWM/ AURRAIYA/ 2021, dated 08.07.2021 and is valid up to 07/07/2026. All Hazardous wastes are disposed in line with the recommendations of the hazardous waste authorization accorded by the UPPCB. Firefighting facility is in place at GAIL Pata to handle any emergency. GAIL, Pata is also a permanent member of Uttar Pradesh Waste Management Project (membership no. UPWMP-KNP-HzW – CHW-TSDF – 1268) (Copy enclosed as Annexure-4) for utilizing their common hazardous waste treatment storage disposal facility (CHW-TSDF) to dispose hazardous waste safely &amp; securely and</p>

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

Sr. No.	Cond. No.	Conditions	Compliance Status
			has already been submitted to the regional office.
99	(xviii)	Existing captive secured landfill site shall be designed as per CPCB guidelines. A performance evaluation study for the existing captive secured landfill site shall be carried out and report shall be submitted to the respective regional office of the MoEF, CPCB and UPPCB within three months. All the recommendations made in the study shall be implemented.	Secured landfill site is not in use. However, a scientific solid waste management facility has been developed for intermediate storage of the waste to ensure timely disposal to authorized agencies.
100	(xix)	Piezometer wells shall be installed around secured landfill. Ground water monitoring shall be carried out in every three months and trend analysis shall be carried out and report shall be sent to the CPCB and UPPCB.	Secured landfill site is not in use. However, Piezometer wells are installed for regular sampling and analysis of ground water along with depth by third party environment monitoring agency. Quarterly trend analysis of ground water quality during Q-1 & Q-2 of FY 2023-24 is as follows:   <p>The bar chart titled 'Ground Water Analysis' compares two quarters, Q1 (blue bars) and Q2 (orange bars), across 14 parameters. The Y-axis represents the concentration or value, ranging from 0 to 400. The X-axis lists the parameters: Colour, Turbidity, pH at 25 °C, Total dissolved solids, Total Alkalinity as CaCO3, Total Hardness as CaCO3, Calcium Hardness as CaCO3, Magnesium Hardness as CaCO3, Chloride as Cl-, Sulphate as SO4, Nitrate as NO3, Iron as Fe, Zinc as Zn, Total Suspended Solids, and Dissolve Oxygen as O2. The highest values are observed for Total dissolved solids and Total Hardness as CaCO3, with Q1 values being significantly higher than Q2 values for these parameters. Other parameters like pH, Chloride, Sulphate, Nitrate, Iron, Zinc, Total Suspended Solids, and Dissolve Oxygen show very low values, while Calcium and Magnesium Hardness as CaCO3 show moderate values.</p>
101	xx	Spent catalyst and bottom tank sludge shall be sent to authorized re-processors/ recyclers.	Spent catalysts and Bottom tank sludge are disposed as per recommendations of hazardous waste authorization accorded by UPPCB.
102	(xxi)	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in the material handling. Firefighting system should be as per the OISD norms. All the OISD standards shall be followed.	Protection against all Fire Hazards is in place. Firefighting systems are in line as per the OISD-GDN-115 & OISD-GDN-116.
103	(xxii)	The company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All Transportation of	Handling, Manufacturing and storage of all hazardous chemicals are carried out in accordance with the manufacture, storage and import of hazardous chemicals rules, 1989 as amended. Also, Transportation of

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
		Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.	Hazardous Chemicals is carried out as per the Motor Vehicle Act (MVA), 1989.
104	(xxiii)	<p>The company shall undertake following waste minimization measures:-</p> <p>a) Metering and control of quantities of active ingredients to minimize waste.</p> <p>b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.</p> <p>c) Use of automated filling to minimize spillage</p> <p>d) Use of closed Feed system into batch reactors.</p> <p>e) Venting equipment through vapor recovery system</p> <p>f) Use of high pressure hoses for equipment cleaning to reduce wastewater generation.</p>	<p>a) Complied. Metering and control of quantities of active ingredients is done in order to minimize waste generation.</p> <p>b) Complied. Byproducts generated are used in process to the extent possible or sold to customers.</p> <p>c) Complied. Automated filling is being done to minimize spillage.</p> <p>d) Not Applicable</p> <p>e) Complied. Loading of all liquid products is carried out through vapor recovery system.</p> <p>f) Complied. Cleaning works are carried out using high pressure hoses.</p>
105	(xxiv)	<p>Green belt shall be developed in 33 % area to mitigate the effects of fugitive emissions all around the plant as per CPCB guidelines in consultation with the local DFO. Thick greenbelt with suitable plant species shall be developed around the proposed distillery to mitigate the odor problem.</p>	<p>Green belt of adequate width and density has been provided all around the plant to mitigate the effects of fugitive emission as well as odour if any.</p> <p>Presently 36% area of the premises has been developed as peripheral green belt/area with native species. Regular plantation of tree saplings in and around the plant complex is done and also mass tree plantation programs are organized.</p>
106	(xxv)	<p>Occupational health surveillance program shall be undertaken as regular exercise for all the employees. The first aid facilities in the occupational health center shall be strengthened and the regular medical test records of each employee shall be maintained separately.</p>	<p>Occupational Health Surveillance of the workers and Employees is done on a regular basis (6 monthly basis for workers and on annual basis for employees) and records maintained as per the Factories Act and OISD-GDN-166. The first aid facilities in the occupational health center are regularly reviewed and strengthened as per requirement.</p>
107	(xxvi)	<p>All the recommendations mentioned in the rapid risk assessment report,</p>	<p>All the recommendations mentioned in the rapid risk assessment report,</p>

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
		disaster management plan and safety guidelines shall be implemented.	disaster management plan and safety guidelines are implemented.
108	(xxvii)	All the commitments made during the public hearing/ public consultation meeting held on 5 <sup>th</sup> September, 2011 should be satisfactorily implemented and adequate budget provision should be made accordingly.	All the commitments made during the public hearing/ public consultation meeting held on 5 <sup>th</sup> September, 2011 have been suitably implemented.
109	(xxviii)	Company shall prepare project specific environmental manual and a copy shall be made available at the project site for compliance.	Project specific environmental manual and procedures are in place.
110	(xxix)	Company should adopt corporate environment policy as per the Ministry's O.M No J-11013/41/2006-IA.II (I) dated 26 <sup>th</sup> April, 2011 and implemented. Under Corporate Social Responsibility (CSR), sufficient budgetary provision should be made for health improvement, education, water and electricity supply etc. in and around the project.	Corporate Sustainable Development Policy and site level Environment Policy exists. GAIL has allocated an annual budget of 2 % of the Average Net Profit during the three immediately preceding financial years for Corporate Social Responsibility (CSR) activities, which is effectively used for carefully chosen programs in the field of community development, education, infrastructure, health care, skill development and environment & sanitation. Socially useful programs have been undertaken in GAIL since its inception in and around the areas adjoining its major work centers.
111	(xxx)	Provision shall be made for the housing for construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile sewage treatment plant, safe drinking water, medical health care, crèche etc. the housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.	The site has been fully developed and stabilized. All necessary measures are taken in respect of sanitation facilities, hygiene etc. for workers. Mostly Local laborers are deployed to the extent possible.

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
<b>General Conditions</b>			
112	(i)	The project authorities shall strictly adhere to the stipulations made by the U.P Pollution Control Board (UPPCB)	All the stipulations made by the Uttar Pradesh Pollution Control Board are adhered to.
113	(ii)	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to the Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Any expansion of the plant is taken up only after obtaining prior approval of the Ministry. GAIL Pata has been accorded 6 ECs for different expansions as mentioned above (A, B, C, D, E & F).
114	(iii)	The locations of ambient air quality monitoring stations shall be decided in consultation with the state pollution control board (SPCB) and it shall be ensured that at least one stations is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.	Five fixed real time ambient air quality monitoring station and Two third party ambient air quality monitoring stations (within and outside the premises) have been setup. In addition, 1 No. Mobile Van having real time ambient air quality monitoring station is also in use for monitoring of ambient air quality.  The locations covered by the stations have been fixed considering location of existing stacks, wind direction and other topographical features.
115	(iv)	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz 75 dBA (day time) and 70 dBA (night time)	All sources of noise generation have been provided with suitable noise control measures including acoustic hoods, silencers, enclosures etc. as applicable to maintain overall noise levels in and around the plant area within the standards. Noise levels are regularly monitored in ambient and work zone areas to ensure that noise levels are within prescribed standards.
116	(v)	The company shall harvest rainwater from the rooftops of the buildings and storm water drains to	Rain Water harvesting measures have been implemented in all the major buildings at GAIL, Pata for recharging



**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
		recharge the ground water and use the same water for the process activities of the project to conserve water.	of ground water table. In addition, a natural pond inside the premises is used for rain water harvesting for utilization of water from the pond as per requirement.
116	(vi)	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Training is imparted to the employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees are also undertaken on regular basis.
118	(vii)	The company shall also comply with all the environmental protection measures and safeguards proposed in the document submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing relating to the project shall be implemented.	All the environmental protection measures and safeguards are being complied.
119	(viii)	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.	GAIL has allocated an annual budget of 2 % of the Average Net Profit during the three immediately preceding financial years for Corporate Social Responsibility (CSR) activities, which is effectively used for carefully chosen programs in the field of community development, education, infrastructure, health care, skill development and environment & sanitation. Socially useful programs are undertaken by involving local villages and administration.
120	(ix)	The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	GAIL Pata regularly undertakes developmental and welfare measures in the project area for overall improvement.
121	(x)	A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the	A full-fledged Environmental Management Cell is in place to undertake environment and

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
		environmental management and monitoring functions.	sustainable development related functions. Full-fledged NABL accredited Laboratory set up also exists in the plant premises under the supervision of competent technical personnel.
122	(xi)	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment and Forests as well as the state government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/pollution control measures shall not be diverted for any other purpose.	Adequate dedicated funds are earmarked for the environmental protection measures and to implement the conditions stipulated by the Ministry of Environment & Forests as well as the State Government.
123	(xii)	A copy of the clearance letter shall be sent by the project proponent to concerned panchayat, Zila Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/representations, if any were received while processing the proposal.	A copy of the clearance letter was sent to the concerned panchayat.
124	(xiii)	The project proponent shall submit six monthly reports on the status of compliance of the stipulated Environmental Clearance including results of monitored data.	Six monthly reports on the status of compliance of the stipulated Environmental Clearance including results of monitored data is regularly submitted.
125	(xiv)	The environmental statement for each financial year ending 31 <sup>st</sup> March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also	The environmental statement for each financial year ending 31 <sup>st</sup> March in Form-V is submitted to the Uttar Pradesh Pollution Control Board. A copy of the same is also uploaded on the website of the company along with the status of compliance of environmental clearance conditions and also sent to the Regional Office of MoEF&CC by e-mail. Copy of the Environmental Statement for the financial year ending 31 <sup>st</sup> March 2023 is enclosed as Annexure-5.

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
		be sent to the respective Regional Offices of MoEF by e-mail.	
126	(xv)	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and the copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at <a href="http://envfor.nic.in">http://envfor.nic.in</a> . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	The matter was suitably advertised in the local newspapers that are widely circulated in the region as per requirement and a copy of the same was also forwarded to the concerned Regional Office of the Ministry.
127	(xvi)	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and the final approval of the project by the concerned authorities and the date of start of the project.	Suitable information as required was communicated to the concerned agencies.

**Name of the Project:** Polypropylene Expansion Project      **Project Code:** NIL  
**Clearance Number:** J-11011/595/2010-IA II (I), Dated 16/10/2020  
**Period of Compliance:** April 2023 to September 2023

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
<b>SPECIFIC CONDITIONS:</b>			
128	(i)	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	All the environmental protection measures and safeguards are being fulfilled.

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
129	(ii)	As committed by the Project proponent, 75 % of the effluent discharged to the river shall be recovered and reused to reduce the fresh water requirement. The total effluent proposed to discharge to the river is 164 cum/hr, out of which 75 % shall be treated through ETP/RO system and reused in the plant/process. Only the remaining 25 % the effluent shall be sent for river discharge after meeting the prescribe standards.	In compliance to this specific condition, action for implementation of following is under progress: <ul style="list-style-type: none"> <li>• Augmentation of Existing WWTP Equipment's to enhance the efficiency of the treatment units</li> <li>• To install one no. additional chain of WWTP of capacity 150 m3/hr.</li> <li>• To install a RO based recycle plant of capacity 450 m3/hr.</li> <li>• To install a ZLD Plant of 18 m3/hr. to cater to RO reject.</li> </ul>
130	(iii)	Total fresh water requirement shall not exceed 2040 cum/hr, proposed to be met from water supply from the Irrigation Department, Etawah Zone. Necessary permission in this regard shall be obtained from the concerned regulatory authority. The fresh water requirement shall be reduced after installation of rainwater harvesting system in the unit/project area.	Necessary permission from the State Irrigation Department is already available vide agreement no. DG738976, dated 02/05/2017 (Copy enclosed as Annexure-6). Additional rainwater harvesting structures are under construction in the upcoming Polypropylene unit/project area.
131	(iv)	Comprehensive water audit to be conducted on annual basis and report to the concerned Regional Office of MoEF&CC. Outcome from the report to be implemented for conservation scheme.	Comprehensive water audit of GAIL Pata has been carried out by M/s CII Triveni Water Institute, New Delhi during August 2023. The outcome from the report is under implementation.
132	(v)	Process effluent/any wastewater shall not be allowed to mix with storm water. Storm water drain shall be passed through guard pond.	Separate storm water drain exists. It is ensured that process effluent and other waste water are not mixed with storm water. Contaminated Storm Water is treated in Waste Water Treatment plant and is passed through guard pond.  Action for construction of a new storm water guard pond of capacity 47500 m3 is under progress.
133	(vi)	Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be	Hazardous chemicals being used at GAIL Pata are stored in tanks, tank farms, drums, carboys etc. Flame

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
		provided on tank farm, and solvent transfer to be done through pumps.	arresters are provided on tank farm, and solvents are being transferred through pumps. Noted for compliance for new expansion project.
134	(vii)	Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF. The ash from boiler shall be sold to brick manufacturers/cement industry.	All the generated hazardous wastes are being disposed of as per the directions of Hazardous Waste Authorization accorded from Uttar Pradesh Pollution Control Board vide letter no. 14295/UPPCB/ Kanpur Dehat (UPPCBRO) / HWM/ AURRAIYA/ 2021, dated 08.07.2021 and is valid up to 07/07/2026.  There is no generation of ash from the boilers as natural gas is the source of fuel.  Noted for compliance for new expansion project.
135	(viii)	Regular VOC monitoring shall be done at vulnerable points.	VOC monitoring is carried out and controlled through Leak Detection and Repair (LDAR) program as per OISD-GDN-224.  Noted for compliance for new expansion project.
136	(ix)	The oily sludge shall be subjected to melting pit for oil recovery and the residue shall be bio-remediated. The sludge shall be stored in HDPE lined pit with proper leachate collection system.	All the generated hazardous wastes are being disposed off as per the directions of Hazardous Waste Authorization accorded by Uttar Pradesh Pollution Control Board vide letter no. 14295/UPPCB/ Kanpur Dehat (UPPCBRO) / HWM/ AURRAIYA/ 2021, dated 08.07.2021 and is valid up to 07/07/2026. The oily sludge is stored in HDPE lined pits inside the plant premises before disposal.
137	(x)	Oil catchers/oil traps shall be provided at all possible locations in rain/ storm water drainage system inside the factory premises.	Oil catchers/oil traps are already available at all possible locations in storm water drainage system inside the factory premises. Noted for compliance for new expansion project.
138	(xi)	The company shall undertake waste minimization measures as below:	

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
		<p>a. Metering and control of quantities of active ingredients to minimize waste.</p> <p>b. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.</p> <p>c. Use of automated filling to minimize spillage.</p> <p>d. Use of Close Feed system into batch reactors.</p> <p>e. Venting equipment through vapor recovery system.</p> <p>f. Use of high pressure hoses for equipment cleaning etc. to reduce wastewater generation.</p>	<p>a. Complied. Metering and control of quantities of active ingredients is done in order to minimize waste generation.</p> <p>b. Complied. Byproducts generated are used in process to the extent possible or sold to customers.</p> <p>c. Complied. Automated filling is being done to minimize spillage.</p> <p>d. Not Applicable</p> <p>e. Complied. Loading of all liquid products is carried out through vapor recovery system.</p> <p>f. Complied. Cleaning works are carried out using high pressure hoses.</p>
139	(xii)	The green belt of 5-10 m width shall be developed in more than 33% of the total project area, mainly along the plant periphery, in downward wind direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department.	Green belt of adequate width and density has been provided all around the plant premises. More than 33% area of the premises has been developed as peripheral green belt/area with native species. Regular plantation of tree saplings in and around the plant complex is done and also mass tree plantation programs are organized.
140	(xiii)	As proposed, Rs 4.77 crores shall be allocated for Corporate Environment Responsibility (CER) shall be utilized for meeting the commitment of the socio-economic issues and as per the proposed action plan. The CER plan shall be completed within three year of expansion of the project.	An amount of Rs 4.77 crores has been allocated for Corporate Environment Responsibility (CER) and is being utilized for meeting the commitment of the socio-economic issues.
141	(xiv)	The project proponent shall ensure 70% of the employment to the local people, as per the applicable law. The project proponent shall set up a skill development center/provide skill development training to village people.	It is being ensured that maximum employment is provided to the local people as per the applicable law. Necessary skill development center has been established and skill development training is also imparted to village people.
142	(xv)	A separate Environmental Management Cell (having qualified person with Environmental Science/ Environmental Engineering/ specialization in the project area)	A full-fledged Environmental Management Cell is in place to undertake environment and sustainable development related functions. Full-fledged NABL accredited

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
		equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Laboratory set up also exists in the plant premises under the supervision of competent technical personnel.
143	(xvi)	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.	Protection against all Fire Hazards is in place. Firefighting systems are in line as per the OISD-GDN-115 & OISD-GDN-116. Noted for compliance for new expansion project.
144	(xvii)	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. In case of the treated effluent to be utilized for irrigation/gardening, real time monitoring system shall be installed at the ETP outlet.	Online Continuous Emission Monitoring System has been provided in all the stacks and real time data is transmitted to CPCB and UPPCB through web based system. Continuous online monitoring of the effluent parameters like pH, BOD, COD, TSS, TOC & Flow is done and data is transmitted to CPCB and UPPCB on real time basis through web based server systems. No additional stack is envisaged for expansion project.
145	(xviii)	PP to set up occupational health Centre for surveillance of the worker's health within and outside the plant on a regular basis. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.	An occupational health center exists within the complex. Occupational Health Surveillance of the workers and Employees is done on a regular basis (6 monthly basis for workers and on annual basis for employees) and records maintained as per the Factories Act and OISD-GDN-166. The health data is suitably used in deploying the duties of the workers. All workers & employees are provided with required safety kits/mask for personal protection.
146	(xix)	The National Emission Standards for Petrochemical (Basic & Intermediates) issued by the Ministry vide G.S.R. 820 (E) dated 9th November, 2012 as amended time to time shall be followed.	The National Emission Standards for Petrochemical (Basic & Intermediates) issued by the Ministry vide G.S.R. 820 (E) dated 9th November, 2012 as amended is being followed. Noted for compliance for new expansion project.
147	(xx)	Recommendations of mitigation measures from possible accident shall be implemented based on Risk	All the recommendations mentioned in the rapid risk assessment report, disaster management plan and safety

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
		Assessment studies conducted for worst case scenarios using latest techniques.	guidelines are being implemented suitably.
148	(xxi)	The project proponent shall develop R & D facilities to develop their own technologies for propylene and polypropylene processing.	A dedicated Corporate R&D department exist in GAIL (India) Limited which also caters to the research and development work related to GAIL Pata.

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
<b>General Conditions</b>			
149	(i)	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	The condition is noted. Any expansion of the plant is taken up only after obtaining prior approval of the Ministry.  Noted for compliance for new expansion project.
150	(ii)	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	Energy source for lighting purpose shall be LED based lighting in the upcoming project. Also, Phase wise replacement of incandescent lamps with LEDs is under progress for the existing facility.
151	(iii)	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986	All sources of noise generation have been provided with suitable noise control measures including acoustic hoods, silencers, enclosures etc. as applicable to maintain overall noise levels in and around the plant area within the standards. Noise levels are regularly monitored in ambient and work zone areas to ensure that noise levels are within prescribed standards.



**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
		Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Noted for compliance for new expansion project.
152	(iv)	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	All relevant measures for improving the socio-economic conditions of the surrounding area along with CER activities shall be suitably undertaken by involving local villages and administration.
153	(v)	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/pollution control measures shall not be diverted for any other purpose.	The dedicated funds are earmarked for the environmental protection measures towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government.
154	(vi)	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zila Parishad/ Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal.	The condition is not applicable, as there were no suggestions/representations.
155	(vii)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of	Six monthly reports on the status of compliance of the stipulated Environmental Clearance including results of monitored data is regularly submitted to the Regional Offices of MoEF&CC and CPCB and to the UPPCB and the same is also uploaded on the website of the company.

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
		Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	
156	(viii)	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	The environmental statement for each financial year ending 31 <sup>st</sup> March in Form-V is submitted to the Uttar Pradesh Pollution Control Board. A copy of the same is also uploaded on the website of the company along with the status of compliance of environmental clearance conditions and also sent to the Regional Office of MoEF&CC by e-mail. Copy of the Environmental Statement for the financial year ending 31st March 2023 is enclosed as Annexure-5.
157	(ix)	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at <a href="https://parivesh.nic.in/">https://parivesh.nic.in/</a> . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	The matter was suitably advertised in the local newspapers that are widely circulated in the region as per requirement and forwarded to the concerned Regional Office of the Ministry. Copy of the same is enclosed as Annexure-7.
158	(x)	The project authorities shall inform the Regional Office as well the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Noted for compliance.
159	(xi)	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India,	The condition is noted.

**Compliance status to conditions of Environment Clearances at  
GAIL (India) Limited, Pata, U.P.**

<b>Sr. No.</b>	<b>Cond. No.</b>	<b>Conditions</b>	<b>Compliance Status</b>
		Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	

TABLE-3a: Ambient Air Quality Monitoring Results--AAQ 1 : Inside the Complex- PC-2 AAQMS-1

Date of Sampling	PM <sub>10</sub> (µg/m <sup>3</sup> )	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	SO <sub>2</sub> (µg/m <sup>3</sup> )	NO <sub>2</sub> (µg/m <sup>3</sup> )	CO (mg/m <sup>3</sup> )	NH <sub>3</sub> (µg/m <sup>3</sup> )	O <sub>3</sub> (µg/m <sup>3</sup> )	Lead (µg/m <sup>3</sup> )	Benzene (µg/m <sup>3</sup> )	Benzo (a) Pyrene (ng/m <sup>3</sup> )	Arsenic (As), ng/m <sup>3</sup>	Nickel (Ni), ng/m <sup>3</sup>
02.04.2023	76.4	39.3	13.1	21.2	0.53	12.8	2.5	76.4	2.1	<0.5	<1.0	<5.0
05.04.2023	72.1	39.6	13.2	20.1	0.51	12.3	2.8	72.1	3	<0.5	<1.0	<5.0
10.04.2023	72.3	37.2	11.8	19	0.56	14.3	3	72.3	2.7	<0.5	<1.0	<5.0
12.04.2023	76.6	33.3	12.1	21.2	0.49	12.6	2.7	76.6	3.2	<0.5	<1.0	<5.0
14.04.2023	74.7	36.9	10.5	19.1	0.51	12.9	2.6	74.7	3.1	<0.5	<1.0	<5.0
17.04.2023	74.8	37.1	18	19.8	0.58	14.6	2.6	74.8	2.7	<0.5	<1.0	<5.0
20.04.2023	75.9	39.2	15.1	17.9	0.59	14.7	2.7	75.9	2.8	<0.5	<1.0	<5.0
24.04.2023	75.6	32.5	17.7	20.2	0.52	13.9	2.5	75.6	3.1	<0.5	<1.0	<5.0
27.04.2023	73.6	33.2	12.4	23.6	0.51	12.2	2.8	73.6	2.5	<0.5	<1.0	<5.0
<b>Min</b>	<b>72.1</b>	<b>32.5</b>	<b>10.5</b>	<b>17.9</b>	<b>0.49</b>	<b>12.2</b>	<b>2.5</b>	<b>72.1</b>	<b>2.1</b>	<b>&lt;0.5</b>	<b>&lt;1.0</b>	<b>&lt;5.0</b>
<b>Max</b>	<b>76.6</b>	<b>39.6</b>	<b>18</b>	<b>23.6</b>	<b>0.59</b>	<b>14.7</b>	<b>3</b>	<b>76.6</b>	<b>3.2</b>	<b>&lt;0.5</b>	<b>&lt;1.0</b>	<b>&lt;5.0</b>
<b>Mean</b>	<b>74.7</b>	<b>36.5</b>	<b>13.8</b>	<b>20.2</b>	<b>0.5</b>	<b>13.4</b>	<b>2.7</b>	<b>74.7</b>	<b>2.8</b>	<b>&lt;0.5</b>	<b>&lt;1.0</b>	<b>&lt;5.0</b>
<b>98%ile</b>	<b>76.57</b>	<b>39.55</b>	<b>17.95</b>	<b>23.22</b>	<b>0.59</b>	<b>14.68</b>	<b>2.97</b>	<b>76.57</b>	<b>3.18</b>	<b>&lt;0.5</b>	<b>&lt;1.0</b>	<b>&lt;5.0</b>
<b>NAAQ Standards</b>	<b>100</b>	<b>60</b>	<b>80</b>	<b>80</b>	<b>2</b>	<b>400</b>	<b>100</b>	<b>1</b>	<b>5</b>	<b>1</b>	<b>6</b>	<b>20</b>




Source Emission Monitoring : Table 6b

S. No	Name of the Stack	Date Of Sampling	Velocity m/sec	Gas Discharge Nm <sup>3</sup> /hr	Stack gas temperature °C	Particulate Matter (mg/Nm <sup>3</sup> )	Sulphur Dioxide (mg/Nm <sup>3</sup> )	Oxides of Nitrogen (mg/Nm <sup>3</sup> )	Carbon Monoxide (mg/Nm <sup>3</sup> )	Oxygen (%)
1	LLDPE-1 -Dowtherm A	25.04.2023	15.82	35817.20	219	4.17	22.4	23.5	22.1	7.2
2	LLDPE-1 -Dowtherm B	25.04.2023	15.78	36531.26	208	3.60	20.5	22.4	13.6	6.3
3	GCU-1- FF-101	12.04.2023	14.47	66054.29	142	4.12	15.4	27.4	22.6	7.3
4	GCU-1- FF-102	12.04.2023	14.51	66917.59	138	3.81	18.0	18.8	26.1	6.5
5	GCU-1- FF-103	12.04.2023	14.79	66881.17	146	3.72	16.0	21.1	19.2	8.1
6	GCU-1- FF-104	-	-	-	-	-	-	-	-	-
7	GCU-1- FF-105	12.04.2023	14.43	6670.335	137	4.16	14.7	29.7	18.2	7.4
8	GCU-1- FF-106	12.04.2023	14.61	66385.63	144	3.55	14.7	25.4	22.1	6.9
9	GCU-2- FF-110	12.04.2023	14.46	153391.43	147	3.34	24.4	29.3	21.3	8.2
10	GCU-2- FF-120	12.04.2023	14.72	153209.28	155	2.86	20.5	29.3	22.3	8.4
11	GCU-2- FF-130	12.04.2023	14.59	156989.64	141	2.86	29.5	35.2	16.9	8.1
12	Power Plant-1- UB-1	17.04.2023	14.40	265598.82	138	3.59	21.8	35.2	15.8	7.9
13	Power Plant-1- UB-2	17.04.2023	14.53	265299.41	142	4.31	33.3	50.8	22.3	9.1
14	Power Plant-1- UB-3	-	-	-	-	-	-	-	-	-
15	Power Plant-2- UB-1	-	-	-	-	-	-	-	-	-
16	Power Plant-2- UB-2	10.04.2023	14.01	264049.48	128	3.30	20.5	48.9	12.3	9.5
17	HRSG- 1	15.04.2023	14.58	474653.06	141	4.09	22.4	31.3	21.3	8.6
18	HRSG- 2	15.04.2023	14.54	466366.49	147	4.01	19.9	27.4	18.5	7.4
<b>Standards</b>										
						<b>10/5</b>	<b>50</b>	<b>350/250</b>	<b>150/100</b>	<b>--</b>



TABLE-3a: Ambient Air Quality Monitoring Results -AAQ 1 : Inside the Complex- PC-1 AAQMS-03

Date of Sampling	PM <sub>10</sub> (µg/m <sup>3</sup> )	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	SO <sub>2</sub> (µg/m <sup>3</sup> )	NO <sub>2</sub> (µg/m <sup>3</sup> )	CO (mg/m <sup>3</sup> )	NH <sub>3</sub> (µg/m <sup>3</sup> )	O <sub>3</sub> (µg/m <sup>3</sup> )	Lead (µg/m <sup>3</sup> )	Benzene (µg/m <sup>3</sup> )	Benzo (a) Pyrene (ng/m <sup>3</sup> )	Arsenic (As), ng/m <sup>3</sup>	Nickel (Ni), ng/m <sup>3</sup>
01.05.2023	71.1	32.2	15.3	20.5	0.77	12.7	3.9	<0.1	1.9	<0.5	<1.0	<5.0
03.05.2023	74.6	32.9	13.5	19.2	0.76	12.0	4.2	<0.1	2.6	<0.5	<1.0	<5.0
08.05.2023	74.2	30.9	13.3	17.6	0.68	14.2	5.3	<0.1	1.6	<0.5	<1.0	<5.0
10.05.2023	67.5	33.7	14.6	19.0	0.64	11.6	3.4	<0.1	2.4	<0.5	<1.0	<5.0
15.05.2023	79.5	35.8	14.6	20.0	0.61	13.1	3.8	<0.1	3.1	<0.5	<1.0	<5.0
18.05.2023	74.1	33.4	13.3	18.5	0.74	13.6	5.4	<0.1	2.8	<0.5	<1.0	<5.0
22.05.2023	71.9	31.1	15.4	22.0	0.68	14.5	4.2	<0.1	1.9	<0.5	<1.0	<5.0
25.05.2023	72.2	32.5	17.6	21.7	0.85	13.7	3.4	<0.1	2.4	<0.5	<1.0	<5.0
29.05.2023	78.5	35.6	13.9	18.8	0.68	11.9	3.8	<0.1	2.5	<0.5	<1.0	<5.0
<b>Min</b>	<b>67.5</b>	<b>30.9</b>	<b>13.3</b>	<b>17.6</b>	<b>0.61</b>	<b>11.6</b>	<b>3.4</b>	<b>&lt;0.1</b>	<b>1.6</b>	<b>&lt;0.5</b>	<b>&lt;1.0</b>	<b>&lt;5.0</b>
<b>Max</b>	<b>79.5</b>	<b>35.8</b>	<b>17.6</b>	<b>22.0</b>	<b>0.85</b>	<b>14.5</b>	<b>5.4</b>	<b>&lt;0.1</b>	<b>3.1</b>	<b>&lt;0.5</b>	<b>&lt;1.0</b>	<b>&lt;5.0</b>
<b>Mean</b>	<b>73.7</b>	<b>33.1</b>	<b>14.6</b>	<b>19.7</b>	<b>0.71</b>	<b>13.0</b>	<b>4.2</b>	<b>&lt;0.1</b>	<b>2.4</b>	<b>&lt;0.5</b>	<b>&lt;1.0</b>	<b>&lt;5.0</b>
<b>98%ile</b>	<b>79.3</b>	<b>35.8</b>	<b>17.3</b>	<b>22.0</b>	<b>0.84</b>	<b>14.5</b>	<b>5.4</b>	<b>&lt;0.1</b>	<b>3.1</b>	<b>&lt;0.5</b>	<b>&lt;1.0</b>	<b>&lt;5.0</b>
<b>NAAQ Standard</b>	<b>100</b>	<b>60</b>	<b>80</b>	<b>80</b>	<b>2</b>	<b>400</b>	<b>100</b>	<b>1</b>	<b>5</b>	<b>1</b>	<b>6</b>	<b>20</b>



Source Emission Monitoring : Table 6b

S. No	Name of the Stack	Date Of Sampling	Velocity m/sec	Gas Discharge Nm <sup>3</sup> /hr	Stack gas temperature °C	Particulate Matter (mg/Nm <sup>3</sup> )	Sulphur Dioxide (mg/Nm <sup>3</sup> )	Oxides of Nitrogen (mg/Nm <sup>3</sup> )	Carbon Monoxide (mg/Nm <sup>3</sup> )	Oxygen (%)
1	LLDPE-1 -Dowtherm A	20.05.2023	16.85	37237.58	231	3.60	16.7	35.2	20.2	6.9
2	LLDPE-1 -Dowtherm B	20.05.2023	16.50	36981.82	224	4.00	23.7	31.3	32.5	7.4
3	GCU-1 -FF-101	-	-	-	-	-	-	-	-	-
4	GCU-1 -FF-102	22.05.2023	14.34	66282.03	137	3.90	23.1	19.3	25.8	7.4
5	GCU-1 -FF-103	-	-	-	-	-	-	-	-	-
6	GCU-1 -FF-104	22.05.2023	14.23	66564.73	132	3.90	18.0	21.5	20.3	6.5
7	GCU-1 -FF-105	22.05.2023	13.57	66392.03	143	4.34	18.0	30.9	19.4	6.8
8	GCU-1 -FF-106	22.05.2023	13.37	66300.60	138	3.77	20.5	31.3	19.4	7.5
9	GCU-2 -FF-110	17.05.2023	15.13	157128.62	156	3.17	13.5	37.1	22.5	7.2
10	GCU-2 -FF-120	-	-	-	-	-	-	-	-	-
11	GCU-2 -FF-130	17.05.2023	14.84	157453.59	147	3.04	26.9	31.3	16.2	7.2
12	Power Plant-1- UB-1	-	-	-	-	-	-	-	-	-
13	Power Plant-1- UB-2	-	-	-	-	-	-	-	-	-
14	Power Plant-1- UB-3	12.05.2023	14.25	266759.70	132	3.36	32.7	26.7	23.5	7.2
15	Power Plant-2- UB-1	09.05.2023	14.59	27308.46	132	3.47	14.7	54.7	14.3	6.8
16	Power Plant-2- UB-2	09.05.2023	14.36	272760.50	126	3.12	18.6	41.0	13.4	8.9
17	HRSG- 1	11.05.2023	14.72	478058.25	142	4.22	25.0	37.1	22.6	8.1
18	HRSG- 2	11.05.2023	14.58	477950.14	138	3.92	18.6	39.1	18.6	7.6
<b>Standards</b>										
						<b>10/5</b>	<b>50</b>	<b>350/250</b>	<b>150/100</b>	<b>--</b>



**TABLE-3a: Ambient Air Quality Monitoring Results -AAQ 1 : Inside the Complex- PC-1 AAQMS-02**

Date of Sampling	PM <sub>10</sub> (µg/m <sup>3</sup> )	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	SO <sub>2</sub> (µg/m <sup>3</sup> )	NO <sub>2</sub> (µg/m <sup>3</sup> )	CO (mg/m <sup>3</sup> )	NH <sub>3</sub> (µg/m <sup>3</sup> )	O <sub>3</sub> (µg/m <sup>3</sup> )	Lead (µg/m <sup>3</sup> )	Benzene (µg/m <sup>3</sup> )	Benzo (a) Pyrene (ng/m <sup>3</sup> )	Arsenic (As), ng/m <sup>3</sup>	Nickel (Ni), ng/m <sup>3</sup>
01-06-2023	78.8	41.4	13.8	20.5	0.51	13.2	2.6	<0.1	2	<0.5	<1.0	<5.0
05-06-2023	72.9	40	13.6	19.5	0.48	12.7	2.7	<0.1	3	<0.5	<1.0	<5.0
08-06-2023	74.6	38	12.2	18.8	0.43	15.1	3	<0.1	2.6	<0.5	<1.0	<5.0
12-06-2023	75.8	34.4	11.8	22.3	0.51	12.2	2.7	<0.1	3.1	<0.5	<1.0	<5.0
16-06-2023	73.1	38.5	10.4	19.7	0.48	13.6	2.7	<0.1	3	<0.5	<1.0	<5.0
19-06-2023	76.4	39.1	18.9	19	0.52	14.1	2.5	<0.1	2.6	<0.5	<1.0	<5.0
22-06-2023	78.3	40.4	15.1	17.7	0.42	14.5	2.6	<0.1	2.9	<0.5	<1.0	<5.0
26-06-2023	74	33.2	18.4	21.1	0.48	13.5	2.5	<0.1	3.1	<0.5	<1.0	<5.0
29-06-2023	76.7	34.6	12.8	22.6	0.51	12.3	2.8	<0.1	2.5	<0.5	<1.0	<5.0
<b>Min</b>	<b>72.9</b>	<b>33.2</b>	<b>10.4</b>	<b>17.7</b>	<b>0.42</b>	<b>12.2</b>	<b>2.5</b>	<b>&lt;0.1</b>	<b>2</b>	<b>&lt;0.5</b>	<b>&lt;1.0</b>	<b>&lt;5.0</b>
<b>Max</b>	<b>78.8</b>	<b>41.4</b>	<b>18.9</b>	<b>22.6</b>	<b>0.52</b>	<b>15.1</b>	<b>3</b>	<b>&lt;0.1</b>	<b>3.1</b>	<b>&lt;0.5</b>	<b>&lt;1.0</b>	<b>&lt;5.0</b>
<b>Mean</b>	<b>75.6</b>	<b>37.7</b>	<b>14.1</b>	<b>20.1</b>	<b>0.48</b>	<b>13.5</b>	<b>2.7</b>	<b>&lt;0.1</b>	<b>2.8</b>	<b>&lt;0.5</b>	<b>&lt;1.0</b>	<b>&lt;5.0</b>
<b>98%ile</b>	<b>78.72</b>	<b>41.24</b>	<b>18.82</b>	<b>22.55</b>	<b>0.52</b>	<b>15</b>	<b>2.97</b>	<b>&lt;0.1</b>	<b>3.1</b>	<b>&lt;0.5</b>	<b>&lt;1.0</b>	<b>&lt;5.0</b>
<b>NAAQ Standard</b>	<b>100</b>	<b>60</b>	<b>80</b>	<b>80</b>	<b>2</b>	<b>400</b>	<b>100</b>	<b>1</b>	<b>5</b>	<b>1</b>	<b>6</b>	<b>20</b>



Report for the month of June 2023



Source Emission Monitoring : Table 6b

S. No	Name of the Stack	Date Of Sampling	Velocity m/sec	Gas Discharge Nm <sup>3</sup> /hr	Stack gas temperature °C	Particulate Matter (mg/Nm <sup>3</sup> )	Sulphur Dioxide (mg/Nm <sup>3</sup> )	Oxides of Nitrogen (mg/Nm <sup>3</sup> )	Carbon Monoxide (mg/Nm <sup>3</sup> )	Oxygen (%)	
1	LLDPE-1 - Dowtherm A	24.06.2023	15.31	33640.14	234	4.00	19.9	41.0	21.2	7.1	
2	LLDPE-1 - Dowtherm B	24.06.2023	15.21	32958.68	241	4.44	24.4	35.2	26.3	7.8	
3	GCU-1- FF-101	Shutdown	-	-	-	-	-	-	-	-	
4	GCU-1- FF-102	Shutdown	-	-	-	-	-	-	-	-	
5	GCU-1- FF-103	Shutdown	-	-	-	-	-	-	-	-	
6	GCU-1- FF-104	Shutdown	-	-	-	-	-	-	-	-	
7	GCU-1- FF-105	Shutdown	-	-	-	-	-	-	-	-	
8	GCU-1- FF-106	Shutdown	-	-	-	-	-	-	-	-	
9	GCU-2- FF-110	21.06.2023	13.61	142308.89	153	3.61	18.6	50.8	24.5	6.5	
0	GCU-2- FF-120	Shutdown	-	-	-	-	-	-	-	-	
11	GCU-2- FF-130	21.06.2023	14.10	235803.23	151	3.56	21.8	35.2	18.6	6.9	
12	Power Plant-1- UB-1	Shutdown	-	-	-	-	-	-	-	-	
13	Power Plant-1- UB-2	23.06.2023	12.57	231450.98	131	1.98	29.5	58.6	23.6	7.2	
14	Power Plant-1- UB-3	Shutdown	-	-	-	-	-	-	-	-	
15	Power Plant-2- UB-1	02.06.2023	12.34	231450.98	131	4.48	16.7	60.6	15.2	6.4	
16	Power Plant-2- UB-2	Shutdown	-	-	-	-	-	-	-	-	
17	HRS-1	19.06.2023	14.68	458849.79	158	4.36	15.4	50.8	21.4	7.9	
18	HRS-2	19.06.2023	15.68	485574.48	162	3.98	25.0	44.9	19.6	7.2	
<b>Standards</b>							<b>10/5</b>	<b>50</b>	<b>350/250</b>	<b>150/100</b>	<b>--</b>





**TABLE-3a: Ambient Air Quality Monitoring Results -AAQ 1 : Inside the Complex- PC-2 AAQMS-02**

Date of Sampling	PM <sub>10</sub> (µg/m <sup>3</sup> )	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	SO <sub>2</sub> (µg/m <sup>3</sup> )	NO <sub>2</sub> (µg/m <sup>3</sup> )	CO (mg/m <sup>3</sup> )	NH <sub>3</sub> (µg/m <sup>3</sup> )	O <sub>3</sub> (µg/m <sup>3</sup> )	Lead (µg/m <sup>3</sup> )	Benzene (µg/m <sup>3</sup> )	Benzo (a) Pyrene (ng/m <sup>3</sup> )	Arsenic (As), ng/m <sup>3</sup>	Nickel (Ni), ng/m <sup>3</sup>
03.07.2023	77.1	39.7	13.4	19.7	0.6	12.8	2.5	<0.1	2.0	<0.5	<1.0	<5.0
06.07.2023	71.4	40.4	13.5	18.9	0.5	13.1	2.7	<0.1	2.9	<0.5	<1.0	<5.0
10.07.2023	71.6	36.8	12.1	17.6	0.5	14.6	2.9	<0.1	2.5	<0.5	<1.0	<5.0
13.07.2023	73.6	33.7	11.7	21.8	0.6	12.0	2.5	<0.1	3.1	<0.5	<1.0	<5.0
17.07.2023	70.1	37.3	10.3	19.3	0.6	13.3	2.6	<0.1	2.9	<0.5	<1.0	<5.0
20.07.2023	74.9	39.5	18.5	19.2	0.5	13.5	2.4	<0.1	2.5	<0.5	<1.0	<5.0
24.07.2023	77.5	40.0	15.3	17.0	0.4	14.1	2.3	<0.1	2.5	<0.5	<1.0	<5.0
27.07.2023	74.7	32.6	17.8	20.5	0.5	13.6	2.4	<0.1	3.1	<0.5	<1.0	<5.0
31.07.2023	74.2	34.9	12.7	20.8	0.5	12.4	2.7	<0.1	2.4	<0.5	<1.0	<5.0
<b>Min</b>	<b>70.1</b>	<b>32.6</b>	<b>10.3</b>	<b>17.0</b>	<b>0.4</b>	<b>12.0</b>	<b>2.3</b>	<b>&lt;0.1</b>	<b>2</b>	<b>&lt;0.5</b>	<b>&lt;1.0</b>	<b>&lt;5.0</b>
<b>Max</b>	<b>77.5</b>	<b>40.4</b>	<b>18.5</b>	<b>21.8</b>	<b>0.6</b>	<b>14.6</b>	<b>2.9</b>	<b>&lt;0.1</b>	<b>3.1</b>	<b>&lt;0.5</b>	<b>&lt;1.0</b>	<b>&lt;5.0</b>
<b>Mean</b>	<b>73.9</b>	<b>37.2</b>	<b>13.9</b>	<b>19.4</b>	<b>0.5</b>	<b>13.3</b>	<b>2.6</b>	<b>&lt;0.1</b>	<b>2.8</b>	<b>&lt;0.5</b>	<b>&lt;1.0</b>	<b>&lt;5.0</b>
<b>98%ile</b>	<b>77.4</b>	<b>40.3</b>	<b>18.4</b>	<b>21.7</b>	<b>0.6</b>	<b>14.6</b>	<b>2.9</b>	<b>&lt;0.1</b>	<b>3.1</b>	<b>&lt;0.5</b>	<b>&lt;1.0</b>	<b>&lt;5.0</b>
<b>NAAQ Standard</b>	<b>100</b>	<b>60</b>	<b>80</b>	<b>80</b>	<b>2</b>	<b>400</b>	<b>100</b>	<b>1</b>	<b>5</b>	<b>1</b>	<b>6</b>	<b>20</b>

Source Emission Monitoring : Table 6b

S. No	Name of the Stack	Date Of Sampling	Velocity m/sec	Gas Discharge Nm <sup>3</sup> /hr	Stack gas temperature °C	Particulate Matter (mg/Nm <sup>3</sup> )	Sulphur Dioxide (mg/Nm <sup>3</sup> )	Oxides of Nitrogen (mg/Nm <sup>3</sup> )	Carbon Monoxide (mg/Nm <sup>3</sup> )	Oxygen (%)
1	LLDPE-1-Dowtherm A	26.07.2023	16.62	37022.34	227	3.73	23.1	43.0	19.6	7.6
2	LLDPE-1-Dowtherm B	26.07.2023	15.85	34215.91	243	4.83	19.9	31.3	25.4	6.9
3	GCU-1-FF-101	Shutdown	-	-	-	-	-	-	-	-
4	GCU-1-FF-102	31.07.2023	13.79	63103.35	141	4.12	23.1	21.9	23.6	6.5
5	GCU-1-FF-103	31.07.2023	14.36	67031.13	133	3.64	18.6	21.5	20.5	6.9
6	GCU-1-FF-104	31.07.2023	14.09	64793.14	139	4.16	18.0	21.5	22.1	7.2
7	GCU-1-FF-105	31.07.2023	13.61	6332.32	134	4.47	14.7	26.6	23.1	6.5
8	GCU-1-FF-106	Shutdown	-	-	-	-	-	-	-	-
9	GCU-2-FF-110	13.07.2023	13.35	141280.11	148	3.52	21.8	46.9	22.5	7.1
0	GCU-2-FF-120	13.07.2023	14.65	153577.51	152	3.78	20.5	33.2	20.5	6.9
11	GCU-2-FF-130	Shutdown	-	-	-	-	-	-	-	-
12	Power Plant-1-UB-1	Shutdown	-	-	-	-	-	-	-	-
13	Power Plant-1-UB-2	Shutdown	-	-	-	-	-	-	-	-
14	Power Plant-1-UB-3	11.07.2023	13.60	255835.06	130	3.59	20.5	29.3	17.4	6.5
15	Power Plant-2-UB-1	05.07.2023	13.65	252908.66	136	4.00	18.0	50.8	22.1	6.7
16	Power Plant-2-UB-2	Shutdown	-	-	-	-	-	-	-	-
17	HRSG- 1	27.07.2023	14.77	467233.96	153	4.92	43.0	38.5	23.1	6.8
18	HRSG- 2	27.07.2023	15.68	485574.48	159	4.32	22.4	39.1	20.2	6.5
<b>Standards</b>						<b>10/5</b>	<b>50</b>	<b>350/250</b>	<b>150/100</b>	<b>--</b>





Monitoring of Environmental Parameters at GAIL (India) Limited, PATA, UP



TABLE-3a: Ambient Air Quality Monitoring Results -AAQ- : Inside the Complex- PC-1 AAQMS-01

Date of Sampling	PM <sub>1.0</sub> (µg/m <sup>3</sup> )	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	SO <sub>2</sub> (µg/m <sup>3</sup> )	NO <sub>2</sub> (µg/m <sup>3</sup> )	CO (mg/m <sup>3</sup> )	NH <sub>3</sub> (µg/m <sup>3</sup> )	O <sub>3</sub> (µg/m <sup>3</sup> )	Lead (µg/m <sup>3</sup> )	Benzene (µg/m <sup>3</sup> )	Benzo (a) Pyrene (ng/m <sup>3</sup> )	Arsenic (As), (ng/m <sup>3</sup> )	Nickel (Ni), (ng/m <sup>3</sup> )
01.08.2023	74.0	41.3	13.1	18.5	0.42	11.4	2.5	<0.1	2.3	<0.5	<1.0	<5.0
03.08.2023	72.6	39.6	12.5	17.3	0.56	13.6	2.6	<0.1	2.5	<0.5	<1.0	<5.0
07.08.2023	68.7	35.2	11.8	17.1	0.41	14.2	2.8	<0.1	2.3	<0.5	<1.0	<5.0
10.08.2023	72.9	34.0	11.2	21.2	0.62	13.2	2.4	<0.1	2.6	<0.5	<1.0	<5.0
14.08.2023	72.6	35.6	9.9	19.5	0.48	13.2	2.6	<0.1	2.8	<0.5	<1.0	<5.0
17.08.2023	71.5	38.7	18.3	18.6	0.56	13.7	2.4	<0.1	2.5	<0.5	<1.0	<5.0
21.08.2023	75.9	38.8	14.6	16.2	0.41	14.2	2.5	<0.1	2.4	<0.5	<1.0	<5.0
24.08.2023	73.6	31.6	17.5	20.0	0.46	13.1	2.3	<0.1	3.1	<0.5	<1.0	<5.0
28.08.2023	72.0	33.5	12.2	20.0	0.52	11.6	2.6	<0.1	2.3	<0.5	<1.0	<5.0
Min	68.7	31.6	9.9	16.2	0.41	11.4	2.3	<0.1	2.3	<0.5	<1.0	<5.0
Max	75.9	41.3	18.3	21.2	0.62	14.2	2.8	<0.1	3.1	<0.5	<1.0	<5.0
Mean	72.6	36.5	13.5	18.7	0.49	13.1	2.5	<0.1	2.5	<0.5	<1.0	<5.0
98%ile	75.6	41.0	18.2	21.0	0.61	14.2	2.8	<0.1	3.0	<0.5	<1.0	<5.0
NAAQ Standards	100	60	80	80	2	400	100	1	5	1	6	20

Verified By

*Willu*  
11/9/23

Neelima Dalvi  
Technical Manager

Issued By

*Shradha*  
11/9/23

Shradha Kere  
Quality Manager





Monitoring of Environmental Parameters at GAIL (India) Limited, PATA, UP



Source Emission Monitoring: Table 6.1 a

S. No	Name of the Stack	Date of Sampling	Velocity m/sec	Gas Discharge Nm <sup>3</sup> /hr	Stack gas temperature °C	Particulate Matter (mg/Nm <sup>3</sup> )	Sulphur Dioxide (mg/Nm <sup>3</sup> )	Oxides of Nitrogen (mg/Nm <sup>3</sup> )	Carbon Monoxide (mg/Nm <sup>3</sup> )	Oxygen (%)
1	LLDPE-1 -Dowtherm A	18.08.2023	15.08	33461.64	229	4.6	22.4	54.7	18.2	6.8
2	LLDPE-1 -Dowtherm B	18.08.2023	15.31	33626.45	234	3.9	18.0	23.5	21.6	6.5
3	GCU-1- FF-101	Shutdown	-	-	-	-	-	-	-	-
4	GCU-1- FF-102	16.08.2023	13.87	64263.74	136	3.6	18.0	22.5	22.5	6.8
5	GCU-1- FF-103	16.08.2023	13.82	64500.73	133	3.7	16	27.4	21.2	7.2
6	GCU-1- FF-104	16.08.2023	14.25	65175.07	139	4.3	18.6	23.5	23.1	7.1
7	GCU-1- FF-105	16.08.2023	13.92	65303.59	131	3.7	14.7	26.6	23.1	6.2
8	GCU-1- FF-106	Shutdown	-	-	-	-	-	-	-	-
9	GCU-2- FF-110	Shutdown	-	-	-	-	-	-	-	-
10	GCU-2- FF-120	21.08.2023	14.36	151988.34	148	4.0	16.7	37.1	21.3	6.5
11	GCU-2- FF-130	21.08.2023	13.99	149814.61	143	2.9	20.5	31.3	16.9	7.2
12	Power Plant-1- UB-1	Shutdown	-	-	-	-	-	-	-	-
13	Power Plant-1- UB-2	18.08.2023	13.43	250154.37	134	3.0	29.5	58.6	23.6	7.2
14	Power Plant-1- UB-3	Shutdown	-	-	-	-	-	-	-	-
15	Power Plant-2- UB-1	14.08.2023	13.91	256428.77	138	3.9	16.7	43.0	21.6	6.5
16	Power Plant-2- UB-2	14.08.2023	14.62	275036.10	130	3.7	16.0	48.9	13.4	6.8
17	HRSG- 1	10.08.2023	14.81	464029.46	157	6.2	33.3	48.9	16.2	6.5
18	HRSG- 2	10.08.2023	15.22	472668.28	161	5.5	43.0	43.0	19.5	6.3
						<b>Standards</b>	<b>50</b>	<b>350/250</b>	<b>150/100</b>	<b>--</b>

Verified By  
*Willis*  
Neelima Dalvi  
Technical Manager



Issued By  
*Srathda Kere*  
Shrathda Kere  
Quality Manager



Monitoring of Environmental Parameters at GAIL (India) Limited, PATA, UP



TABLE-3a: Ambient Air Quality Monitoring Results -AAQ- : Inside the Complex- PC-2 AAQMS-01

Date of Sampling	PM <sub>10</sub> (µg/m <sup>3</sup> )	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	SO <sub>2</sub> (µg/m <sup>3</sup> )	NO <sub>2</sub> (µg/m <sup>3</sup> )	CO (mg/m <sup>3</sup> )	NH <sub>3</sub> (µg/m <sup>3</sup> )	O <sub>3</sub> (µg/m <sup>3</sup> )	Lead (µg/m <sup>3</sup> )	Benzene (µg/m <sup>3</sup> )	Benzo (a) Pyrene (ng/m <sup>3</sup> )	Arsenic (As), (ng/m <sup>3</sup> )	Nickel (Ni), (ng/m <sup>3</sup> )
01.09.2023	73.5	39.6	12.6	17.8	0.42	11.1	2.4	<0.1	2.3	<0.5	<1.0	<5.0
04.09.2023	71.9	38.4	11.3	15.4	0.46	13.7	2.7	<0.1	2.4	<0.5	<1.0	<5.0
08.09.2023	66.6	34.3	12.6	16.7	0.41	13.9	2.8	<0.1	2.3	<0.5	<1.0	<5.0
11.09.2023	71.4	32.7	10.9	20.8	0.42	12.8	2.4	<0.1	2.4	<0.5	<1.0	<5.0
14.09.2023	69.7	36.4	9.6	18.7	0.59	12.7	2.5	<0.1	2.5	<0.5	<1.0	<5.0
18.09.2023	68.6	38.6	18.5	18.8	0.51	12.8	2.3	<0.1	2.6	<0.5	<1.0	<5.0
21.09.2023	73.6	37.2	14.8	15.9	0.53	13.9	2.4	<0.1	2.5	<0.5	<1.0	<5.0
25.09.2023	74.3	32.1	17.3	19.6	0.51	12.7	2.7	<0.1	3.0	<0.5	<1.0	<5.0
29.09.2023	73.1	32.6	11.8	19.6	0.40	11.4	2.8	<0.1	2.3	<0.5	<1.0	<5.0
<b>Min</b>	<b>66.6</b>	<b>32.1</b>	<b>9.6</b>	<b>15.4</b>	<b>0.40</b>	<b>11.1</b>	<b>2.3</b>	<b>&lt;0.1</b>	<b>2.3</b>	<b>&lt;0.5</b>	<b>&lt;1.0</b>	<b>&lt;5.0</b>
<b>Max</b>	<b>74.3</b>	<b>39.6</b>	<b>18.5</b>	<b>20.8</b>	<b>0.59</b>	<b>13.9</b>	<b>2.8</b>	<b>&lt;0.1</b>	<b>3.0</b>	<b>&lt;0.5</b>	<b>&lt;1.0</b>	<b>&lt;5.0</b>
<b>Mean</b>	<b>71.4</b>	<b>35.8</b>	<b>13.3</b>	<b>18.1</b>	<b>0.47</b>	<b>12.8</b>	<b>2.6</b>	<b>&lt;0.1</b>	<b>2.5</b>	<b>&lt;0.5</b>	<b>&lt;1.0</b>	<b>&lt;5.0</b>
<b>98%ile</b>	<b>74.2</b>	<b>39.5</b>	<b>18.3</b>	<b>20.6</b>	<b>0.58</b>	<b>13.9</b>	<b>2.8</b>	<b>&lt;0.1</b>	<b>2.9</b>	<b>&lt;0.5</b>	<b>&lt;1.0</b>	<b>&lt;5.0</b>
<b>NAAQ Standards</b>	<b>100</b>	<b>60</b>	<b>80</b>	<b>80</b>	<b>2</b>	<b>400</b>	<b>100</b>	<b>1</b>	<b>5</b>	<b>1</b>	<b>6</b>	<b>20</b>

Verified By

*Neelima Dalvi*  
Neelima Dalvi  
Technical Manager



Issued By

*Shradha Kere*  
Shradha Kere  
Quality Manager



Monitoring of Environmental Parameters at GAIL (India) Limited, PATA, UP



Source Emission Monitoring: Table 6.1 a

S. No	Name of the Stack	Date Of Sampling	Velocity m/sec	Flue Gas Discharge Quantity Nm <sup>3</sup> /hr	Stack gas temperature °C	Particulate Matter (mg/Nm <sup>3</sup> )	Sulphur Dioxide (mg/Nm <sup>3</sup> )	Oxides of Nitrogen (mg/Nm <sup>3</sup> )	Carbon Monoxide (mg/Nm <sup>3</sup> )	Oxygen (%)
1	LLDPE-1- Dowtherm A	29.09.2023	18.08	39094.08	242	4.8	22.4	46.9	16.7	7.1
2	LLDPE-1- Dowtherm B	29.09.2023	16.79	36952.30	233	4.0	15.4	29.3	23.1	6.9
3	GCU-1- FF-101	26.09.2023	14.82	69862.31	129	3.7	18.0	37.1	21.6	6.5
4	GCU-1- FF-102	26.09.2023	14.47	67865.49	131	3.7	23.1	23.1	21.6	6.4
5	GCU-1- FF-103	26.09.2023	14.79	69194.43	132	3.8	15.4	31.3	21.2	7.5
6	GCU-1- FF-104	30.09.2023	14.54	69164.78	123	3.4	18.6	29.3	22.3	6.9
7	GCU-1- FF-105	Shutdown	-	-	-	-	-	-	-	-
8	GCU-1- FF-106	Shutdown	-	-	-	-	-	-	-	-
9	GCU-2- FF-110	Shutdown	-	-	-	-	-	-	-	-
10	GCU-2- FF-120	13.09.2023	14.44	160013.79	129	4.3	18.0	29.3	21.3	6.8
11	GCU-2- FF-130	13.09.2023	14.73	161574.94	133	2.7	16.7	37.1	15.8	6.4
12	Power Plant-1- UB-1	Shutdown	-	-	-	-	-	-	-	-
13	Power Plant-1- UB-2	12.09.2023	14.45	275084.86	125	3.3	23.1	54.7	22.6	7.1
14	Power Plant-1- UB-3	Shutdown	-	-	-	-	-	-	-	-
15	Power Plant-2- UB-1	08.09.2023	14.07	265230.53	129	1.7	16.0	54.7	21.6	6.8
16	Power Plant-2- UB-2	08.09.2023	14.29	271466.14	126	3.9	25.6	50.8	14.1	6.2
17	HRSG- 1	11.09.2023	15.50	496205.85	148	5.8	26.3	56.7	15.8	6.3
18	HRSG- 2	11.09.2023	14.17	449376.64	152	5.1	22.4	56.7	19.5	6.5
						<b>Standards</b>	<b>10/5</b>	<b>350/250</b>	<b>150/100</b>	<b>--</b>

Verified By  
Neelima Datta  
Technical Manager



Issued By  
Siddha Kere  
Quality Manager

## Monitoring of Environmental Parameters at GAIL (India) Limited, PATA, UP



TABLE - 11(a): WASTE WATER ANALYSIS RESULTS- FIRST FORTNIGHT

S.No	Parameters	Unit	Standards	Procedure	WWTP Inlet 13.04.2023	WWTP Outlet 13.04.2023
1	Colour	Hazen	-	IS 3025 (Part 4)	10	7.0
2	Odour	-	-	APHA 2150-A	Objectionable	Unobjectionable
3	pH at 25 °C	-	6.5-8.5	APHA-4500-H+-B	7.42	7.32
4	Total Suspended Solids	mg/l	100	IS 3025(Part 17)	82	36
5	Biochemical Oxygen Demand at 27°C for 3 days	mg/l	30	IS 3025(Part 44)	28	22
6	Chemical Oxygen Demand	mg/l	250	APHA 5220-B	224	84
7	Oil & Grease	mg/l	10	IS 3025 (Part 39)	BDL(<2)	BDL (<2)
8	Phenolic Compound as C <sub>6</sub> H <sub>5</sub> OH	mg/l	1	APHA 5530 (D)	BDL(<0.5)	BDL(<0.5)
9	Total Chromium as Cr	mg/l	2	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
10	Cadmium as Cd	mg/l	2	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
11	Total Residual Chlorine	mg/l	--	IS 3025 (Part 26)	BDL(<0.1)	BDL(<0.1)
12	Copper	mg/l	3	APHA 3111-B	0.43	0.16
13	Iron(as Fe)	mg/l	2.0	APHA 3111-B	0.65	0.38
14	Zinc as Zn	mg/l	5	APHA 3111-B	0.64	0.12
15	Cyanide (as CN)	mg/l	0.2	APHA 4500-CN-	BDL(<0.05)	BDL(<0.05)
16	Lead as Pb	mg/l	0.1	APHA 3111-B	BDL(<0.05)	BDL(<0.05)
17	Nickel as Ni	mg/l	3	APHA 3111-B,23 AAS	BDL (<0.02)	BDL (<0.02)
18	Total Heavy Metals	mg/l	1	By Calculation	BDL(<0.5)	BDL(<0.5)
19	Total Nitrogen as N	mg/l	--	APHA 4500-N-C	12.1	4.2
20	Total phosphorous as P	mg/l	5.0	APHA 4500-P (C)	3.6	<1.0
21	Total dissolved solids	mg/l	2100	APHA 2540-C	254	168
22	Chloride as Cl <sup>-</sup>	mg/l	-	APHA 4500-(Cl)-B	148.2	132.8
23	Sulphate as SO <sub>4</sub>	mg/l	-	APHA 4500-SO4-B	7.8	4.2
24	Calcium Hardness as CaCO <sub>3</sub>	mg/l	-	APHA 3500-Ca	136.5	65.8
25	Magnesium Hardness as CaCO <sub>3</sub>	mg/l	-	APHA 3500 Mg-B	56.3	42.4
26	Hexa valent Chromium	mg/l	0.1	APHA 3500-C	BDL(<0.05)	BDL(<0.05)
27	Total Coliform	MPN/100 ml	-	IS 1622:181	>1600	264
28	Dissolved Oxygen	mg/l	-	APHA 4500-O-B	4.2	6.1
29	Sulphides as S	mg/l	2.0	APHA 4500(SO3)-B	BDL (<0.05)	BDL(<0.05)
30	Fluoride as F	mg/l	-	APHA 4500-F-D,SPANDS	2.1	<0.2
31	Nitrates as NO <sub>2</sub>	mg/l	-	APHA 4500NO2-B	1.8	<0.5
32	Manganese as Mn	mg/l	2.0	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
33	Turbidity	NTU	1	APHA 2130-B	16.2	<1
34	Temperature	°C	Shall not exceed 5°C above the receiving water temp.	APHA 2550-B	25.3	26.5
35	Sodium Absorption Ratio	--	-	By Calculation	ND	ND





Monitoring of Environmental Parameters at GAIL (India) Limited, PATA, UP



TABLE - 11(b): WASTE WATER ANALYSIS RESULTS- SECOND FORTNIGHT

S.No	Parameters	Unit	Standards	Procedure	WWTP Inlet 26.04.2023	WWTP Outlet 26.04.2023
1	Colour	Hazen	-	IS 3025 (Part 4)	18	8
2	Odour	-	-	APHA 2150-A	Objectionable	Unobjectionable
3	pH at 25 °C	-	6.5-8.5	APHA-4500-H+-B	7.4	7.3
4	Total Suspended Solids	mg/l	100	IS 3025(Part 17)	86	14
5	Biochemical Oxygen Demand at 27°C for 3 days	mg/l	30	IS 3025(Part 44)	26	8
6	Chemical Oxygen Demand	mg/l	250	APHA 5220-B	136	56
7	Oil & Grease	mg/l	10	IS 3025 (Part 39)	BDL(<2)	BDL (<2)
8	Phenolic Compound as C <sub>6</sub> H <sub>5</sub> OH	mg/l	1	APHA 5530 (D)	BDL(<0.5)	BDL(<0.5)
9	Total Chromium as Cr	mg/l	2	APHA 3111-B	BDL(<0.05)	BDL(<0.05)
10	Cadmium as Cd	mg/l	2	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
11	Total Residual Chlorine	mg/l	--	IS 3025 (Part 26)	BDL(<0.1)	BDL(<0.1)
12	Copper	mg/l	3	APHA 3111-B	0.52	0.13
13	Iron(as Fe)	mg/l	2.0	APHA 3111-B	0.63	0.24
14	Zinc as Zn	mg/l	5	APHA 3111-B	0.78	0.43
15	Cyanide (as CN)	mg/l	0.2	APHA 4500-CN-	BDL(<0.5)	BDL(<0.5)
16	Lead as Pb	mg/l	0.1	APHA 3111-B	BDL(<0.05)	BDL(<0.05)
17	Nickel as Ni	mg/l	3	APHA 3111-B,23 AAS	BDL (<0.02)	BDL (<0.02)
18	Total Heavy Metals	mg/l	1	By Calculation	BDL(<0.5)	BDL(<0.5)
19	Total Nitrogen as N	mg/l	--	APHA 4500-N-C	6.9	4.2
20	Total phosphorous as P	mg/l	5.0	APHA 4500-P (C )	3.1	0.5
21	Total dissolved solids	mg/l	2100	APHA 2540-C	142	112
22	Chloride as Cl	mg/l	-	APHA 4500-(Cl)-B	138.5	112.5
23	Sulphate as SO <sub>4</sub>	mg/l	-	APHA 4500-SO4-B	42	32
24	Calcium Hardness as CaCO <sub>3</sub>	mg/l	-	APHA 3500-Ca	135.8	42.8
25	Magnesium Hardness as CaCO <sub>3</sub>	mg/l	-	APHA 3500 Mg-B	41.3	22.5
26	Hexa valent Chromium	mg/l	0.1	APHA 3500-C	BDL(<0.05)	BDL(<0.05)
27	Total Coliform	MPN/100ml	-	IS 1622:181	>1600	98
28	Dissolved Oxygen	mg/l	-	APHA 4500-O-B	2.6	4.5
29	Sulphides as S	mg/l	2.0	APHA 4500(SO3)-B	6.8	<0.2
30	Fluoride as F	mg/l	-	APHA 4500-F- D,SPANDS	2.3	0.4
31	Nitrates	mg/l	-	APHA 4500NO2-B	1.4	0.6
32	Manganese as Mn	mg/l	2.0	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
33	Turbidity	NTU	1	APHA 2130-B	8.9	<1
34	Temperature	°C	Shal. not exceed 5° above the receiving water temp.	APHA 2550-B	25.6	26.1
35	Sodium Absorption Ratio	--	-	By Calculation	ND	35

Report for the month of April 2023



Monitoring of Environmental Parameters at GAIL (India) Limited, PATA, UP



TABLE - 11(a): WASTE WATER ANALYSIS RESULTS- FIRST FORTNIGHT

S.No	Parameters	Unit	Standards	Procedure	WWTP Inlet 12.05.2023	WWTP Outlet 12.05.2023
1	Colour	Hazen	-	IS 3025 (Part 4)	10	7.0
2	Odour	-	-	APHA 2150-A	Objectionable	Unobjectionable
3	pH at 25 °C	-	6.5-8.5	APHA-4500-H+-B	8.4	7.2
4	Total Suspended Solids	mg/l	100	IS 3025(Part 17)	98	32
5	Biochemical Oxygen Demand at 27°C for 3 days	mg/l	30	IS 3025(Part 44)	32	12
6	Chemical Oxygen Demand	mg/l	250	APHA 5220-B	168	98
7	Oil & Grease	mg/l	10	IS 3025 (Part 39)	BDL(<2)	BDL (<2)
8	Phenolic Compound as C <sub>6</sub> H <sub>5</sub> OH	mg/l	1	APHA 5530 (D)	BDL(<0.5)	BDL(<0.5)
9	Total Chromium as Cr	mg/l	2	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
10	Cadmium as Cd	mg/l	2	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
11	Total Residual Chlorine	mg/l	--	IS 3025 (Part 26)	BDL(<0.1)	BDL(<0.1)
12	Copper	mg/l	3	APHA 3111-B	0.62	0.23
13	Iron(as Fe)	mg/l	2.0	APHA 3111-B	0.58	0.21
14	Zinc as Zn	mg/l	5	APHA 3111-B	0.56	0.26
15	Cyanide (as CN)	mg/l	0.2	APHA 4500-CN-	BDL(<0.05)	BDL(<0.05)
16	Lead as Pb	mg/l	0.1	APHA 3111-B	BDL(<0.05)	BDL(<0.05)
17	Nickel as Ni	mg/l	3	APHA 3111-R,23 AAS	BDL (<0.02)	BDL (<0.02)
18	Total Heavy Metals	mg/l	1	By Calculation	BDL(<0.5)	BDL(<0.5)
19	Total Nitrogen as N	mg/l	--	APHA 4500-N-C	14.8	3.2
20	Total phosphorous as P	mg/l	5.0	APHA 4500-P (C)	4.5	<1.0
21	Total dissolved solids	mg/l	2100	APHA 2540-C	1869	1245
22	Chloride as Cl <sup>-</sup>	mg/l	-	APHA 4500-(Cl)-B	132.5	98.6
23	Sulphate as SO <sub>4</sub>	mg/l	-	APHA 4500-SO4-B	8.5	2.3
24	Calcium Hardness as CaCO <sub>3</sub>	mg/l	-	APHA 3500-Ca	148.2	62.5
25	Magnesium Hardness as CaCO <sub>3</sub>	mg/l	-	APHA 3500 Mg-B	54.7	35.2
26	Hexa valent Chromium	mg/l	0.1	APHA 3500-C	BDL(<0.05)	BDL(<0.05)
27	Total Coliform	MPN/100 ml	-	IS 1622:181	>1600	180
28	Dissolved Oxygen	mg/l	-	APHA 4500-O-B	3.5	6.8
29	Sulphides as S	mg/l	2.0	APHA 4500(SO3)-B	BDL (<0.05)	BDL(<0.05)
30	Fluoride as F	mg/l	-	APHA 4500-F-D,SPANDS	3.2	2
31	Nitrates as NO <sub>2</sub>	mg/l	-	APHA 4500NO2-B	2.3	<0.5
32	Manganese as Mn	mg/l	2.0	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
33	Turbidity	NTU	1	APHA 2130-B	8.6	<1
34	Temperature	°C	Shall not exceed 5°C above the receiving water temp.	APHA 2550-B	25.1	26.3
35	Sodium Absorption Ratio	-	-	By Calculation	ND	3.6

Report for the month of May 2023






TABLE - 11(b): WASTE WATER ANALYSIS RESULTS- SECOND FORTNIGHT

S.No	Parameters	Unit	Standards	Procedure	WWTP Inlet 27.05.2023	WWTP Outlet 27.05.2023
1	Colour	Hazen	-	IS 3025 (Part 4)	22	8
2	Odour	-	-	APHA 2150-A	Objectionable	Unobjectionable
3	pH at 25 °C	-	6.5-8.5	APHA-4500-H+-B	8.6	7.2
4	Total Suspended Solids	mg/l	100	IS 3025(Part 17)	123	26
5	Biochemical Oxygen Demand at 27°C for 3 days	mg/l	30	IS 3025(Part 44)	42	26
6	Chemical Oxygen Demand	mg/l	250	APHA 5220-B	142	32
7	Oil & Grease	mg/l	10	IS 3025 (Part 39)	BDL (<2)	BDL (<2)
8	Phenolic Compound as C <sub>6</sub> H <sub>5</sub> OH	mg/l	1	APHA 5530 (D)	BDL(<0.5)	BDL(<0.5)
9	Total Chromium as Cr	mg/l	2	APHA 3111-B	BDL(<0.05)	BDL(<0.05)
10	Cadmium as Cd	mg/l	2	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
11	Total Residual Chlorine	mg/l	--	IS 3025 (Part 26)	BDL(<0.1)	BDL(<0.1)
12	Copper	mg/l	3	APHA 3111-B	0.35	0.26
13	Iron(as Fe)	mg/l	2.0	APHA 3111-B	1.2	0.22
14	Zinc as Zn	mg/l	5	APHA 3111-B	0.36	0.12
15	Cyanide (as CN)	mg/l	0.2	APHA 4500-CN-	BDL(<0.5)	BDL(<0.5)
16	Lead as Pb	mg/l	0.1	APHA 3111-B	BDL(<0.05)	BDL(<0.05)
17	Nickel as Ni	mg/l	3	APHA 3111-B,23 AAS	BDL (<0.02)	BDL (<0.02)
18	Total Heavy Metals	mg/l	1	By Calculation	BDL(<0.5)	BDL(<0.5)
19	Total Nitrogen as N	mg/l	--	APHA 4500-N-C	8.6	4.2
20	Total phosphorous as P	mg/l	5.0	APHA 4500-P (C)	7.3	2.8
21	Total dissolved solids	mg/l	2100	APHA 2540-C	1486	1064
22	Chloride as Cl	mg/l	-	APHA 4500-(Cl)-B	186.5	132.5
23	Sulphate as SO <sub>4</sub>	mg/l	-	APHA 4500-SO <sub>4</sub> -B	68	24
24	Calcium Hardness as CaCO <sub>3</sub>	mg/l	-	APHA 3500-Ca	178.5	31.6
25	Magnesium Hardness as CaCO <sub>3</sub>	mg/l	-	APHA 3500 Mg-B	41.8	16.8
26	Hexa valent Chromium	mg/l	0.1	APHA 3500-C	BDL(<0.05)	BDL(<0.05)
27	Total Coliform	MPN/100ml	-	IS 1622:181	>1600	89
28	Dissolved Oxygen	mg/l	-	APHA 4500-O-B	3.6	4.8
29	Sulphides as S	mg/l	2.0	APHA 4500(SO <sub>3</sub> )-B	5.8	0.2
30	Fluoride as F	mg/l	-	APHA 4500-F-D,SPANDS	2.6	0.6
31	Nitrates	mg/l	-	APHA 4500NO <sub>2</sub> -B	2.1	0.2
32	Manganese as Mn	mg/l	2.0	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
33	Turbidity	NTU	1	APHA 2130-B	6	<1
34	Temperature	°C	Shall not exceed 5°C above the receiving water temp.	APHA 2550-B	25.8	26.2
35	Sodium Absorption Ratio	--	-	By Calculation	ND	4.1



TABLE - 11(a): WASTE WATER ANALYSIS RESULTS- FIRST FORTNIGHT

S.No	Parameters	Unit	Standards	Procedure	WWTP Inlet 13.06.2023	WWTP Outlet 13.06.2023
1	Colour	Hazen	-	IS 3025 (Part 4)	12	8
2	Odour	-	-	APHA 2150-A	Objectionable	Unobjectionable
3	pH at 25 °C	-	6.5-8.5	APHA-4500-H+-B	7.9	7.4
4	Total Suspended Solids	mg/l	100	IS 3025(Part 17)	68	25
5	Biochemical Oxygen Demand at 27°C for 3 days	mg/l	30	IS 3025(Part 44)	36	18
6	Chemical Oxygen Demand	mg/l	250	APHA 5220-B	162	86
7	Oil & Grease	mg/l	10	IS 3025 (Part 39)	BDL(<2)	BDL (<2)
8	Phenolic Compound as C <sub>6</sub> H <sub>5</sub> OH	mg/l	1	APHA 5530 (D)	BDL(<0.5)	BDL(<0.5)
9	Total Chromium as Cr	mg/l	2	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
10	Cadmium as Cd	mg/l	2	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
11	Total Residual Chlorine	mg/l	--	IS 3025 (Part 26)	BDL(<0.1)	BDL(<0.1)
12	Copper	mg/l	3	APHA 3111-B	0.58	0.34
13	Iron(as Fe)	mg/l	2.0	APHA 3111-B	0.26	0.18
14	Zinc as Zn	mg/l	5	APHA 3111-B	0.42	0.16
15	Cyanide (as CN)	mg/l	0.2	APHA 4500-CN-	BDL(<0.05)	BDL(<0.05)
16	Lead as Pb	mg/l	0.1	APHA 3111-B	BDL(<0.05)	BDL(<0.05)
17	Nickel as Ni	mg/l	3	APHA 3111-B,23 AAS	BDL (<0.02)	BDL (<0.02)
18	Total Heavy Metals	mg/l	1	By Calculation	BDL(<0.5)	BDL(<0.5)
19	Total Nitrogen as N	mg/l	--	APHA 4500-N-C	16.4	6.2
20	Total phosphorous as P	mg/l	5.0	APHA 4500-P ( C )	5.2	<1.0
21	Total dissolved solids	mg/l	2100	APHA 2540-C	1465	1214
22	Chloride as Cl <sup>-</sup>	mg/l	-	APHA 4500-(Cl)-B	136.2	101.2
23	Sulphate as SO <sub>4</sub>	mg/l	-	APHA 4500-SO4-B	7.8	4.2
24	Calcium Hardness as CaCO <sub>3</sub>	mg/l	-	APHA 3500-Ca	152.8	84.6
25	Magnesium Hardness as CaCO <sub>3</sub>	mg/l	-	APHA 3500 Mg-B	62.8	42.8
26	Hexa valent Chromium	mg/l	0.1	APHA 3500-C	BDL(<0.05)	BDL(<0.05)
27	Total Coliform	MPN/100 ml	-	IS 1622:181	>1600	162
28	Dissolved Oxygen	mg/l	-	APHA 4500-O-B	4.2	6.5
29	Sulphides as S	mg/l	2.0	APHA 4500(SO3)-B	BDL (<0.05)	BDL(<0.05)
30	Fluoride as F	mg/l	-	APHA 4500-F-D,SPANDS	2.6	1.6
31	Nitrates as NO <sub>2</sub>	mg/l	-	APHA 4500NO2-B	2.4	<0.5
32	Manganese as Mn	mg/l	2.0	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
33	Turbidity	NTU	1	APHA 2130-B	6.6	<1
34	Temperature	°C	Shall not exceed 5°C above the receiving water temp.	APHA 2550-B	24.1	24.3
35	Sodium Absorption Ratio	--	-	By Calculation	ND	4.1

Monitoring of Environmental Parameters at GAIL (India) Limited, PATA, UP



TABLE - 11(b): WASTE WATER ANALYSIS RESULTS- SECOND FORTNIGHT

S.No	Parameters	Unit	Standards	Procedure	WWTP Inlet 27.06.2023	WWTP Outlet 27.06.2023
1	Colour	Hazen	-	IS 3025 (Part 4)	18	12
2	Odour	-	-	APHA 2150-A	Objectionable	Unobjectionable
3	pH at 25 °C	-	6.5-8.5	APHA-4500-H+-B	7.9	8.1
4	Total Suspended Solids	mg/l	100	IS 3025(Part 17)	141	86
5	Biochemical Oxygen Demand at 27°C for 3 days	mg/l	30	IS 3025(Part 44)	38	16
6	Chemical Oxygen Demand	mg/l	250	APHA 5220-B	132	64
7	Oil & Grease	mg/l	10	IS 3025 (Part 39)	BDL (<2)	BDL (<2)
8	Phenolic Compound as C <sub>6</sub> H <sub>5</sub> OH	mg/l	1	APHA 5530 (D)	BDL(<0.5)	BDL(<0.5)
9	Total Chromium as Cr	mg/l	2	APHA 3111-B	BDL(<0.05)	BDL(<0.05)
10	Cadmium as Cd	mg/l	2	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
11	Total Residual Chlorine	mg/l	--	IS 3025 (Part 26)	BDL(<0.1)	BDL(<0.1)
12	Copper	mg/l	3	APHA 3111-B	0.41	0.36
13	Iron(as Fe)	mg/l	2.0	APHA 3111-B	1.6	0.28
14	Zinc as Zn	mg/l	5	APHA 3111-B	0.32	0.16
15	Cyanide (as CN)	mg/l	0.2	APHA 4500-CN-	BDL(<0.5)	BDL(<0.5)
16	Lead as Pb	mg/l	0.1	APHA 3111-B	BDL(<0.05)	BDL(<0.05)
17	Nickel as Ni	mg/l	3	APHA 3111-B.23 AAS	BDL (<0.02)	BDL (<0.02)
18	Total Heavy Metals	mg/l	1	By Calculation	BDL(<0.5)	BDL(<0.5)
19	Total Nitrogen as N	mg/l	--	APHA 4500-N-C	7.9	5.6
20	Total phosphorous as P	mg/l	5.0	APHA 4500-P (C)	6.8	4.2
21	Total dissolved solids	mg/l	2100	APHA 2540-C	1652	1252
22	Chloride as Cl	mg/l	-	APHA 4500-(Cl)-B	142.2	126.5
23	Sulphate as SO <sub>4</sub>	mg/l	-	APHA 4500-SO <sub>4</sub> -B	72	28
24	Calcium Hardness as CaCO <sub>3</sub>	mg/l	-	APHA 3500-Ca	164.2	42.2
25	Magnesium Hardness as CaCO <sub>3</sub>	mg/l	-	APHA 3500 Mg-B	43.6	24.5
26	Hexa valent Chromium	mg/l	0.1	APHA 3500-C	BDL(<0.05)	BDL(<0.05)
27	Total Coliform	MPN/100ml	-	IS 1622:181	>1600	86
28	Dissolved Oxygen	mg/l	-	APHA 4500-O-B	4.1	3.6
29	Sulphides as S	mg/l	2.0	APHA 4500(SO <sub>3</sub> )-B	6.4	0.8
30	Fluoride as F	mg/l	-	APHA 4500-F-D.SPANDS	3.2	0.9
31	Nitrates	mg/l	-	APHA 4500NO <sub>2</sub> -B	3.2	0.5
32	Manganese as Mn	mg/l	2.0	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
33	Turbidity	NTU	1	APHA 2130-B	5	<1
34	Temperature	°C	Shall not exceed 5° above the receiving water temp.	APHA 2550-B	25.1	24.6
35	Sodium Absorption Ratio	--	-	By Calculation	ND	3.9

Report for the month of June 2023




Monitoring of Environmental Parameters at GAIL (India) Limited, PATA, UP



TABLE - 11(a): WASTE WATER ANALYSIS RESULTS- FIRST FORTNIGHT

S.No	Parameters	Unit	Standards	Procedure	WWTP Inlet 13.07.2023	WWTP Outlet 13.07.2023
1	Colour	Hazen	-	IS 3025 (Part 4)	12	8
2	Odour	-	-	APHA 2150-A	Objectionable	Unobjectionable
3	pH at 25 °C	-	6.5-8.5	APHA-4500-H+B	7.9	7.2
4	Total Suspended Solids	mg/l	100	IS 3025(Part 17)	58	32
5	Biochemical Oxygen Demand at 27°C for 3 days	mg/l	30	IS 3025(Part 44)	32	16
6	Chemical Oxygen Demand	mg/l	250	APHA 5220-B	146	62
7	Oil & Grease	mg/l	10	IS 3025 (Part 39)	BDL(<2)	BDL (<2)
8	Phenolic Compound as C <sub>6</sub> H <sub>5</sub> OH	mg/l	1	APHA 5530 (D)	BDL(<0.5)	BDL(<0.5)
9	Total Chromium as Cr	mg/l	2	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
10	Cadmium as Cd	mg/l	2	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
11	Total Residual Chlorine	mg/l	--	IS 3025 (Part 26)	BDL(<0.1)	BDL(<0.1)
12	Copper	mg/l	3	APHA 3111-B	0.52	0.42
13	Iron(as Fe)	mg/l	2.0	APHA 3111-B	0.31	0.12
14	Zinc as Zn	mg/l	5	APHA 3111-B	0.46	0.23
15	Cyanide (as CN)	mg/l	0.2	APHA 4500-CN-	BDL(<0.05)	BDL(<0.05)
16	Lead as Pb	mg/l	0.1	APHA 3111-B	BDL(<0.05)	BDL(<0.05)
17	Nickel as Ni	mg/l	3	APHA 3111-B,23 AAS	BDL (<0.02)	BDL (<0.02)
18	Total Heavy Metals	mg/l	1	By Calculation	BDL(<0.5)	BDL(<0.5)
19	Total Nitrogen as N	mg/l	--	APHA 4500-N-C	18.2	8.6
20	Total phosphorous as P	mg/l	5.0	APHA 4500-P (C)	4.9	<1.0
21	Total dissolved solids	mg/l	2100	APHA 2540-C	1364	1185
22	Chloride as Cl <sup>-</sup>	mg/l	-	APHA 4500-(Cl)-B	142.8	112.4
23	Sulphate as SO <sub>4</sub> <sup>2-</sup>	mg/l	-	APHA 4500-SO4-B	8.9	4.7
24	Calcium Hardness as CaCO <sub>3</sub>	mg/l	-	APHA 3500-Ca	134.2	82.8
25	Magnesium Hardness as CaCO <sub>3</sub>	mg/l	-	APHA 3500 Mg-B	64.8	44.3
26	Hexa valent Chromium	mg/l	0.1	APHA 3500-C	BDL(<0.05)	BDL(<0.05)
27	Total Coliform	MPN/100 ml	-	IS 1622:181	>1600	148
28	Dissolved Oxygen	mg/l	-	APHA 4500-O-B	3.6	7.2
29	Sulphides as S	mg/l	2.0	APHA 4500(SO3)-B	BDL (<0.05)	BDL(<0.05)
30	Fluoride as F	mg/l	-	APHA 4500-F-D,SPANDS	3.1	2.2
31	Nitrates as NO <sub>2</sub>	mg/l	-	APHA 4500NO2-B	3.8	<0.5
32	Manganese as Mn	mg/l	2.0	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
33	Turbidity	NTU	1	APHA 2130-B	5.2	<1
34	Temperature	°C	Shall not exceed 5°C above the receiving water temp	APHA 2550-B	23.6	24.7
35	Sodium Absorption Ratio	--	-	By Calculation	ND	3.6



Monitoring of Environmental Parameters at GAIL (India) Limited, PATA, UP



TABLE - 11(b): WASTE WATER ANALYSIS RESULTS- SECOND FORTNIGHT

S.No	Parameters	Unit	Standards	Procedure	WWTP Inlet 25.07.2023	WWTP Outlet 25.07.2023
1	Colour	Hazen	-	IS 3025 (Part 4)	14	8
2	Odour	-	-	APHA 2150-A	Objectionable	Unobjectionable
3	pH at 25 °C	-	6.5-8.5	APHA-4500-H+-B	8.1	7.4
4	Total Suspended Solids	mg/l	100	IS 3025(Part 17)	148	72
5	Biochemical Oxygen Demand at 27°C for 3 days	mg/l	30	IS 3025(Part 44)	46	14
6	Chemical Oxygen Demand	mg/l	250	APHA 5220-B	151	72
7	Oil & Grease	mg/l	10	IS 3025 (Part 39)	BDL (<2)	BDL (<2)
8	Phenolic Compound as C <sub>6</sub> H <sub>5</sub> OH	mg/l	1	APHA 5530 (D)	BDL(<0.5)	BDL(<0.5)
9	Total Chromium as Cr	mg/l	2	APHA 3111-B	BDL(<0.05)	BDL(<0.05)
10	Cadmium as Cd	mg/l	2	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
11	Total Residual Chlorine	mg/l	--	IS 3025 (Part 26)	BDL(<0.1)	BDL(<0.1)
12	Copper	mg/l	3	APHA 3111-B	0.51	0.42
13	Iron(as Fe)	mg/l	2.0	APHA 3111 B	2.3	0.26
14	Zinc as Zn	mg/l	5	APHA 3111-B	0.36	0.22
15	Cyanide (as CN)	mg/l	0.2	APHA 4500-CN-	BDL(<0.5)	BDL(<0.5)
16	Lead as Pb	mg/l	0.1	APHA 3111-B	BDL(<0.05)	BDL(<0.05)
17	Nickel as Ni	mg/l	3	APHA 3111-B,23 AAS	BDL (<0.02)	BDL (<0.02)
18	Total Heavy Metals	mg/l	1	By Calculation	BDL(<0.5)	BDL(<0.5)
19	Total Nitrogen as N	mg/l	--	APHA 4500-N-C	6.4	4.8
20	Total phosphorous as P	mg/l	5.0	APHA 4500-P (C)	7.2	5.1
21	Total dissolved solids	mg/l	2100	APHA 2540-C	1724	1436
22	Chloride as Cl	mg/l	-	APHA 4500-(Cl)-B	162.8	125.2
23	Sulphate as SO <sub>4</sub>	mg/l	-	APHA 4500-SO4-B	78	34
24	Calcium Hardness as CaCO <sub>3</sub>	mg/l	-	APHA 3500-Ca	142.8	38.4
25	Magnesium Hardness as CaCO <sub>3</sub>	mg/l	-	APHA 3500 Mg-B	38.5	23.9
26	Hexa valent Chromium	mg/l	0.1	APHA 3500-C	BDL(<0.05)	BDL(<0.05)
27	Total Coliform	MPN/100ml	-	IS 1622:181	>1600	120
28	Dissolved Oxygen	mg/l	-	APHA 4500-O-B	3.9	4.2
29	Sulphides as S	mg/l	2.0	APHA 4500(SO3)-B	7.2	0.6
30	Fluoride as F	mg/l	-	APHA 4500-F-D,SPANDS	3.6	0.12
31	Nitrates	mg/l	-	APHA 4500NO2-B	2.8	0.8
32	Manganese as Mn	mg/l	2.0	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
33	Turbidity	NTU	1	APHA 2130-B	4	<1
34	Temperature	°C	Shall not exceed 5 °C above the receiving water temp.	APHA 2550-B	23.6	24.8
35	Sodium Absorption Ratio	--	-	By Calculation	ND	4.8



Monitoring of Environmental Parameters at GAIL (India) Limited, PATA, UP




TABLE - 11(a): WASTE WATER ANALYSIS RESULTS- FIRST FORTNIGHT(12.08.2023)

S.No	Parameters	Unit	Standards	Procedure	WWTP Inlet	WWTP Outlet
1	Colour	Hazen	-	IS 3025 (Part 4)	12	8
2	Odour	-	-	APHA 2150-A	Objectionable	Unobjectionable
3	pH at 25 °C	-	6.5-8.5	APHA-4500-H+-B	7.8	7.4
4	Total Suspended Solids	mg/l	100	IS 3025(Part 17)	42	39
5	Biochemical Oxygen Demand at 27°C for 3 days	mg/l	30	IS 3025(Part 44)	41	14
6	Chemical Oxygen Demand	mg/l	250	APHA 5220-B	126	84
7	Oil & Grease	mg/l	10	IS 3025 (Part 39)	24	BDL (<2)
8	Phenolic Compound as C <sub>6</sub> H <sub>5</sub> OH	mg/l	1	APHA 5530 (D)	BDL(<0.5)	BDL(<0.5)
9	Total Chromium as Cr	mg/l	2	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
10	Cadmium as Cd	mg/l	2	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
11	Total Residual Chlorine	mg/l	--	IS 3025 (Part 26)	BDL(<0.1)	BDL(<0.1)
12	Copper	mg/l	3	APHA 3111-B	0.54	0.39
13	Iron(as Fe)	mg/l	2.0	APHA 3111-B	0.36	0.16
14	Zinc as Zn	mg/l	5	APHA 3111-B	0.25	0.19
15	Cyanide (as CN)	mg/l	0.2	APHA 4500-CN-	BDL(<0.05)	BDL(<0.05)
16	Lead as Pb	mg/l	0.1	APHA 3111-B	BDL(<0.05)	BDL(<0.05)
17	Nickel as Ni	mg/l	3	APHA 3111-B,23 AAS	BDL (<0.02)	BDL (<0.02)
18	Total Heavy Metals	mg/l	1	By Calculation	BDL(<0.5)	BDL(<0.5)
19	Total Nitrogen as N	mg/l	--	APHA 4500-N-C	14.2	7.3
20	Total phosphorous as P	mg/l	5.0	APHA 4500-P ( C )	4.1	<1.0
21	Total dissolved solids	mg/l	2100	APHA 2540-C	1425	1125
22	Chloride as Cl <sup>-</sup>	mg/l	-	APHA 4500-(Cl)-B	125.1	110.3
23	Sulphate as SO <sub>4</sub>	mg/l	-	APHA 4500-SO4-B	8.5	3.2
24	Calcium Hardness as CaCO <sub>3</sub>	mg/l	-	APHA 3500-Ca	125.8	76.3
25	Magnesium Hardness as CaCO <sub>3</sub>	mg/l	-	APHA 3500 Mg-B	62.6	40.4
26	Hexa valent Chromium	mg/l	0.1	APHA 3500-C	BDL(<0.05)	BDL(<0.05)
27	Total Coliform	MPN/100 ml	-	IS 1622:181	>1600	126
28	Dissolved Oxygen	mg/l	-	APHA 4500-O-B	3.2	6.5
29	Sulphides as S	mg/l	2.0	APHA 4500(SO3)-B	BDL (<0.05)	BDL(<0.05)
30	Fluoride as F	mg/l	-	APHA 4500-F-D,SPANDS	4.1	3.6
31	Nitrates as NO <sub>2</sub>	mg/l	-	APHA 4500NO2-B	2.9	<0.5
32	Manganese as Mn	mg/l	2.0	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
33	Turbidity	NTU	1	APHA 2130-B	4.5	<1
34	Temperature	°C	Shall not exceed 5°C above the receiving water temp.	APHA 2550-B	24.1	24.6
35	Sodium Absorption Ratio	--	-	By Calculation	ND	3.8

Verified By  
Neelima Dahiya  
Technical Manager

*Neelima Dahiya*  
11/9/23



Issued By  
Shradha Kere  
Quality Manager

*Shradha Kere*  
11/9/23






Monitoring of Environmental Parameters at GAIL (India) Limited, PATA, UP



TABLE - 11(b): WASTE WATER ANALYSIS RESULTS- SECOND FORTNIGHT (21.08.2023)

S.No	Parameters	Unit	Standards	Procedure	WWTP Inlet	WWTP Outlet
1	Colour	Hazen	-	IS 3025 (Part 4)	12	10
2	Odour	-	-	APHA 2150-A	Objectionable	Unobjectionable
3	pH at 25 °C	-	6.5-8.5	APHA 4500 H+ B	7.9	7.6
4	Total Suspended Solids	mg/l	100	IS 3025(Part 17)	128	81
5	Biochemical Oxygen Demand at 27°C for 3 days	mg/l	30	IS 3025(Part 44)	42	21
6	Chemical Oxygen Demand	mg/l	250	APHA 5220-B	184	78
7	Oil & Grease	mg/l	10	IS 3025 (Part 39)	22	BDL (<2)
8	Phenolic Compound as C <sub>6</sub> H <sub>5</sub> OH	mg/l	1	APHA 5530 (D)	BDL(<0.5)	BDL(<0.5)
9	Total Chromium as Cr	mg/l	2	APHA 3111-B	BDL(<0.05)	BDL(<0.05)
10	Cadmium as Cd	mg/l	2	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
11	Total Residual Chlorine	mg/l	--	IS 3025 (Part 26)	BDL(<0.1)	BDL(<0.1)
12	Copper	mg/l	3	APHA 3111-B	0.46	0.36
13	Iron(as Fe)	mg/l	2.0	APHA 3111-B	1.6	0.22
14	Zinc as Zn	mg/l	5	APHA 3111-B	0.42	0.18
15	Cyanide (as CN)	mg/l	0.2	APHA 4500-CN-	BDL(<0.5)	BDL(<0.5)
16	Lead as Pb	mg/l	0.1	APHA 3111-B	BDL(<0.05)	BDL(<0.05)
17	Nickel as Ni	mg/l	3	APHA 3111-B,23 AAS	BDL (<0.02)	BDL (<0.02)
18	Total Heavy Metals	mg/l	1	By Calculation	BDL(<0.5)	BDL(<0.5)
19	Total Nitrogen as N	mg/l	--	APHA 4500-N-C	5.2	4.3
20	Total phosphorous as P	mg/l	5.0	APHA 4500-P ( C )	6.5	3.6
21	Total dissolved solids	mg/l	2100	APHA 2540-G	1654	1415
22	Chloride as Cl	mg/l	-	APHA 4500 (Cl)-B	107.5	121.8
23	Sulphate as SO <sub>4</sub>	mg/l	-	APHA 4500-SO <sub>4</sub> -B	72	41
24	Calcium Hardness as CaCO <sub>3</sub>	mg/l	-	APHA 3500-Ca	125.3	32.6
25	Magnesium Hardness as CaCO <sub>3</sub>	mg/l	-	APHA 3500 Mg-B	31.8	22.5
26	Hexa valent Chromium	mg/l	0.1	APHA 3500-C	BDL(<0.05)	BDL(<0.05)
27	Total Coliform	MPN/100ml	-	IS 1622:181	>1600	98
28	Dissolved Oxygen	mg/l	-	APHA 4500-O-B	3.2	4.8
29	Sulphides as S	mg/l	2.0	APHA 4500(SO <sub>3</sub> )-B	6.5	0.2
30	Fluoride as F	mg/l	-	APHA 4500 F-D,SPANDS	2.2	0.16
31	Nitrates	mg/l	-	APHA 4500NO <sub>2</sub> -B	2.3	0.4
32	Manganese as Mn	mg/l	2.0	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
33	Turbidity	NTU	1	APHA 2130-B	2	<1
34	Temperature	°C	Shall not exceed 5°C above the receiving water temp.	APHA 2550-B	24.1	24.9
35	Sodium Absorption Ratio	--	-	By Calculation	ND	3.6

Verified By  
Neelima Dalvi  
Technical Manager



Issued By  
Shradha Kere  
Quality Manager



Monitoring of Environmental Parameters at GAIL (India) Limited, PATA, UP




TABLE - 11(a): WASTE WATER ANALYSIS RESULTS- FIRST FORTNIGHT(14.09.2023)

S.No	Parameters	Unit	Standards	Procedure	WWTP Inlet	WWTP Outlet
1	Colour	Hazen	-	IS 3025 (Part 4)	11	7
2	Odour	-	-	APHA 2150-A	Objectionable	Unobjectionable
3	pH at 25 °C	-	6.5-8.5	APHA-4500-H+-B	8.1	7.6
4	Total Suspended Solids	mg/l	100	IS 3025(Part 17)	72	42
5	Biochemical Oxygen Demand at 27°C for 3 days	mg/l	30	IS 3025(Part 44)	62	18
6	Chemical Oxygen Demand	mg/l	250	APHA 5220-B	212	56
7	Oil & Grease	mg/l	10	IS 3025 (Part 39)	18	BDL (<2)
8	Phenolic Compound as C <sub>6</sub> H <sub>5</sub> OH	mg/l	1	APHA 5530 (D)	BDL(<0.5)	BDL(<0.5)
9	Total Chromium as Cr	mg/l	2	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
10	Cadmium as Cd	mg/l	2	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
11	Total Residual Chlorine	mg/l	--	IS 3025 (Part 26)	BDL(<0.1)	BDL(<0.1)
12	Copper	mg/l	3	APHA 3111-B	0.58	0.41
13	Iron(as Fe)	mg/l	2.0	APHA 3111-B	0.4	0.3
14	Zinc as Zn	mg/l	5	APHA 3111-B	0.3	0.2
15	Cyanide (as CN)	mg/l	0.2	APHA 4500-CN-	BDL(<0.05)	BDL(<0.05)
16	Lead as Pb	mg/l	0.1	APHA 3111-B	BDL(<0.05)	BDL(<0.05)
17	Nickel as Ni	mg/l	3	APHA 3111-B,23 AAS	BDL (<0.02)	BDL (<0.02)
18	Total Heavy Metals	mg/l	1	By Calculation	BDL(<0.5)	BDL(<0.5)
19	Total Nitrogen as N	mg/l	--	APHA 4500-N-C	12.6	8.4
20	Total phosphorous as P	mg/l	5.0	APHA 4500-P (C)	4.1	<1.0
21	Total dissolved solids	mg/l	2100	APHA 2540-C	1684	1341
22	Chloride as Cl-	mg/l	-	APHA 4500-(Cl)-B	121.4	102.2
23	Sulphate as SO <sub>4</sub>	mg/l	-	APHA 4500-SO4-B	6.4	2.8
24	Calcium Hardness as CaCO <sub>3</sub>	mg/l	-	APHA 3500-Ca	110.5	72.4
25	Magnesium Hardness as CaCO <sub>3</sub>	mg/l	-	APHA 3500 Mg-B	60.2	36.8
26	Hexa valent Chromium	mg/l	0.1	APHA 3500-C	BDL(<0.05)	BDL(<0.05)
27	Total Coliform	MPN/100 ml	-	IS 1622:181	>1600	142
28	Dissolved Oxygen	mg/l	-	APHA 4500-O-B	4.8	6.9
29	Sulphides as S	mg/l	2.0	APHA 4500(SO3)-B	BDL (<0.05)	BDL(<0.05)
30	Fluoride as F	mg/l	-	APHA 4500-F-D,SPANDS	4.6	2.1
31	Nitrates as NO <sub>2</sub>	mg/l	-	APHA 4500NO2-B	3.1	<0.5
32	Manganese as Mn	mg/l	2.0	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
33	Turbidity	NTU	1	APHA 2130-B	4.9	<1
34	Temperature	°C	Shall not exceed 5° above the receiving water temp.	APHA 2550-B	24.6	24.9
35	Sodium Absorption Ratio	--	-	By Calculation	ND	4.1

Verified By  
Neelima Dal  
Technical Manager

*W.D.*  
19/09/23



Issued By  
Shradha Kere  
Quality Manager

*S.Kere*  
18/09/23




Monitoring of Environmental Parameters at GAIL (India) Limited, PATA, UP



TABLE - 11(b): WASTE WATER ANALYSIS RESULTS- SECOND FORTNIGHT (20.09.2023)

S.No	Parameters	Unit	Standards	Procedure	WWTP Inlet	WWTP Outlet
1	Colour	Hazen	-	IS 3025 (Part 4)	14	3
2	Odour	-	-	APHA 2150-A	Objectionable	Unobjectionable
3	pH at 25 °C	-	6.5-8.5	APHA-4500-H+-B	7.8	7.3
4	Total Suspended Solids	mg/l	100	IS 3025(Part 17)	142	76
5	Biochemical Oxygen Demand at 27°C for 3 days	mg/l	30	IS 3025(Part 44)	62	24
6	Chemical Oxygen Demand	mg/l	250	APHA 5220-B	218	81
7	Oil & Grease	mg/l	10	IS 3025 (Part 39)	24	BDL (<2)
8	Phenolic Compound as C <sub>6</sub> H <sub>5</sub> OH	mg/l	1	APHA 5530 (D)	BDL(<0.5)	BDL(<0.5)
9	Total Chromium as Cr	mg/l	2	APHA 3111-B	BDL(<0.05)	BDL(<0.05)
10	Cadmium as Cd	mg/l	2	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
11	Total Residual Chlorine	mg/l	--	IS 3025 (Part 26)	BDL(<0.1)	BDL(<0.1)
12	Copper	mg/l	3	APHA 3111-B	0.51	0.32
13	Iron(as Fe)	mg/l	2.0	APHA 3111-B	1.8	0.3
14	Zinc as Zn	mg/l	5	APHA 3111-B	0.4	0.2
15	Cyanide (as CN)	mg/l	0.2	APHA 4500-CN-	BDL(<0.5)	BDL(<0.5)
16	Lead as Pb	mg/l	0.1	APHA 3111-B	BDL(<0.05)	BDL(<0.05)
17	Nickel as Ni	mg/l	3	APHA 3111-B,23 AAS	BDL (<0.02)	BDL (<0.02)
18	Total Heavy Metals	mg/l	1	By Calculation	BDL(<0.5)	BDL(<0.5)
19	Total Nitrogen as N	mg/l	--	APHA 4500-N-C	6.4	3.8
20	Total phosphorous as P	mg/l	5.0	APHA 4500-P ( C )	5.8	2.4
21	Total dissolved solids	mg/l	2100	APHA 2540-C	1715	1462
22	Chloride as Cl	mg/l	-	APHA 4500-(Cl)-B	198.4	132.2
23	Sulphate as SO <sub>4</sub>	mg/l	-	APHA 4500-SO4-B	76	48
24	Calcium Hardness as CaCO <sub>3</sub>	mg/l	-	APHA 3500-Ca	124.8	30.6
25	Magnesium Hardness as CaCO <sub>3</sub>	mg/l	-	APHA 3500 Mg-B	32.6	24.6
26	Hexa valent Chromium	mg/l	0.1	APHA 3500-C	BDL(<0.05)	BDL(<0.05)
27	Total Coliform	MPN/100ml	-	IS 1622-181	>1600	110
28	Dissolved Oxygen	mg/l	-	APHA 4500-O-B	2.8	4.6
29	Sulphides as S	mg/l	2.0	APHA 4500(SO3)-B	5.2	0.6
30	Fluoride as F	mg/l	-	APHA 4500-F-D,SPANDS	2.6	0.3
31	Nitrates	mg/l	-	APHA 4500NO2-B	2.1	0.5
32	Manganese as Mn	mg/l	2.0	APHA 3111-B	BDL(<0.01)	BDL(<0.01)
33	Turbidity	NTU	1	APHA 2130-B	3	<1
34	Temperature	°C	Shall not exceed 5° above the receiving water temp.	APHA 2550-B	24.2	24.7
35	Sodium Absorption Ratio	--	-	By Calculation	ND	4.1

Verified By *Neelima Dalvi*  
Neelima Dalvi  
Technical Manager



Issued By *Shradha Kere*  
Shradha Kere  
Quality Manager



**LDAR VOC MONITORING REPORT**  
**Report for the Period Qtr-1, FY 2023-24**  
**LEAK SUMMARY**

Sr. No.	Unit	Equipment	Tag. No	Components	Line Size	Location	Leak Type	(ppm)		Readings after attending leak (ppm)	Total saving (Kg/Day)		
								(ppm)	(Kg/Day)				
1	LLDPE-II	Valve	102-FV-21102	Valve	10"	Control Valve	Gland	9000	0.758	2500	0.176	0.582	
2		Valve	102-FV-21102 D/S I/V	Valve	10"	Isolation Valve	Gland	4500	0.344	4000	0.301	0.043	
3		Valve	102-FV-21102 U/S I/V	Valve	10"	Isolation Valve	Gland	5700	0.450	130	0.006	0.444	
4		Valve	102-VV-102 Outlet Line I/V	Valve	2"	Isolation Valve	Gland	7000	0.569	600	0.035	0.534	
5		Valve	102-HV-21101 U/S I/V	Valve	4"	Isolation Valve	Gland	7000	0.569	1800	0.121	0.448	
6		PSV Valve	102-PSV-11302 D/S I/V	Valve	4"	Isolation Valve	Gland	4200	0.318	10	0.000	0.318	
7		PSV Valve	102-PSV-11501 D/S I/V	Valve	4"	Isolation Valve	Gland	6000	0.477	915	0.056	0.421	
8	Valve	12" P-102-91101-81A Ethylene Supply Inside Battery Limit I/V	Valve	12"	Isolation Valve	Gland	8100	0.672	129	0.006	0.666		
9	NEW BUTENE	Pump Flange	107-PA-503 B DIS Valve D/S Flange	Flange	3"	D/S Flange	Flange	4400	0.397	0	0.000	0.397	
10		Valve	107-PV-5503 U/S I/V	Valve	2"	Isolation Valve	Gland	5000	0.388	1250	0.080	0.308	
11		Valve	107-PV-5503 Bypass I/V	Valve	1"	Isolation Valve	Gland	4500	0.344	400	0.022	0.322	
12		Valve	Ethylene Feed From Storage/GCU Inside Battery Limit I/V	Valve	4"	Isolation Valve	Gland	5500	0.432	0	0.000	0.432	
13		Valve	Ethylene Feed From Storage/GCU Outside Battery Limit I/V	Valve	4"	Isolation Valve	Gland	10000	0.855	15	0.001	0.854	
14		Valve	10-FV-4102	Valve	12"	Control Valve	Gland	6500	0.523	413	0.023	0.500	
15		Valve	10-FV-4102 U/S I/V	Valve	12"	Isolation Valve	Gland	7000	0.569	3230	0.236	0.333	
16		Valve	10-PV-7403	Valve	10"	Control Valve	Gland	3800	0.284	400	0.022	0.262	
17		GCU 1 (HOT) SECTION	Valve	6" Ethylene Liquid to GCU Line I/V	Valve	6"	Isolation Valve	Gland	5000	0.388	4200	0.318	0.070
18			Valve	10" Ethylene Vapor From Gcu Line I/V	Valve	10"	Isolation Valve	Gland	3500	0.258	900	0.055	0.203
19			Valve	2" Recycle Ethylene from LLDPE Line I/V	Valve	2"	Isolation Valve	Gland	18000	1.671	230	0.012	1.659
20			Valve	PSV-3704 U/S I/V	Valve	4"	Isolation Valve	Gland	4300	0.327	70	0.003	0.324
21			Pump Valve	10-PA-406 A DIS I/V	Valve	3"	Isolation Valve	Gland	4000	0.301	137	0.006	0.295
22			Pump Valve	10-PA-403 A DIS I/V	Valve	6"	Isolation Valve	Gland	5500	0.432	1200	0.076	0.356
23	Valve	10-TV-4304 U/S I/V	Valve	8"	Isolation Valve	Gland	7200	0.588	60	0.003	0.585		
24	Pump Valve	10-PV-6403 D/S I/V	Valve	6"	Isolation Valve	Gland	6300	0.505	0	0.000	0.505		
25	Pump Valve	10-PA-504A SUC I/V	Valve	8"	Isolation Valve	Gland	4800	0.370	600	0.035	0.335		
26	Valve	10-FV-5102 U/S I/V	Valve	14"	Isolation Valve	Gland	12500	1.102	120	0.006	1.096		
27	GCU 1 (COLD) SECTION	Valve	10-1V-4801 U/S I/V	Valve	10"	Isolation Valve	Gland	8000	0.663	0	0.000	0.663	
28		Pump Valve	10-PA-501 A DIS I/V	Valve	3"	Isolation Valve	Gland	9300	0.787	4500	0.344	0.443	

LDAR VOC Monitoring Report for GAIL,PATA QTR-1 FY 2023-2024



29	Pump Valve	10-PA-501A SUC I/V	Valve	4"	Isolation Valve	Gland	6400	0.514	2500	0.176	0.338
30	Valve	10-PSV-4501 U/S I/V	Valve	4"	Isolation Valve	Gland	4300	0.327	145	0.007	0.320
31	Valve	10-PSV-6602 D/S I/V	Valve	2"	Isolation Valve	Gland	6000	0.477	0	0.000	0.477
32	Valve	10-PSV-6103 U/S I/V	Valve	2"	Isolation Valve	Gland	8100	0.672	7000	0.569	0.103
33	Valve	PSV-4001A U/S I/V	Valve	4"	Isolation Valve	Gland	4500	0.344	40	0.002	0.342
<b>Total Savings :</b>											14.978



*Wills*

*S. S. Sreer*



**LDAR VOC MONITORING REPORT  
REPORT FOR THE PERIOD QTR-2, FY 2023-24  
LEAK SUMMARY**

Sr. No.	Unit	Equipment	Tag. No	Components	Line Size	Location	Leak Type	(ppm)	(kg/Day)	Readings after attending leak (ppm)	(kg/Day)	Total saving kg/Day
1	LLDPE - I	Valve	12-FV-1002 B D/S I/V	Valve	3"	Isolation Valve	Gland	9000	0.758	980	0.061	0.697
2		Valve	12-FV-2053 U/S I/V	Valve	6"	Isolation Valve	Gland	6000	0.477	3500	0.219	0.219
3		Valve	12-FV-2251 U/S I/V	Valve	4"	Isolation Valve	Gland	6200	0.496	30	0.001	0.495
4		Valve	12-FV-2265 U/S I/V	Valve	3"	Isolation Valve	Gland	5500	0.432	0	0.000	0.432
5		Valve	10-FV-050 U/S I/V	Valve	10"	Isolation Valve	Gland	4000	0.301	150	0.007	0.294
6	LLDPE - II	Valve	102-FV-41102 U/S I/V	Valve	10"	Isolation Valve	Gland	5000	0.388	350	0.019	0.369
7		Valve	102-HN-21102 D/S I/V	Valve	10"	Isolation Valve	Gland	4000	0.301	3500	0.258	0.043
8		Valve	B1A Ethylene to KA-430 Line I/V	Valve	10"	Isolation Valve	Gland	7000	0.569	7000	0.569	0.000
9		Pump Valve	08-PA-CF-035 B SUC- Valve	Valve	6"	Isolation Valve	Gland	6800	0.551	800	0.048	0.503
10		Valve	08-FV-3502 D/S I/V	Valve	3"	Isolation Valve	Gland	4300	0.327	510	0.029	0.298
11	GPU-I	Valve	08-PSV-1402 B U/S I/V	Valve	4"	Isolation Valve	Gland	3200	0.233	35	0.001	0.232
12		Valve	08-PSV-1406 D/S I/V	Valve	3"	Isolation Valve	Gland	6900	0.560	105	0.005	0.555
13		Valve	08-PSV-2203 D/S I/V	Valve	20"	Isolation Valve	Gland	5500	0.432	0	0.000	0.432
14		Valve	08-PSV-1801 D/S I/V	Valve	20"	Isolation Valve	Gland	8100	0.672	250	0.013	0.659
15		Valve	108-FV-6401 D/S I/V	Valve	4"	Isolation Valve	Gland	8000	0.663	130	0.006	0.657
16	GPU-II	Valve	108-FV-6402	Valve	4"	Control Valve	Gland	6100	0.487	20	0.001	0.486
17		Valve	18-PV-2102 B U/S I/V	Valve	3"	Isolation Valve	Gland	4800	0.370	1500	0.098	0.272
18		Valve	18-FV-2202 Bypass I/V	Valve	3"	Isolation Valve	Gland	3100	0.225	600	0.035	0.190
19		Valve	18-FV-2502 Bypass I/V	Valve	3"	Isolation Valve	Gland	3200	0.225	180	0.009	0.216
20		Valve	09-FV-1404 Bypass I/V	Valve	3"	Isolation Valve	Gland	7200	0.588	4200	0.318	0.270
21	LPG	Valve	09-LV-2003	Valve	8"	Control Valve	Gland	6500	0.523	130	0.006	0.517
22		Valve	110-XV-16202 A	Valve	8"	Control Valve	Gland	3300	0.242	1200	0.076	0.166
23		Valve	2" ETHYLENE PURGE FROM NEW BUTENE Line D/S I/V	Valve	2"	Isolation Valve	Gland	7500	0.616	1800	0.121	0.495
24		Valve	3" ETHYLENE PURGE FROM EXISTING LLDPE/HDPE Line U/S I/V	Valve	3"	Isolation Valve	Gland	8300	0.551	5000	0.388	0.163
25		Valve	3" ETHYLENE PURGE FROM EXISTING LLDPE/HDPE Line D/S I/V	Valve	3"	Isolation Valve	Gland	7500	0.691	6500	0.523	0.168
26	GCU-II HOT SECTION	Valve	110-PSV-20101 C D/S I/V	Valve	18"	Isolation Valve	Gland	3200	0.233	130	0.006	0.227
27		Valve	110-PSV-33201 A U/S I/V	Valve	6"	Isolation Valve	Gland	6500	0.523	3800	0.284	0.239
28		Valve	110-PSV-33201 A D/S I/V	Valve	12"	Isolation Valve	Gland	3500	0.258	2000	0.136	0.122
29		Valve	110-PSV-33201 B D/S I/V	Valve	12"	Isolation Valve	Gland	4400	0.335	900	0.055	0.280
30		Valve	110-PSV-30802 B D/S I/V	Valve	14"	Isolation Valve	Gland	5000	0.388	2200	0.152	0.235
31	Pump Valve	Valve	110-PA-366 A SUC-Valve	Valve	10"	Isolation Valve	Gland	8000	0.663	5000	0.388	0.275
32		Valve	110-LV-41401	Valve	4"	Control Valve	Gland	5400	0.423	4500	0.344	0.079
33		Valve	110-FV-41604 B	Valve	8"	Control Valve	Gland	4100	0.309	950	0.058	0.251
34		Valve	110-FV-85002	Valve	3"	Control Valve	Gland	4800	0.370	4800	0.370	0.000
35		Valve	3" Hydrogenated C3 Mix Line D/S I/V	Valve	3"	Isolation Valve	Gland	6300	0.505	70	0.003	0.502
36	GCU-II COLD SECTION	Valve	110-FV-36201 A	Valve	4"	Control Valve	Gland	4000	0.301	380	0.021	0.280
37		Valve	110-FV-61001	Valve	4"	Control Valve	Gland	7300	0.597	2500	0.176	0.421
38		Valve	110-PSV-60101 A D/S I/V	Valve	16"	Isolation Valve	Gland	6200	0.318	40	0.002	0.316
39		Valve	110-PSV-60101 B U/S I/V	Valve	10"	Isolation Valve	Gland	3200	0.233	125	0.006	0.227
40		Valve	110-PSV-60101 D D/S I/V	Valve	16"	Isolation Valve	Gland	4800	0.406	0	0.000	0.406
41	GPU-I	Valve	110-PSV-10210 B D/S I/V	Valve	8"	Isolation Valve	Gland	4200	0.370	430	0.024	0.346
42		Valve	110-PSV-50102 D/S I/V	Valve	4"	Isolation Valve	Gland	4100	0.309	300	0.016	0.293
43		Valve	10-FV-1903 Bypass I/V	Valve	3"	Isolation Valve	Gland	5300	0.415	210	0.010	0.405
44	GPU-I	Valve	Pilot Line Burner-1-N2 Inlet I/V	Valve	2"	Isolation Valve	Gland	4600	0.353	0	0.000	0.353
45		Valve	10-PV-7401 B	Valve	6"	Isolation Valve	Gland	7000	0.569	0	0.000	0.569



LDAR VOC Monitoring Report for GALLPATA



46	Valve	Burner-2-S2 Inlet I/V	Valve	2"	Isolation Valve	Gland	4000	0.301	20	0.001	0.300
47	Valve	Burner-2-N9 Inlet I/V	Valve	2"	Isolation Valve	Gland	5200	0.406	50	0.002	0.404
48	Valve	10-FV-2102	Valve	4"	Control Valve	Gland	6500	0.523	3500	0.258	0.265
49	Valve	10-FV-2103	Valve	4"	Control Valve	Gland	7400	0.606	27	0.001	0.605
50	Valve	Pilot Line Burner-3-S11 Inlet I/V	Valve	2"	Isolation Valve	Gland	6000	0.477	11	0.000	0.477
51	Pump Valve	10-PA-402 B DIS I/V	Valve	6"	Isolation Valve	Gland	6100	0.487	2200	0.152	0.335
52	Valve	10-TV-4501 B	Valve	10"	Control Valve	Gland	9500	0.806	85	0.004	0.802
53	Valve	10-UV-6003 D/S I/V	Valve	8"	Isolation Valve	Gland	7100	0.579	130	0.006	0.573
54	Valve	10-LV-6402 D/S I/V	Valve	6"	Isolation Valve	Gland	7000	0.569	18	0.001	0.568
55	Valve	10-FV-403 D/S I/V	Valve	8"	Isolation Valve	Gland	4500	0.344	5000	0.388	-0.044
56	Valve	10-FV-4903	Valve	3"	Control Valve	Gland	6300	0.505	225	0.011	0.494
57	Valve	10-PSV-6101 B D/S I/V	Valve	12"	Isolation Valve	Gland	4800	0.370	250	0.013	0.357
58	Valve	10-PSV-4501 D/S I/V	Valve	3"	Isolation Valve	Gland	6800	0.551	110	0.005	0.546
59	Valve	10-PSV-4406 D/S I/V	Valve	12"	Isolation Valve	Gland	3600	0.267	0	0.000	0.267
60	Valve	10-FV-5110	Valve	12"	Control Valve	Gland	5800	0.459	380	0.021	0.438
61	Pump Valve	44-PA-CF-12 B SUC Valve	Valve	6"	Isolation Valve	Gland	5400	0.473	200	0.010	0.413
62	Pump Valve	44-PA-CF-011 A Circulation Valve	Valve	4"	Isolation Valve	Gland	6200	0.496	0	0.000	0.496
63	Pump Valve	44-PA-CF-011 A DIS Valve	Valve	4"	Isolation Valve	Gland	7100	0.579	2000	0.136	0.443
64	Pump Valve	44-PA-CF-011 B DIS Valve	Valve	4"	Isolation Valve	Gland	3800	0.284	250	0.013	0.271
65	Pump Valve	41-PA-CF-004 A DIS Valve	Valve	8"	Isolation Valve	Gland	4800	0.370	550	0.031	0.339
66	Pump Valve	41-PA-CF-004 B SUC Valve	Valve	14"	Isolation Valve	Gland	7300	0.597	35	0.001	0.596
67	Valve	44-FV-2201 D/S I/V	Valve	4"	Isolation Valve	Gland	3400	0.250	480	0.027	0.223
68	Valve	44-FV-2002 Bypass I/V	Valve	3"	Isolation Valve	Gland	3500	0.258	1800	0.121	0.137
69	TANK-TS-111	PSV-2302 D/S I/V	Valve	6"	Isolation Valve	Gland	7000	0.569	720	0.043	0.526
70	TANK-TS-111	PSV-2301 D/S I/V	Valve	8"	Isolation Valve	Gland	8000	0.663	1100	0.069	0.594
71	TANK-TS-111	PSV-2302 Common Bypass I/V	Valve	2"	Isolation Valve	Gland	6000	0.477	3500	0.258	0.219
72	TANK-TS-112	PSV-2304 U/S I/V	Valve	6"	Isolation Valve	Gland	7200	0.588	1700	0.113	0.475
73	TANK-TS-112	PSV-2303 D/S I/V	Valve	8"	Isolation Valve	Gland	6100	0.487	850	0.051	0.436
74	Valve	43-FV-1103 Bypass I/V	Valve	6"	Isolation Valve	Gland	7000	0.569	1800	0.121	0.448
75	Valve	43-FV-1402	Valve	3"	Control Valve	Gland	6200	0.496	1550	0.102	0.394
76	Valve	43-FV-2402 Bypass I/V	Valve	6"	Isolation Valve	Gland	4700	0.361	230	0.012	0.349
Total Savings :										27.401	

*Time*

*Spice*

**U.P Waste Management Project**

(A Division of Ramky Enviro Engg. Ltd.)  
# A -380 Lakhapur Housing Society,  
Nr. Utsav Apartment, Lakhapur.  
Vikas nagar, KANPUR-208024 (Uttar Pradesh)  
Tel.-Fax. :- 0512-2585076 Email:- upwmp@ramky.com

Date: 22/12/2012

**To,****M/s. GAIL (India) Limited**

(A Govt. of India Undertaking – A Navaratna Company)  
Pata, (U.P)

**Kind Attn:** - Mr. R V Sahane**Sub:** - Permanent Membership of UPWMP – CHW TSDF, Kanpur Dehat.

Dear Sir,

We thank you and further welcome you as **PERMANENT MEMBER** of Uttar Pradesh Waste Management Project (A Divn of RAMKY Enviro Engineers Ltd.) for utilizing our Common Hazardous Waste Treatment Storage Disposal Facility (CHW-TSDF) to dispose your hazardous waste safely & securely.

Your Permanent Membership Num. is **UPWMP-KNP-HzW – CHW-TSDF – 1268**

We seek your co-operation & assistance to help us meet our common objectives of keeping our Environment Safe and Secure.

We once again thank you and assure of our best services and look forward to an environment friendly relationship.

Please do contact us for any further information and clarification.

Thanking you

Yours truly,

For **Uttar Pradesh Waste Management Project**  
(A Divn of **RAMKY** Enviro Engineers Ltd.)

*Hari Om Sharan Dwivedi*

**Hari Om Sharan Dwivedi**  
AGM – Operation



**[FORM -V]**  
(See Rule 14)

**Environmental Statement for the financial year ending the 31<sup>st</sup> March 2023.**

**PART- A**

**(i) Name and Address of the owner / occupier of the industry operation or process:**

Shri Ajay Tripathi  
Executive Director (PC-O&M) & OIC  
GAIL (India) Limited  
Petrochemical Complex  
P.O. Pata, District - Auraiya  
Uttar Pradesh - 206 241

**(ii) Industry Category:** Primary – (STC Code-AAACG1209JST006)

**(iii) Production Capacity:**

Name of Unit	Capacity (MT/Annum)
High Density Polyethylene Unit- I (HDPE I)	100,000
High Density Polyethylene Unit- II (HDPE II)	100,000
Linear Low-Density Polyethylene Unit- I (LLDPE-I)	210,000
Linear Low-Density Polyethylene Unit- II (LLDPE-II)	400,000
Liquefied Petroleum Gas Unit (LPG)	271,059

**(iv) Date of the last environmental statement submitted-** Submitted for FY 2021-22 on 20.09.2022

**(v) Year of establishment-** 1999

**PART-B**

**Water and Raw Material Consumption**

**(i) Water Consumption m<sup>3</sup>/day**

**Process** - 7,825 m<sup>3</sup>/ day \*

**Cooling** - 19,211 m<sup>3</sup>/ day

**Domestic** - 346 m<sup>3</sup>/ day

\* Water consumption in Process includes mainly Demineralized Water & Service Water etc.



Name of Product	Process Water Consumption per unit of product output	
	During the Previous Financial Year 2021-22	During the Current Financial Year 2022-23
(1) Liquefied Petroleum Gas (LPG) (2) Propane, Pentane & Naphtha (3) High Density Polyethylene (HDPE) (4) Linear Low Density Polyethylene (LLDPE)	3.78 m <sup>3</sup> /MT of product	3.97 m <sup>3</sup> /MT of product
<b>Total Production</b>	10,71,109 MT	7,18,436 MT
<b>Total Process Water</b>	40,45,676 m <sup>3</sup>	28,56,106 m <sup>3</sup>

(ii) Raw Material Consumption

Name of Raw Material	Name of Products/unit	Consumption of Raw Material per unit of Output	
		During the Previous financial Year 2021-22	During the Current Financial Year 2022-23
Natural Gas*	LPG	476 SCM / MT of LPG	469 SCM / MT of LPG
Natural Gas*	Propane	536 SCM / MT of Propane	536 SCM / MT of Propane
Natural Gas*	Pentane	328 SCM / MT of Pentane	328 SCM / MT of Pentane
Natural Gas*	Naphtha	277 SCM / MT of Naphtha	277 SCM / MT of Naphtha
Ethylene	HDPE	1.01 MT / MT of HDPE	1.024 MT / MT of HDPE
Ethylene	LLDPE	0.98 MT / MT of LLDPE	0.972 MT / MT of LLDPE

\*Consumption as Process Gas.

- Industry may use codes if disclosing details of raw material would violate contractual Obligations, otherwise all industries have to name the raw materials used.

**PART-C**

**Pollution discharged to environment/unit of output  
(Parameter as specified in the consent issued)**

Pollutants	Quantity of pollutants discharged* (mass/day)	Concentration of pollutants in discharges (mass/volume)*	Percentage of variation from prescribed standards with reasons
(a) Water	Qty of Treated water discharged: 2,977 MT/day	BOD: 21 mg/l	0
		COD: 97 mg/l	0
		Oil & Grease: <4 mg/l	0
		TSS: 23 mg/l	0
(b) Air	Qty of Flue gases discharged: 23,070 MT/day	PM: 3.2 mg/Nm <sup>3</sup>	0

\*Average data for Financial Year 22-23.

**PART-D**

**HAZARDOUS WASTES**

(As specified under Hazardous & Other Wastes (Management and Transboundary Movement) Rules, 2016)

Hazardous Waste	Total Quantity	
	During the previous Financial Year (2021-22) (MT)	During the current Financial Year (2022-23) (MT)
(a) From process		
Spent Activated Carbon <sup>(2)</sup>	172.3	123.6
Spent Coke <sup>(2)</sup>	25.3	25.6
Tar <sup>(2)</sup>	17.4	15.8
Spent Resins <sup>(2)</sup>	0.0	30.7
Waste Mineral Oil <sup>(2)</sup>	15.5	11.2
Waste Oil <sup>(3)</sup>	50.0	33.6
Used Lube Oil Filter Cartridges	0.0	0.0
Contaminated Cotton Rags <sup>(2)</sup>	2.3	2.0
Used Paint Drums <sup>(2)</sup>	0.6	0.0
Spent Catalysts <sup>(2)</sup>	37.6	222.5
(b) From pollution control facilities.		
WWTP Sludge <sup>(2)</sup>	415	2430
Slop Oil <sup>(3)</sup>	2777	907.9

**Note:**

1. Hazardous Waste Authorization has been renewed on 08.07.2021 and is valid up to 07.07.2026



2. Presently Spent Activated Carbon, Spent Coke, Tar, Spent Resins, Waste Mineral Oil, Oily WWTP sludge (dry basis), Contaminated Cotton Rags, Used Paint Drums, Spent Catalysts are being disposed off through authorized TSDF facility.
3. Waste Oil and Slop Oil from WWTP are sent to authorized recyclers.

**PART-E**  
**SOLID WASTE**

Solid Waste	Total Quantity	
	During the previous Financial Year (2021-22) in MT	During the current Financial Year (2022-23) in MT
(a) From process		
Spent Silica Gel	57	199.6
(b) From pollution control facility		
(c) (1) Quantity recycled or re-utilized within the unit	-	-
(2) Sold		
Spent Alumina	1,159	966
Metal Scrap	293	543
Plastic Scrap	247	135
Wooden Scrap	142	375
Spent Ceramic Materials	7.72	15
Cables scrap	10	25
Waste Cartons	12	25
Used Tires	0	9.32
(3) Disposed	-	-

**PART-F**

**Please specify the characterizations (in terms of composition of quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.**

**TYPICAL CHARACTERISTICS OF HAZARDOUS WASTE**

**SOLID/SEMI-SOLID:**

SL NO.	PARAMETERS	UNIT	TAR	SPENT CARBON	SPENT COKE	OILY SLUDGE
1.	Calorific value	Kcal/Kg	7.73	6.12	6.60	8.08
2.	Moisture	%	14.68	1.60	4.35	11.10
3.	Total solids	%	64.73	98.00	93.35	89.57
4.	Volatile solids	%	29.75	6.60	20.95	84.38
5.	Ash contents	%	32.36	33.70	52.20	5.18
6.	Oil & Grease	%	4.20	<0.1	Nil	5.16



## LIQUID HAZARDOUS WASTE:

### TYPICAL CHARACTERISTICS OF SLOP OIL

SL NO.	PARAMETERS	UNIT	SLOP OIL	USED OIL
1.	Calorific value	Kcal/Kg	9.7	9.8
2.	Moisture	%	38.4	0.46
3.	Total solids	%	61.6	0.17
4.	Volatile solids	%	7.3	98.3
5.	Ash contents	%	11.7	0.1
6.	Oil & Grease	%	38.2	-

Source: Third Party Environment monitoring report by Third-party environment monitoring agency.

### **PART -G**

#### **Impact of the pollution abatement measures taken on conservation of natural resources and on the cost of production.**

The following proactive initiatives have been taken for the conservation of Natural Resources:

##### **Water Conservation**

A comprehensive Waste Water Treatment Plant has been set up, primarily to ensure that our wastewater is treated so as to maintain the river water quality at the discharge point. Part of treated wastewater is recycled and used for horticulture purposes. The water demand of the complex is met by canal water, thereby reducing/eliminating the use of precious groundwater. Membrane Bio Reactor (MBR) based Sewage Treatment Plant has been set up in the GAIL Gaon Township and the treated water is used for irrigation of lawns/gardens etc. The efficient sewage treatment process ensures an odorless & clean environment which adds to the hygiene level.

##### **Green Belt Development**

Regular plantation at GAIL Pata and GAIL Gaon Township is being carried out and an extensive greenbelt is being maintained. Mass tree plantation drives are carried out on the occasion of World Environment Day, Van Mahotsav, Birthday Tree Plantation, etc. for increasing awareness among the employees, family members, and other stakeholders.

##### **Leak Detection & Repair Program (LDAR)**

The leak Detection & Repair Program (LDAR) is carried out for all the process units of GAIL Pata for the detection of fugitive emissions (VOCs) if any and thereby saving precious resources and reduction in energy consumption.

*Environment Statement for financial year ending 31<sup>st</sup> March 2023 for GAIL, Pata*

*Page 5 of 7.*

### **Rain Water Harvesting**

Rain Water harvesting measures have been implemented in major buildings and approximately 18,000 m<sup>3</sup> of rainwater has been harvested in FY 2022-23 at GAIL Pata. Also, a pond has been developed to store rainwater and use it in emergency due to water scarcity and also helps to avoid inundation of nearby villages due to heavy monsoon.

### **Energy Conservation**

As per requirement of Energy Conservation Act'2001 and PAT Cycle, a dedicated energy management team and an energy management cell exists in the complex comprising of a designated energy manager and other engineers who are involved in monitoring, computation & analysis of energy usage, taking timely corrective actions in case of deviation in target performance, conducting energy audits and implementation of energy saving measures for energy efficient operation of the complex. Energy Performance parameters are benchmarked against global standards and are being monitored regularly and reviewed by top management on monthly basis.

External Energy Audits are carried out at specified intervals and Internal Energy Audits are conducted through BEE certified internal energy auditors and energy managers available in the complex. Some of the key initiatives undertaken for energy performance improvement in the last FY 22-23 are Revamping of damaged insulations in Furnaces & Boilers, Energy conservation through condensate recovery, Operational optimization of running equipment, Monitoring/Rectification of leakages/ Passing Valves, Steam Trap Sustenance Management, Phase wise replacement of HPMV lamps with LEDs, Replacement of Old Rewound Motors with Higher Efficiency IE3 class motors.

In addition to this, GAIL Pata has installed 0.5 MWp capacity roof top grid connected solar PV in FY 2022-23 to the existing Solar PV capacity of 5.76 MWp resulting into total installed capacity of ~ 6.26 MWp. Apart from this, another of 2.14 MWp is under installation and commissioning.

## **PART-H**

### **Additional measures/investment proposal for environmental protection including abatement of pollution, prevention of pollution.**

- Adequate stacks height has been provided for effective dispersion of pollutants.
- Low NOx burners are used in all the furnaces in the complex.
- Liquid hydrocarbon loading facilities are provided with vapor return circuits.
- Gas detectors have been installed to ensure quick detection of a gas leak.
- Five numbers of fixed Continuous Ambient Air Quality Monitoring Station (CAAQMS) and one mobile van has been installed for ambient air quality monitoring.
- All the boiler and furnace stacks are equipped with on-line analyzers for monitoring stack air quality on continuous basis.
- Data from EQMS and OCEMS are transmitted on real-time basis to CPCB & SPCB servers.

- Electronic Display board has been installed at plant main gate for public view of ambient air and stack quality, and discharged effluent quality parameters.
- Advanced Daylighting System has been installed in Mechanical Workshop on pilot basis.
- Waste paper collection trays have been installed at various sources of generation and collected paper is sent to recyclers.
- Old critical motors are being replaced with energy efficient motors in a phase wise manner.
- Biodiversity assessment was carried out in the plant as well as township premises and measures are being taken for conservation of identified flora & fauna species.
- GAIL, Pata has implemented GreenCo rating system and has been rated “GreenCo Gold” by M/s CII Godrej GBC.
- GAIL, Pata has setup a pilot scale plant for utilization of CO<sub>2</sub> by microbial route to utilized one MT of CO<sub>2</sub> per day.
- GAIL, Pata carried out plantation of 1,50,000 saplings based on Miyawaki Methodology. The Plantation was carried out in an Area of 4.3 Hectares nearby GAIL, Pata. This is the largest Miyawaki Plantation in U.P. The Plantation was carried out through Uttar Pradesh State Forest Department (UPSFD) on the occasion of Van Mahotsav 2022.


#### **PART-I**

#### **Any other particulars for improving the quality of the environment.**

GAIL management has already initiated many projects related to the improvement of the quality of the environment some of which are described below:

- Ecological Park has been developed in GAIL Gaon Township by carrying out afforestation, fencing of the demarcated area to avoid unauthorized access, fish seeding in eco-ponds, and random dispersion of seed balls in the area.
- Butterfly garden has been developed in GAIL Gaon township by planting various species of Larval Host Plants and Nectar Plants to attract different species of butterflies.
- Installation of Hand pumps, Solar Home lights through CSR.
- Support towards Construction of CC Roads in nearby villages of Pata Plant
- Organic waste generated from Plant and Township is being converted into compost in Organic Waste Converter plant installed at both the plant and township premises and the compost generated is used as manure in gardens.





उत्तर प्रदेश UTTAR PRADESH

DG 738976

This agreement is made on the .....<sup>2nd</sup>.....day of  
**May**.....Two Thousands.....**Seventeen**.....  
 corresponding to Saka Samvat the .....**Fifth**.....day of  
**Vaisakha**.....20**74**.....

Between;

The GAIL India Limited (A Government of India Undertaking), a Government Company within the meaning of Companies Act, 2013, through its General Manager, Pata as its Executive Authority having its Corporate Office at 16, Bhikaji Cama Place, R. K. Puram, New Delhi (hereinafter referred to as "the consumer" which expression shall deemed to include its successors, assigns, representatives etc.,) of the One Part; and

The Governor of Uttar Pradesh acting through Superintendent Engineer, Irrigation work circle Etawah, Irrigation Department, Uttar Pradesh, (hereinafter referred to as "the Supplier" which expression shall deem to include its successors, assigns, representatives etc.,) of the other part.

S.E.

I. W. S. Bhatnagar  
 बिचार्ड कार्य मण्डल, इटावा

1

GAIL

**राकेश मिश्र**  
**R. K. MITTAL**  
 जनरल मैनेजर (पी.ओ.)/General Manager (PC-Op.)  
 गैल (इंडिया) लिमिटेड / GAIL (India) Limited  
 पता, पिला अरिया-206 241 (उ.प्र.) भारत  
 Pata, Distt. Aunriya-206 241 (U.P.) INDIA



11  
 २३/०४  
 स्टाम्प क्रमांक.....  
 स्टाम्प दिवस की तिथि.....  
 स्टाम्प प्रत्येक कर देने का प्रयोजन.....  
 स्टाम्प प्रेषिता का नाम व पूरा पता.....  
 स्टाम्प की प्रकृतिका (००२२).....

शक्ति शुभकर मिट्टा एंड सप्लायर्स मिट्टा एंड  
 सप्लायर्स निजी लिमिटेड एंड सप्लायर्स  
 (००२२)  
 सुरेश कुमार मिश्र स्टाम्प वेण्डर  
 हा० नं० १०३ हा० अबाधि २०  
 थिरोड रोड-तहसील परिसर औरैया

कोषागार कार्यालय  
 25 APR 2017  
 औरैया

भारतीय डाक  
 भारत  
 डाक नं०  
 डाक  
 डाक

**WHEREAS** the Consumer is operating a gas based Petro Chemical Plant near Pata in District Auriaya on the right bank of Burhadana Distributory of Etawah Branch Canal and it has requested to the Irrigation Department, Government of Uttar Pradesh (herein after called "the Government") for permission to draw 30 cusec water from Etawah branch canal system through Buradana Distributory during its running days according to the roster for the use of non-irrigation purpose in Petro chemical complex at Pata.

An agreement was made between Gail, Pata and irrigation department on 04.10.2014 for supply of 13 cusec irrigation canal water and now Gail, Pata requires additional 17 cusec for its expansion project.

After this agreement for supply of 30 cusec irrigation canal water comes into force, all previous agreements including agreement for supply of 13 cusec irrigation canal water with State Irrigation Department will cease to exist.

**AND WHEREAS** at the request of the Consumer, the Supplier has agreed to supply 30 cusec of non-potable water in bulk to the Consumer from the Etawah Branch of Lower Ganga Canal system through Burhadana Distributory for use in Petro Chemical Complex at Pata, District Auraiya by means of Cross regulator on Burhadana Distributory and suitable intake structure constructed by the Consumer.

**AND WHEREAS**, in this regard, an agreement dated 05/07/2012 was executed between the consumer and the Irrigation department and in furtherance of the same, the consumer has deposited an amount of Rs. 5982.45 lacs with the Irrigation Department to undergo C.C lining / repairs of the canal to restrict water seepage.

**Now the agreement witnesses as follows: -**

1. In this agreement unless the contrary intention appears: -

- (a) 'Canal' means Etawah Branch of Lower Ganga Canal system.
- (b) "Chief Engineer" means the Chief Engineer of Irrigation Department who will be in the administrative charge of all works pertaining to Lower Ganga Canal system along with their off taking channels, and at present is Chief Engineer (Ram Ganga) with Head Quarter at Kanpur.

  
S.E.  
I.W.G. Etawah  
सिंचाई कार्य मण्डल, इटावा

2

  
GAIL  
राकेश मिश्रा  
R. K. MITTAL  
सुपरवाइजर (पीसी-ऑपरेशन) / General Manager (PC-Opn.)  
गैल (इंडिया) लिमिटेड / GAIL (India), Limited  
पता, जिला अौरिया-206 241 (U.P.) भारत  
Pata, Distt. Auraiya-206 241 (U.P.) INDIA

- (c) 'Cross Regulator' means Cross regulator constructed in Etawah Branch downstream of Burhadana Distributory Head Regulator to effect supplies into Burhadana Distributory.
- (d) "General Manager" means, the General Manager of GAIL Petro Chemical Complex, Pata, District, Auraiya.
- (e) "Executive Engineer" means Executive Engineer of the Irrigation Department incharge of the Burhadana Distributory, who at present is Executive Engineer, Irrigation Division, Auraiya.
- (f) "Financial year" means:
- (I) Each succeeding Twelve (12) month period beginning on April 1st during the term of this agreement and ending on the following March 31.
- (II) In case the date of commencement of agreement is fixed any month after 1<sup>st</sup> April of the year then number of months from 1<sup>st</sup> April till preceding month of the date of signing shall not be construed as a financial year.
- (III) Like wise if the date of termination of agreement is fixed any month beyond 1<sup>st</sup> April of the year then the balance of months till next 31<sup>st</sup> March shall not be construed as a financial year.
- (g) "Intake cum cross regulator" means intake cum Cross Regulator Constructed on Burhadana Distributory for diverting water into the intake channel of Petro Chemical Complex, Pata.
- (h) "Irrigation Department" means the Irrigation Department of Government of Uttar Pradesh.
- (i) "Reduced Level" means level measured with reference to the bench mark provided on U/S bed of the regulator Km. 17.200 of Burhadana Distributory diversion left bank. The R. L. 140.355 and at Km. 16.65 RL is 140.455M.
- (j) "Roster" means time schedule for running and closure of Canal as fixed by the Irrigation Department of the Uttar Pradesh Government.
- (k) "Sub Divisional Officer" means the Assistant Engineer of the Irrigation Department in direct charge of Burhadana Distributory.
- (l) "Superintending Engineer" means the Superintending Engineer of the Irrigation Department in direct administrative control of Etawah Branch and Burhadana Distributory presently Superintending Engineer, Irrigation Works Circle, Etawah.
- (m) "The GAIL Petro Chemical Complex" means Gas based Petro Chemical Plant constructed at Pata in District Auraiya on right bank of Burhadana Distributory off taking at Km. 109.00 right bank of Etawah Branch Canal.

  
S.E.  
I.W.C. Etawah  
मिचार्ड कायं मण्डल, इटावा


3

  
GAIL  
राकेश मिश्र  
R. K. MITTAL  
सहायक (पी.सी.-ऑप.) / General Manager (PC-Op.)  
गैल (इंडिया) लिमिटेड / GAIL (India) Limited  
पता, जिला औरिया-206 241 (उ.प्र.) भारत  
Pata, Dist. Auraiya-206 241 (U.P.) INDIA

(n) "Year" Means a period of 365 days (Three hundred Sixty Five days) calculated from the date of execution of this agreement except in case of leap year in which it means a period of 366 days (Three Hundred Sixty Six days) from the date of execution of this agreement.

2. The supplier and the Consumer agree as Follows: -

- (a) It is agreed that that the consumer shall pay to the supplier water charges at the rate Rs. 12.48 (Rupees Twelve and Paisa forty Eight) per one thousand cubic feet which shall be charged as per actual quantity of water consumed. The said amount of water charges is being qualified as per provision in G.O. NO. 2953/11-27-सिं-4-08-(जल)/82 dated 15.07.2011. It is mutually agreed that the water charges at the above rate shall be deposited quarterly as per the actual consumption. The Government shall have the right to change the rate of water charges by way of Notifications from time to time which will be binding on consumer i.e. Gail (India) Limited, Pata, District Auraiya.
- (b) Royalty charges at the rate Rs 6.00 Lacs (Six Lacs) per cusecs per Annum shall be charged as per agreement quantity as per provision of G. O. No. 2953/11-27-सिं-4-08-(जल)/82 dated 15.07.2011. The Government shall have the right to change the rate of Royalty charges from time to time which will be binding on consumer. Amount of Royalty charges due for a particular financial year shall be deposited on or before the commencement of the new financial year latest by the end of April of new financial year. To be clear the Royalty charges for financial year 2017-2018 would be payable on or before 30.04.2017 after receipt of bill from Irrigation department and likewise the subsequent payments would be made.
- (c) Under the agreement Irrigation Department shall supply 30 cusecs non-potable water from Burhadana Distributory into both intake channels constructed by Consumer provided that the canal is not closed as per roster.
- (d) The Consumer may store sufficient water as per their requirement in their storage tanks for use during Canal closure.
- (e) Etawah Branch / Burhadana Distributory, supplying water to the consumer will be operated as per roster which will have a normal canal closure period not exceeding 4 (four) weeks at a stretch. However, if the canal closure is not as per the Roster or is for a period of more than 4 (four) weeks duration, the supplier shall inform consumer one month in advance of such canal closure.

  
S.E.  
I.W.C. Etawah  
सिंचाई कार्य मण्डल, इटावा

4

  
GAIL  
राकेश मिस्तल  
R. K. MITTAL  
सहायक (पीसी-प्रचलन) / General Manager (PC-Opn.)  
गैल (इंडिया) लिमिटेड / GAIL (India) Limited  
पता, जिला औरिया-206 241 (उ०प्र०) भारत  
Pata, Distt. Auraiya-206 241 (U.P.) INDIA

- (f) The supplier shall supply to the consumer a copy of the roster for both Kharif and Rabi to know about tentative period of running and closure of the canal every year.
- (g) Consumer shall provide following residential accommodation for the staff & executives of Irrigation Department in their colony at Dibiyapur to facilitate day to day working and close liaison on similar terms and conditions as applicable to GAIL staff on chargeable basis. The accommodation shall be earmarked and handed over in the name of Executive Engineer of Irrigation Division Auraiya, Dibiyapur (Supplier).  
For Assistant Engineer Incharge, type 'C' one number (unfurnished).  
For Junior Engineer Incharge type 'B' one number (unfurnished).  
Two Bachelor accommodations.
- (h) The Executive Engineer, Assistant Engineer and Junior Engineer Incharge of Irrigation Division Auraiya, Dibiyapur (Supplier) or any other authority/agent of Uttar Pradesh Irrigation Department shall have free access to the off-take Pump House and other structures and equipments where measuring devices for consumption of water are installed.
- (i) All subsequent alterations or additions in the pumping equipments or the measuring devices or both, if considered necessary, shall be done at its cost by consumer with prior written concurrence of Irrigation Department.
- (j) The joint discharge of intake channels shall be observed monthly to ascertain actual consumption of water by consumer. Executive Engineer shall inform the date of joint observation of discharges to consumer.
- (k) If the payment of dues, as per bills submitted by the Executive Engineer, is not made within the Twelve months of their presentation, the Irrigation Department shall have the right to stop the supplies after giving thirty days notice to the Consumer.
- (l) Annual maintenance cost of work constructed and maintained by the Irrigation Department for supplying water to the GAIL, Petro Chemical Complex shall be paid by the consumer to the Irrigation Department. This amount shall be calculated at the rate of 2% (Two percent) per annum on the total actual cost of the works paid by Gail. This amount shall be increased annually at the simple rate of escalation of 10% (ten percent) per annum. Cost of special repairs or any alternations and additions at any stage for maintenance of supply of 30 cusecs non-potable additional water will be borne by the consumer separately.
- (m) The Consumer shall also pay the Irrigation Department 12.5% centage charges and in addition 1% cess charges on the actual cost of works executed by Irrigation Department at the rates that may be decided by the Government from time to time.

S.E.

I.W.C. Etawah  
अधीक्षक अभियन्ता  
संचाई कार्य मण्डल, इटावा

5

GAIL

राकेश मित्तल  
R. K. MITTAL  
महानिदेशक (पी.सी.-प्रवाह) / General Manager (PC-Ops.)  
गैल (इंडिया) लिमिटेड / GAIL (India) Limited  
पता, जिला औरिया-208 241 (उ०प्र०) भारत  
Pata, Distt. Auraiya-208 241 (U.P.) INDIA


- (n) The demand of funds for the annual maintenance, as per clause (l) above, for the commencing Financial Year shall be sent by Executive Engineer to General Manager in the month of March of every year and Consumer shall have to pay this demand amount by the end of April of the following financial year.
- (o) Final bill on account of annual maintenance charges as per clause (l) above for the financial year shall be submitted by the end of April of following year, crediting the amount already paid by the consumer.
- (p) The amount of Royalty charges, centage charges, annual maintenance cost and other amount which are payable by the consumer at a specified time shall be paid by the consumer on or before the specified date and time. In case the consumer fails to deposit above amount on the specified date and time, the above amount may be recovered from the consumer after one month from the specified date as an arrear of land revenue at the certificate of Superintending Engineer.
- (q) The agreement shall come into force from the date of its execution and will remain effective for a period of 10 (Ten) years unless otherwise terminated earlier.
- (r) After the execution of this agreement all notices to be given or action to be taken under this agreement on behalf of the Consumer, shall be given or taken by the General Manager, GAIL Petro Chemical Complex, Pata who will be addressed in all matters connected with this agreement.
- (s) Effluent water generated, if any, after consumption shall be treated as per the norms of U.P. Pollution Control Board by the consumer before discharging into the natural drain. If any guidelines made by Center Government national green tribunal, the consumer have to follow the guidelines for treatment of effluent water.
- (t) In the event of any dispute, arising out of this agreement, which can not be settled by the joint examination of the facts by the Superintending Engineer, Irrigation Department and the General Manager, shall be referred in writing to the Chief Engineer, Irrigation Department Incharge of this work, and his decision shall be final and legally binding on both the parties.

  
S.E.  
I.W.C. Etawah  
बिचौली काबं सण्डल, इटावा

6


  
GAIL  
राकेश मिश्रल  
R. K. MITTAL  
क्याम्बक (पी.सी.-इपलन)/General Manager (PC-Op.)  
गेल (इंडिया) लिमिटेड / GAIL (India) Limited  
पाता, जिला औरिया-206 241 (उ.प्र.) भारत  
Pata, Distt. Auraiya-206 241 (U.P.) INDIA

In witness, whereof these presents have been signed by the parties to this agreement on the day and year above written.



**(T. C. Sharma)**

SEIWC Etawah  
Signed for and on behalf of Governor of Uttar Pradesh  
राज्यपाल अभियन्ता  
प्रियाई कर्म मण्डल, इटावा




**राकेश मिश्रा  
R. K. MITTAL**

(R. K. MITTAL) / General Manager (PC-Ops.)  
Pata Dist. Aurangabad 206 241 (U.P.) INDIA  
General Manager (Operation)  
Signed for and on behalf of GAIL India Limited, Pata


**In the presence of**


1.  2-5-17  
**(Rajeev Mittal)**  
E.E.I.D. Auraiya, Dibiyapur

2.  02/5/17  
**(Jas Ram Singh)**  
A.E.I.D. Auraiya, Dibiyapur

**Name and address**

**In the presence of**

1.  02/05/2017  
**CRAV MATHURAY**  
DGM (PC-O), GAIL, PATA


2.  02/5/2017  
**Chief Manager (PC-operation)**  
GAIL, PATA

**Name and address**

खासे हटाएँ.  
यारविन लगाएँ  
**earwin** (OT)  
Clearwin  
9896134500

**DIWALI OFFER**  
COMES OFFER BUY 1 GET 1 FREE  
EXTRA  
वॉल्यूम ऑफर  
BOOK  
HARBINGER  
& STOCK  
**₹ 2199**  
0120-4849900 SHIPPING  
CALL/SMS 7AM TO 6PM. RS.198/-

**इम्युनिटी ही मेरा सुरक्षा कवच!**



# बांदा: प्रवक्ता के आठ साल के बेटे की अपहरण के बाद हत्या

संवाद म्यूज एजेंसी

ओरन (बांदा)। किसका थाना क्षेत्र के चौमड़ गांव स्थित भांगोली महाशिवालय के प्रवक्ता के आठ साल के बेटे का सोमवार को सुबह अपहरण कर गला घोटकर हत्या कर दी



प्रिस कवचकेशी

है और शव को पुआल के ढेर में छिप दिया गया। मालवहार को ग्रामीण भड़क डटे और पुलिस को शव नहीं उठाने दिया। मौके पर पहुंच एएसपी डा. एसएस मीणा के आदेशों को सख्त निगरानी के आरक्षण पर शव को पुलिस कब्जे में ले सको। परिजनों ने गांव के सुक पर अपहरण और हत्या की रिपोर्ट दर्ज कराई है। उधर, परिजनों ने आर्थिका नवार्ड कि ग्रिय के आँवों और मुँह पर निपकने वाला कोई पदार्थ भी डाला गया था, लेकिन पोस्टमॉर्टम में ऐसे

सोमवार को घर के बाहर से सुबह किया था आवा

परिजनों ने एक घंटे बच्चे का शव नहीं उठाने दिया

महाशिवालय में प्रवक्ता पद पर तैनात हैं। सोमवार को सुबह 10 बजे गांव के स्कूल में चौथी कक्षा में पढ़ने वाला उनका बेटा प्रिस घर के दरवाजे पर खैलते समय लापता हो गया। दिनभर तलाश के बाद पता नहीं चला। रात करीब 8.55 बजे प्रवक्ता के फोन पर एक कॉल आई, जिसमें बेटे को सही स्थानतः को पुलिस को सूचना न देने को तबकीट की गई। कुछ देर बाद प्रिस फोन आया, जिसमें पुलिस को सूचना देने पर नागवणी जवाब मिला। मालवहार सुबह घर से करीब साढ़े साढ़े छह बजे तालाब के पास पुआल के ढेर के पास प्रिस को खपलें चढ़ी मिली। पुआल हटाने पर प्रिस का शव मिला। जल में डाला गया शव डेढ़ घंटे में ली-पट और

**हमीरपुर : बोलैरो में धमाका, छह लोग घायल**  
भक्तपुरमेरपुर (हमीरपुर)। कागपुर-भार हॉटेल पर सोमवार रात करीब 12:30 बजे मुझलव की लवज का हॉट बोलैरो में बसस्टैंड के पास अचानक बसस्टैंड हो गया। सब तक लोग सेबल पाते बोलैरो में स्वार लीग मौके से भाग निकली। बसस्टैंड से बस स्टैंड के निकट भंगव में खड़ी एक कार, दो बोलैरो व एक स्वर क्षीयता हो गई। हादसे में भंगव में काम कर रहे मिलने सेना, सीक्युरिटी, विष्णु के साथ गान्धी जेठा (30), मारकवरी (60) व स्क्वैड प्रमाद, जर्म (55) घायल हो गए। घटने के बाद, मारकवरी व लस्कु को सट्टा अस्पताल भेजा गया है, जबकि अन्य को पुलिस में भर्ती कराया गया है। हादसे में रमेशचंद्र गुजल में लगे शैले चक्रवर्ती ही गए। (विजय)

**गैरस्टेक**  
अपराध, पेट फूलने से बचने का अनुभवी  
सोमवार को सुबह किया था आवा  
परिजनों ने एक घंटे बच्चे का शव नहीं उठाने दिया

**घू लो अबी कौबाई**

**गेल (इंडिया) लिमिटेड**  
(गेल सार्वजनिक कार कंपनी)  
सार्वजनिक सूचना  
आम जनता को एक्टिव और सुरक्षित रहना है कि योग्यता, मन और उदरगत पर निर्भरित मानवत्व (एकमात्र एक और सीमा) ने पला, पित्त-ओरन, उपर मन में निरा गेल (इंडिया) लिमिटेड प्राय 60 करोड़ ए. पी.ओ.प्रायुवर्तीन सुविधा को जोड़कर पेटुओनिकवळ कोम्युनिकेस के विस्तार के लिए परिश्रम को पारिवर्तीय मजदूरी प्रदान की है। लक्ष्यकारी पत्र की शीर्षिका सुविधारीकी / मजदूरी के पास परामर्श है और हने परामर्शव्य मन और चरकरव्य परिश्रम मजदूरी की वेबसाइट जहाँ <https://parishresh.nic.in/> पर भी देता था थागाता में पर 2020 पर 2020 में 24-11-2011/09/06/2010/4A/019 दिनांक 16.03.2020 के द्वारा विष्णु के अस्वयं जलरी की जा रही है।  
पुला गहन " गैल पाइपलाइन की सुरक्षा सार्विध जनकारी / सुधार के लिए गहन कर 1000 1251 2111 (दैनिक की)  
पुष्पिगत कार्यालय गल भवन, 18, मंगलपुर की कमान लगे, आर. के. गुल, नई दिल्ली - 110066  
संज्ञांकन L40200DU1984/G01018976  
#Atmanishresha.com

रेगा प्रतिलोचक क्षमता बढ़ाए

Amaz Vjeb - 2/10/2020





# Setting DL

official said that the testing camps start functioning from 8.30am and till about 11am, the counters inside see scant footfall but suddenly then, the rush goes up. "We were able to regulate entry to the RTO very well till the camps opened. Now, a large number of people gather at the premises after undergoing tests," he added.

"The testing site is not permanent and it is going to shift to another place that needs attention as we keep doing this on a rotational basis. However, it takes time to set up camps and when we do, we keep testing continuously for enough days," Kaur said, adding that when the positivity rate dips, camps are shifted to another public place.

# Forensic lab told to expedite test of riots' data

**New Delhi:** A Delhi court has directed the director of Forensic Investigation of Crime and Scientific Services (CFSL) to expedite the examination of the analysis of electronic data in a case related to the communal violence in north-east Delhi in February. Metropolitan Magistrate Fahad Uddin asked police to expedite the process and take steps for filing supplementary chargesheet along with pending forensic lab results at the earliest in the case related to the riots in Jaffrabad. The court was hearing an application filed by JNU student and Pinjra Tod activist Devangana Kalita, arrested in the case, seeking copies of videos of protests against CAA and other electronic data available with the police in the matter. #1

ter in the city due to rampant advertisements for maximising revenue. But officials maintained that SDMC had been following the outdoor advertisement policy.

wraps or LED screens. "For LED screens, a maximum of 50-sq-meter area will be allowed and double the rate of the normal monthly licence fee will be levied," the official said.



**GAIL (India) Limited**  
(A Govt. of India Undertaking)

### Public Notice

Public at large is hereby informed that Ministry of Environment, Forest and Climate Change (MoEF&CC) has accorded Environmental Clearance to the project for expansion of Petrochemical Complex by adding 60 KTA Polypropylene Unit by GAIL (India) Limited located at Pata, Distt- Auraiya, Uttar Pradesh. The copies of the clearance letter are available with the UPCCB/Committee and may also be seen at website of MoEF&CC and at <https://parivesh.nic.in/>. This public notice is being issued as per the instruction of MoEF&CC, vide letter number F.No. J-11011/595/2010-IA(II) dated 16<sup>th</sup> October, 2020.

"Safety First..." For any safety concerns of Gas Pipeline/Enquiry, Dial 1800 1231 2111 (Toll Free)

Regd. Office: GAIL Bhawan, 16, Bhikaiji Cama Place, R. K. Puram, New Delhi- 110066

Corporate Identification Number : L40200DL1984G01018976


#AtmanirbharBharat

Think Digital, Be Digital

**magicbricks**  
India's No.1 Property Site

# MAGICBRICKS presents PLOTS

1 lac plots, spread across 200+ cities  
all under one roof.



NOT FINALLY  
ASSLE-FREE



Transparency  
**30,000+ Plots**  
approved by authorities



Investment Corridors  
**50+ Corridors**  
delivering higher  
return on investment



Expert Advice  
**10+ Webinars**  
by experts can be accessed

Visit [www.magicbricks.com/plots](http://www.magicbricks.com/plots)

\*No.1 as per comScore Total Visits Feb 2020 to Apr 2020

*Times of India - Delhi*  
*21-10-2020*

## CORONAVIRUS IN THE CAPITAL

TOTAL CASES	HOSPITAL BEDS		VENTILATORS	
	Daily cases	Recoveries	Deaths	Tests
3,36,750	2,154	2,845	31	36,445
	3,579	2,186	41	56,593
	23,922*	3,06,747	6,081	40,83,476

Total active cases

said there have been repeated instances where RT-PCR test results were not made available to people within 24 hours, and called it "most unacceptable" that the time taken for results was still extending upto even four days.

The court asked the Delhi government in its next status report to clarify how the system is being streamlined to ensure the turnaround time for testing is adhered to. There is obviously "some lag" which must be addressed at earliest, observed the court, while hearing a petition filed by advocate Rakesh Malhotra regarding Delhi's Covid testing strategy.

"The direction is considered necessary in light of the fact that on most occasions where the samples are collected and sent to the laboratories for testing, the person who is tested is not given

Justices Hima Kohli and Subramonium observed, adding there is no reason why results should not be communicated on the mobile phone to the persons. The court made the observations after taking note of recommendations made by an Expert Committee on the Testing Strategy, which said results should be available within 24 hours and suspected cases should ensure strict isolation till then.

"When the government has declared a complete unlockdown which requires all employed persons to report for duty regularly, nor can the self-employed persons/professionals be expected to remain in isolation unnecessarily, it is most unacceptable that turnaround for results is still far exceeding 24 hours and extending upto four days," said the court.

said it was time for prisoners out on interim bail or parole on account of Covid-19 pandemic to return to jails, after it was informed that only three inmates now suffer from Covid-19. A total of 6,711 inmates would have to surrender if the court decides not to extend its blanket order extending the interim bail and parole of prisoners.

The full bench of Chief Justice D N Patel and Justice Siddharth Mridul and Justice Talwant Singh was hearing a suo-motu case regarding extension in interim bails and parole. Directions were passed by the court earlier to decongest the city's jails to contain the spread of Covid-19 there.

"We are not concerned with the capacity of jails and the nature of offence. The order was passed only due to Covid and

However, the Delhi government's senior standing counsel (criminal) Rahul Mehra submitted the state has not brought anything before the court to show the decongestion has led to widespread crime in the city. Mehra also said Covid-19 by "no means is over in Delhi" and there are still a high number of cases.

Mehra also submitted it would be against the spirit of the Supreme Court judgement regarding decongestion of jails during the pandemic. However, CJ Patel observed the "Covid chapter" should close, adding that other avenues for bail and parole exist, and the power of the apex court's high-powered committee will still remain. "Let them surrender and get bail on merits... in a usual manner," he said.

JTAL  
507  
776  
283  
10.00

Female  
1,031

percentage  
55.15%

these are in  
why in our  
been clear  
the role of  
ig with the  
age," said a  
official in-  
ategy plan-

to be  
vide  
ov.in)

**भारतीय प्रौद्योगिकी संस्थान गुवाहाटी**  
**INDIAN INSTITUTE OF TECHNOLOGY GUWAHATI**  
Guwahati - 781 039, Assam

**Admission to PhD Programmes (December 2020)**  
Applications are invited from eligible candidates for admission to PhD programmes. Online application process starts on 20.10.2020. For more details, please visit <https://www.iitg.ac.in/acad>.

ADVT. NO. - ACAD/Admissions/03/2020

**SML ISUZU LIMITED** SML ISUZU  
(Formerly known as Swarej Mazda Limited)

Regd. Office : Village Aarun, Dist: Shahid Bhagat Singh Nagar (Newansahar), Punjab-144513  
Phone: 01981-270255, Fax: 01981-270223, CIN : L50101PB1993PLC005516  
Email : investors@smlisuzu.com Website address: www.smlisuzu.com

**NOTICE**

Notice is hereby given pursuant to Regulation 29 read with Regulation 47 of the SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015, that a meeting of the Board of Directors of the Company is scheduled to be held on 6th November, 2020 (Friday) to consider and approve the un-audited Financial Results for the second quarter ended on 30th September, 2020.

The information is also available on the Company's website [www.smlisuzu.com](http://www.smlisuzu.com) and also on the website of the Stock Exchanges viz. BSE Limited-[www.bseindia.com](http://www.bseindia.com) and the National Stock Exchange of India Limited-[www.nseindia.com](http://www.nseindia.com)

For SML ISUZU LIMITED  
(PARVESH MADAN)  
Company Secretary

Dated: 20.10.2020  
Place: Chandigarh

**FESTIVAL SPECIAL TRAIN BETWEEN  
KATIHAR AND DELHI**

It has been decided to run 04083/04084 Katihar-Delhi-Katihar Festival Special (Via Shahpur Patoree) trains to clear extra rush during Pujar Dipawali 2020. Details are as under:

Train No. 04083 Katihar - Delhi Special	Train No. 04084 Delhi-Katihar Special
--	--

**KALOJI NARAYANA RAO  
UNIVERSITY OF HEALTH SCIENCES  
TELANGANA**

**ADMISSION INTO MASTER OF  
PUBLIC HEALTH (MPH) COURSE THROUGH  
COMPUTER BASED ENTRANCE TEST**

Applications are invited for admission into MPH Course for the academic year 2020-21 in Indian Institute of Public Health, Hyderabad from 21-10-2020 to 04-11-2020. For detailed notification and prospectus, refer to website <http://knruhs.telangana.gov.in>.

Dated: 19-10-2020 Sd/- REGISTRAR

**GAIL (India) Limited**  
(A Govt. of India Undertaking)

**Public Notice**

Public at large is hereby informed that Ministry of Environment, Forest and Climate Change (MoEF&CC) has accorded Environmental Clearance to the project for expansion of Petrochemical Complex by adding 60 KTA Polypropylene Unit by GAIL (India) Limited located at Pata, Distt- Auraiya, Uttar Pradesh. The copies of the clearance letter are available with the UPPCB/Committee and may also be seen at website of MoEF&CC and at <https://parivesh.nic.in/>. This public notice is being issued as per the instruction of MoEF&CC, vide letter number F.No. J-11011/595/2010-IA(II) dated 16<sup>th</sup> October, 2020.

"Safety First..." For any safety concerns of Gas Pipeline/Enquiry, Dial 1800 1231 2111 (Toll Free)

Regd. Office: GAIL Bhawan, 16, Bhikaiji Cama Place, R. K. Puram, New Delhi- 110065

Corporate Identification Number: L40200DL1984G01018976

#AtmanirbharBharat Think Digital, Be Digital

Revised Timings of 02305/02306 Howrah-New